Yuvion Team Paper Template and Author Guidelines

First Author
Yuvion Team, Alibaba Group
first.author@example.com

Second Author
Yuvion Team, Alibaba Group
second.author@example.com

Abstract

This template provides a single-column format for technical reports by the Yuvion Team at Alibaba Group. It combines the typography, title treatment, section hierarchy, and page geometry of the official NeurIPS 2026 style with the Alibaba Security and Yuvion branded header from the team's CVPR template. Replace this paragraph with a concise statement of the research problem, method, principal findings, and limitations. The examples demonstrate equations, figures, tables, algorithms, citations, and an appendix without introducing external figure dependencies.

1 Using this template

Open `yuvion_team_neurips.tex` as the main document. Replace the title, author names, email addresses, and example content. Use **Yuvion Team, Alibaba Group** as the team affiliation. All manuscript text should be written in English.

This is a branded technical-report template. The original CVPR template remains available for two-column reports. For an actual conference submission, use the conference's official author kit and its current anonymization, page-limit, and checklist requirements.

1.1 Single-column layout

The official style defines a 5.5-inch-wide by 9-inch-high text area on US Letter paper, with 10-point body text and 11-point leading. Keep figures, tables, and equations within `\linewidth`. Do not load the CVPR style, enable `twocolumn`, or override the body margins with another layout package. The branding layer adjusts only the header clearance and notice.

1.2 Authors and references

Separate author blocks with `\And`; use `\AND` to force another author row. The bibliography uses numeric citations. For example, cite the original Transformer paper as [1], or refer to its authors with Vaswani et al. [1]. Replace the example bibliography with references actually used in your manuscript.

2 Method and mathematical notation

Define each symbol when it first appears. For a model f_θ with parameters θ and a dataset $\mathcal{D}$, an example objective is

$$\theta^* = \arg\min_\theta \frac{1}{|\mathcal{D}|} \sum_{(x,y)\in\mathcal{D}} \ell\big(f_\theta(x), y\big). \tag{1}$$




Figure 1: An example full-width pipeline. Replace these placeholder boxes with your method figure. Captions appear below figures.

Use numbered equations for expressions referenced in the text. Equation (1) illustrates automatic cross-references; the same commands work for Section 2, Figure 1, Table 1, and Algorithm 1.

3 Experiments and presentation

Describe the datasets, baselines, metrics, implementation details, and evaluation protocol before reporting results. Distinguish measured results from hypotheses and illustrations. The table below intentionally contains no invented experimental values.

Table 1: Example results table. Dashes are placeholders, not measurements.

Method	Quality ↑	Cost ↓	Latency ↓
Baseline	–	–	–
Proposed method	–	–	–
Ablation	–	–	–

3.1 Figures, tables, and algorithms

Use `figure` and `table` for single-column floats; starred floats are not necessary. Put table captions above the table and figure captions below the figure. Use legible labels and avoid encoding distinctions only by color. Insert a graphic with:

```
\includegraphics[width=\linewidth]{figure.pdf}
```

Algorithm 1 Example evaluation procedure

Require: Evaluation set $\mathcal{D}$, fixed model f_θ
1: Initialize results $\mathcal{R} \leftarrow \varnothing$
2: **for** each $(x, y) \in \mathcal{D}$ **do**
3: Compute prediction $\hat{y} \leftarrow f_\theta(x)$
4: Record the prediction, reference, and execution cost in $\mathcal{R}$
5: **end for**
6: Aggregate metrics over $\mathcal{R}$
7: **return** Metrics and reproducible evaluation settings

3.2 Reproducibility and limitations

Report the data split, random seeds, compute settings, and relevant software versions. State which conclusions are supported by the experiments and which remain uncertain. Include failure cases and limitations that help readers understand the method's scope.

4 Paper publication and open-source workflow

4.1 Paper publication approval

Before submitting or publicly releasing a paper, complete the internal publication approval process through the Yida paper publication approval form. Complete the required review and approval steps before any external publication.

4.2 Code open-source approval

If the project will release source code, models, datasets, or related technical assets, initiate and complete the compliance review through the Alibaba open-source approval platform before public release.

5 Final checklist

Confirm the title, author order, affiliation, and contact details. Replace all sample text, figure placeholders, and table dashes. Check references, figure readability, and PDF metadata. Complete the team's publication and, where applicable, open-source review before external release.

Acknowledgments and Disclosure of Funding

Replace this paragraph with the appropriate acknowledgments and funding disclosure, or remove the environment when it is not applicable.

References

[1] Ashish Vaswani, Noam Shazeer, Niki Parmar, Jakob Uszkoreit, Llion Jones, Aidan N. Gomez, Lukasz Kaiser, and Illia Polosukhin. Attention is all you need. In *Advances in Neural Information Processing Systems*, volume 30, 2017.

A Supplementary material

Use this appendix for additional implementation details, derivations, evaluation protocols, or qualitative examples. Appendix sections use lettered headings while equations, tables, and figures retain their normal counters. Remove this section if no supplementary material is needed.

A.1 Build and edit guide

Table 2: Files commonly edited when starting a new report.

File	Purpose
`yuvion_team_neurips.tex`	Title, authors, abstract, and manuscript body.
`references.bib`	Bibliographic records for cited work.
`yuvion-neurips.sty`	Team header and technical-report notice.
`neurips_2026.sty`	Official NeurIPS style, preserved unchanged.

For Overleaf, upload the source ZIP as a new project, choose the main file, and select pdfLaTeX. For a local TeX Live installation, compile with:

```
pdflatex yuvion_team_neurips
bibtex yuvion_team_neurips
pdflatex yuvion_team_neurips
pdflatex yuvion_team_neurips
```

The second and third LaTeX passes resolve citations and cross-references. Alternatively, run `latexmk -pdf yuvion_team_neurips.tex`.

A.2 Conference submission variant

The default document intentionally displays team identity. To prepare a conference submission, start from the official author kit, use the required review mode, remove team branding and identifying material, and add the official checklist when required. The team header is a report customization, not part of the official conference submission format.