Tracking plan

First-party product analytics, stored in Postgres (`AnalyticsEvent`) and read by **Admin → Analytics**. Code: `src/modules/analytics/track.ts` (catalogue + server helper), `src/app/api/event/route.ts` (browser beacon), `src/shared/client/track.tsx` (client helper).

```
meta:
  product: RoadSaathi (name is configurable)
  version: 1
  destinations: [postgres-first-party]      # add a CDP later by forwarding from trackServer()
  naming: snake_case, object_action          # events: booking_submitted, partner_apply_started
  pii_policy: none-in-events                 # no names/phones/emails/addresses in event props.
user_id only.
  internal_user_policy: exclude-staff        # DISPATCHER/ADMIN/SUPER_ADMIN beacons are dropped
server-side
```

Principles

- **Minimal.** Every event answers a funnel, revenue or ops question. No page-view spam (`page_view` is reserved, not auto-fired).
- **Properties over events** for variants (`booking_completed.payment_method`, not `booking_completed_cash`).
- **Business truth is server-side** (booking, payment, review, contract). Browser events only for intent and CTA clicks.
- **Never** put PII or free text in `props`. Money is integer paise, distance is km.

Events

Event	Fired from	When	Properties (all optional unless noted)
`cta_call_click`	browser	Any tap on a call-now link	`where`: topbar, hero, footer, action-bar, contact, mobile-menu, final
`cta_whatsapp_click`	browser	WhatsApp CTA tap	–
`language_changed`	browser	EN/हिं toggle	`to`: en, hi
`booking_started`	browser	Booking wizard opens	`vehicle`, `service` (slugs from deep links)
`booking_step_completed`	browser	Each wizard step passed	`step`: 0–2
`quote_viewed`	server	Fare quote returned	`service`, `total` (paise)
`otp_requested`	server	Any OTP sent	`channel`: EMAIL, SMS
`login_success`	server	OTP verified	`isNew`, `role`
`booking_submitted`	server	Booking created	`code`, `payOnline`

Event	Fired from	When	Properties (all optional unless noted)
`booking_cancelled`	server	Customer cancels	`bookingId`
`booking_completed`	server	Driver completes job	`payment_method`, `total`, `distance_km`, `service_id`, `has_company`
`payment_succeeded`	server	Razorpay capture verified	`method`, `amount`
`review_submitted`	server	Customer rates driver	`rating` 1–5
`job_accepted`	server	Driver accepts offer	`independent`
`partner_apply_started`	browser	Partner form opened	`type`: DRIVER, COMPANY
`partner_apply_submitted`	server	Application saved	`type`
`contract_signed`	server	Agreement e-signed	`contractId`
`coming_soon_lead`	server	“Notify me” for NCR areas	`kind`, `area`
`razorpay_interest_clicked`	browser	Tap on the disabled “Pay online” card	– (demand signal for enabling Razorpay)

Funnels & KPIs (Admin → Analytics)

1. **Booking funnel:** `booking_started → quote_viewed → booking_submitted → booking_completed`.
2. **Supply funnel:** `partner_apply_submitted → contract_signed` (+ approval time from audit log).
3. **Emergency intent:** `cta_call_click` by `where` — tells you which surface drives calls.
4. **Payment demand:** `razorpay_interest_clicked ÷ booking_submitted` decides when to flip Razorpay from *coming soon*.
5. **Geo demand:** `coming_soon_lead` by `area` ranks the next NCR launch.

Operational metrics (time-to-assign, offer acceptance rate, cancellations, ratings) are computed from the transactional tables (`Booking`, `BookingEvent`, `DispatchOffer`, `Review`), not from events.

Entity traits (stored on the transactional tables, not sent as events)

- **User:** `role`, `locale`, `createdAt`. **Driver:** `status`, `companyId` (independent vs fleet), `ratingAvg`, `ratingCount`. **Company:** `status`, `commissionBp`.
- Snapshot counts (online drivers, open bookings) are queried live; no scheduled sync needed at this scale.

Delta / backlog (intentionally *not* instrumented yet)

Candidate	Why deferred
`page_view` auto-tracking	Volume with little signal; add only when running paid acquisition (then forward to GA via `googleAnalyticsId`).

Candidate	Why deferred
`offer_declined`, `offer_expired`	Already in `DispatchOffer` rows.
Forwarding to a CDP / PostHog / Amplitude	Add inside `trackServer()` and `/api/event`; keep event names unchanged.
Naming migration to `object.action`	Pre-launch rename is cheap if you prefer dotted names; do it once, in `EVENTS`.