

2022

浙江卷 1月

阅读 C

中年体能好的女性日后患痴呆风险或更低

说明文 · 健康与运动 · 全文 314 词 · 逐句精读

¹ The **benefits** of **regular** exercise are **well documented** but there's a new **bonus** to **add to** the **ever-growing** list.

经常锻炼的好处早已得到充分证实，而现在，这份不断加长的清单上又可以添上一项新的好处。

benefit n. 好处；益处

regular adj. 经常的；规律的

well documented 有大量记载的；有充分证据的

bonus n. 额外的好处

add to 添加到……

ever-growing adj. 不断增长的

2 New research found that **middle-aged** women who were **physically fit** could be nearly 90 percent **less likely to develop dementia** in **later life**, and if they did, it **came on** a **decade** later than in less **sporty** women.

新研究发现，中年时身体素质好的女性日后患痴呆的可能性或许会低近90%；即使患病，发病时间也比运动较少的女性晚十年。

middle-aged adj. 中年的

physically adv. 身体上

fit adj. 健康的；身体素质好的

less likely to (比……) 可能性更小；更不容易

develop v. 患（病）；出现

dementia n. 痴呆

later life 晚年；日后

come on (疾病) 开始；发作

decade n. 十年

sporty adj. 爱运动的

3 **Lead researcher** Dr. Helena Horder, of the University of Gothenburg in Sweden, said: “These **findings** are **exciting** because it’s possible that **improving** people’s **cardiovascular** (心血管的) **fitness** in **middle age** could **delay** dementia or even **prevent** them **from** developing it.”

首席研究员、瑞典哥德堡大学的海伦娜·霍德博士说：“这些发现令人振奋，因为在中年时提高人们的心血管健康水平，有可能延缓痴呆的发生，甚至预防他们患上痴呆。”

lead researcher 首席研究员

finding n. 发现；研究结果

exciting adj. 令人振奋的

improve v. 提高；改善

cardiovascular adj. 心血管的

fitness n. 健康；体能

middle age 中年

delay v. 延缓；推迟

prevent...from 阻止……；预防……

⁴ For the study, 191 women with an **average** age of 50 took a bicycle exercise test until they were **exhausted** to **measure** their **peak** (最大值的) cardiovascular **capacity**.

在这项研究中，191名平均年龄为50岁的女性进行了自行车运动测试，一直骑到筋疲力尽，以测量她们的心血管能力峰值。

average adj. 平均的

exhausted adj. 筋疲力尽的

measure v. 测量

peak adj. 最大值的；峰值的

capacity n. 能力；容量

⁵ The average peak workload was measured at 103 watts.

测得的平均峰值负荷为103瓦。

workload n. 负荷；工作量

watt n. 瓦（特）

⁶ A total of 40 women met the criteria for a high fitness level, or 120 watts or higher.

共有40名女性达到高体能水平的标准，即峰值负荷达到120瓦或以上。

a total of 总共

meet the criteria 达到标准；符合条件

level n. 水平

⁷ A total of 92 women were in the **medium** fitness **category**; and 59 women were in the low fitness category, **defined** as a peak workload of 80 watts **or less**, or having their exercise tests stopped because of high **blood pressure**, **chest** pain or other cardiovascular problems.

共有92名女性属于中等体能类别；59名女性属于低体能类别，其定义为峰值负荷在80瓦及以下，或因高血压、胸痛或其他心血管问题而中止运动测试。

medium adj. 中等的

category n. 类别

define v. 给……下定义；界定

or less 或更少

blood pressure 血压

chest n. 胸部

⁸ These women were then **tested for** dementia six times over the **following** four decades.

在随后的四十年里，这些女性接受了六次痴呆检测。

test...for 对……进行（某病的）检测

following adj. 接下来的；随后的

⁹ During that time, 44 of the women developed dementia.

在此期间，其中44名女性患上了痴呆。

during that time 在此期间

develop v. 患（病）

¹⁰ Five **percent** of the **highly** fit women developed dementia, **compared to** 25 percent of the women with medium fitness and 32 percent of the women with low fitness.

高体能女性中有5%患上了痴呆，相比之下，中等体能女性中这一比例为25%，低体能女性中为32%。

percent n. 百分之……

highly adv. 高度地；非常

compared to 与……相比

¹¹ “However, this study does not show **cause and effect** between cardiovascular fitness and dementia; it only shows an **association**.”

“不过，这项研究并未显示心血管健康与痴呆之间存在因果关系；它只显示了二者之间的关联。”

cause and effect 因果关系

association n. 关联；联系

¹² More research is needed to see if improved fitness could have a positive effect on the risk of dementia and also to look at when during a lifetime a high fitness level is most important.”

还需要进一步研究，看看提高体能是否会对痴呆风险产生积极影响，同时也要研究人一生中什么时候保持高体能水平最为重要。”

have a positive effect on 对……产生积极影响

risk n. 风险

look at 研究；查看

lifetime n. 一生

¹³ She also **admitted** that a **relatively** small number of women were studied, **all of whom** were from Sweden, so the **results** might not be **applicable** to other groups.

她也承认，参与研究的女性人数相对较少，而且全都来自瑞典，因此研究结果可能并不适用于其他群体。

admit v. 承认

relatively adv. 相对地

all of whom 她们全都

result n. 结果

applicable adj. 适用的