

DESCO AIPMS - 10-Domain AI Context Classification (Revised)

Official 25 Grade 1-11 ACR metrics remain unchanged; revisions strengthen context boundaries and role-aware reasoning.

Review adjustment: The domain layer is retained, but its purpose is tightened. It is only an AI context/routing structure. Role-specific examples (technical work, team-leading situations, office/admin work, safety/emergency situations) shape scenario interpretation; they do not create new official metrics or move the 25 ACR criteria.

#	AI Context Domain	Official ACR Metrics	Revised AI Scenario Context / Boundary
1	Discipline & Punctuality	1. Discipline (শৃঙ্খলা বোধ) 7. Punctuality (সময়ানুবর্তিতা)	Rule compliance, orderly conduct, attendance/time discipline. Office confidentiality/security rules belong here only when they are conduct/compliance matters.
2	Reliability & Responsibility	8. Reliability (নির্ভরযোগ্যতা) 9. Sense of Responsibility (দায়িত্ববোধ) 25. Devotion to Duty (কর্তব্যনিষ্ঠা)	Dependability, ownership, accountability, duty continuity and sustained commitment. Avoid duplicating the same event across all three metrics without direct evidence.
3	Work Motivation & Initiative	4. Energy & Initiative (উদ্যম ও উদ্যোগ) 10. Interest in Work (কাজে আগ্রহ) 11. Promptness in Taking Action & Following Orders	Self-starting action, engagement and timely response. Include self-motivation toward achieving assigned goals as scenario context, not as a new criterion.
4	Judgment & Cognitive Ability	2. Judgment & Sense of Proportion 3. Intelligence	Role-contextual reasoning. For technical staff, technical comprehension may be evidence of sound reasoning/intelligence, but technical knowledge itself remains Metric 14.
5	Decision & Execution Capability	19. Decision-Making Skill 20. Ability to Implement Decisions	Choosing and executing a course of action. Team-lead/coordination situations may provide evidence, while formal supervisory capability remains Metric 17.
6	Professional Competence & Productivity	14. Professional Knowledge 15. Quality of Work 16. Quantity of Work	Technical/job know-how, correctness/quality and work output. Role-specific technical scenarios are routed here.
7	Workplace Behaviour & Team Relations	5. Personality 6. Cooperation 18. Relationship with Colleagues	Professional behaviour, cooperation, team/social interaction and internal working relationships. Do not use this as a catch-all for communication skill.
8	Communication & Public Interaction	13. Conduct with the Public 22. Written Expression 23. Verbal Expression	Public/stakeholder conduct and written/verbal communication. Keep public conduct separate from internal teamwork.
9	Supervisory Leadership & Staff Development	17. Supervisory & Management Capability 21. Interest & Skill in Training Subordinates 24. Promptness in Writing/Countersigning ACRs	Applies to supervisory/managerial responsibilities, team development and appraisal duties. Role applicability must follow DESCO policy.
10	Safety Awareness	12. Safety Awareness (নিরাপত্তা সচেতনতা)	Physical/workplace safety, emergency readiness and disaster-prevention awareness. Confidentiality/information secrecy is not automatically treated as safety.

Non-negotiable mapping rule: the parent domain never receives a score. A performance event may support only those official metrics it directly demonstrates. Cross-domain relevance must be explicitly identified and human-confirmed rather than silently propagated.

Part A - Revised Primary Performance Input & AI Metric Mapping

Feedback applied: Hybrid input removed; domain selection and the mapping path are now explicit.

Input policy: the primary inputter records the performance event and evidence. They do not give the event an annual 1-4 ACR mark. The system first establishes a primary domain, then maps the event only to directly relevant official metrics.

1. INPUT MODE

Quick Input

Write what happened naturally. AI proposes the primary domain first; the officer confirms it before metric mapping.

Guided Input

Select one of the 10 domains and, if useful, a common scenario family; then describe the actual event.

2. ESTABLISH THE PRIMARY AI DOMAIN

Primary Domain Checkpoint

Quick Input: AI suggests domain -> human confirms. Guided Input: selected domain is confirmed. This domain becomes the normal mapping boundary.

3. AI CONTEXT RETRIEVAL AND METRIC MAPPING

Domain Context

Load only the confirmed domain definition and boundaries.

Scenario Library

Retrieve matching scenario families + exclusion/boundary examples.

Official Sub-Metrics

Evaluate only official ACR metrics inside the confirmed domain.

Cross-Domain Check

If strong evidence points outside the domain, flag it separately for approval.

Human Mapping Review

Officer accepts/removes/adds metric links. Any cross-domain link requires explicit confirmation.

Store One Evidence Event + Evidence Profile

Store event once with confirmed metric links, direction, relevance, evidence reference and context. No event-level 1-4 score.

Part B - Revised Evidence -> Metric Assessment -> Initial Pen Picture

Adds an explicit evidence-profile layer so the path from an event to the annual 1-4 recommendation is clear.

Assessment policy: an event is evidence, not an annual score. Each mapped event carries structured evidence signals; at appraisal time, all eligible evidence for one official metric is considered together before AI recommends an integer 1-4 mark.

1. ELIGIBLE EVIDENCE SOURCES



2. EVENT-LEVEL EVIDENCE PROFILE - NOT A SCORE

For each confirmed mapping, preserve: relevance (Primary/Secondary) | direction (supporting/contrary) | source/evidence reference | outcome/impact | period/frequency context

3. BUILD 25 SEPARATE OFFICIAL METRIC EVIDENCE SETS

