


# Source Code Javascript

**Nama: Alif Kurnia Adisaputra**

**NIM: 0161517102**

# Tag Script



The screenshot shows the Notepad++ application window. The title bar indicates the file path is C:\Users\User\Documents\tugas harian web\tagscript.html. The menu bar includes File, Edit, Search, View, Encoding, Language, Settings, Tools, Macro, Run, Plugins, Window, and ?. The toolbar contains various icons for file operations and editing. The tab bar shows several open files, with 'tagscript.html' selected. The main text area displays the following HTML code:

```
1 <HTML>
2 <HEAD>
3 <TITLE>Contoh Program Javascript</TITLE>
4 </HEAD>
5 <BODY> <SCRIPT language="Javascript">
6 <!--
7     alert("Hallo guys !");
8     // -->
9 </SCRIPT>
10 </BODY>
11 </HTML>
```

The status bar at the bottom provides additional information: 'Hyper Text Markup Language file', 'length : 209 lines : 11', 'Ln : 2 Col : 1 Sel : 12 | 2', 'Windows (CR LF)', 'UTF-8', and 'INS'. The Windows taskbar is visible at the very bottom, showing the search bar and several application icons.

# Properti

C:\Users\User\Documents\tugas harian web\properti.html - Notepad++

File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?

tagscript.html x properti.html x metode.html x penanganan\_kejadian.html x pemasukan\_data.html x jendela\_peringatan.html x jendela\_konfirmasi.html x mendeklarasikan\_variabel.html x konversi\_tipe\_data.html x konfirmasi.htm

```
1 <HTML>
2 <HEAD>
3   <TITLE>"Properti defaultStatus"</TITLE>
4 </HEAD>
5 <BODY>
6   <H1>Test defaultStatus</H1>
7   <SCRIPT LANGUAGE = "Javascript">
8     <!--
9     window.defaultStatus = "Selamat belajar Javascript kawan";
10    //-->
11  </SCRIPT>
12 </BODY>
13 </HTML>
```

Hyper Text Markup Language file

length : 242 lines : 13


Ln : 9 Col : 1 Sel : 0 | 0

Windows (CR LF) UTF-8 INS

Type here to search

1:43 AM 10/30/2019

# Metode/Skrip Javascript




```
1 <HTML>
2 <HEAD>
3 <TITLE>Skrip Javascript</TITLE>
4 </HEAD>
5 <BODY>
6 <SCRIPT language="Javascript">
7 <!--
8     document.write("Selamat untuk Mencoba Javascript <BR>");
9     document.write("Semoga Sukses Mengerjakannya!");
10 //-->
11 </SCRIPT>
12 </BODY>
13 </HTML>
```

Hyper Text Markup Language file      length : 254   lines : 13      Ln : 13   Col : 8   Sel : 0 | 0      Windows (CR LF)   UTF-8   INS

Type here to search

1:43 AM 10/30/2019


# Penanganan Kejadian



```
1 <HTML>
2 <HEAD>
3 <TITLE>Kejadian</TITLE>
4 </HEAD>
5 <BODY>
6 <H1>Tes Kejadian</H1>
7 <P>Cobalah meletakkan penunjuk mouse ke link berikut dan perhatikan isi baris status.
8 Kemudian pindahkan penunjuk mouse dari link berikut dan perhatikan isi baris status </P>
9 <A HREF = "www.fujitsu.com"
10 onmouseover = "window.status ='Anda menyorot link, lho';
11               return true"
12               onmouseout = "window.status = ";
13               return true">Fujitsu</A>
14 </BODY>
15 </HTML>
```

Hyper Text Markup Language file      length : 491   lines : 15      Ln : 15   Col : 18   Sel : 0 | 0      Windows (CR LF)   UTF-8   INS      1:43 AM 10/30/2019


# Pemasukan data



```
1 <HTML>
2 <HEAD>
3 <TITLE>Pemasukan Data</TITLE>
4 </HEAD>
5 <BODY>
6 <SCRIPT LANGUAGE = "JavaScript">
7 <!--
8     var nama = prompt("Namaku Alif");
9     document.write("Hai, " + Alif);
10 //-->
11 </SCRIPT>
12 </BODY>
13 </HTML>
```

Hyper Text Markup Language file      length: 222   lines: 13      Ln: 7   Col: 5   Sel: 0 | 0      Windows (CR LF)   UTF-8   INS

# Jendela Peringatan



```
1 <HTML>
2 <HEAD>
3 <TITLE>Alert Box
4 </TITLE>
5 </HEAD>
6 <BODY>
7 <SCRIPT LANGUAGE =
8 "JavaScript">
9 <!--
10     window.alert("Jangan lupa istirahat!");
11 <!-->
12 </SCRIPT>
13 </BODY>
14 </HTML>
15
```

Hyper Text Markup Language file      length : 192   lines : 15      Ln : 15   Col : 1   Sel : 0 | 0      Windows (CR LF)   UTF-8   INS

# Jendela Konfirmasi

C:\Users\User\Documents\tugas harian web\jendela\_konfirmasi.html - Notepad++

File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?

tagscript.html x properti.html x metode.html x penanganan\_kejadian.html x pemasukan\_data.html x jendela\_peringatan.html x jendela\_konfirmasi.html x mendeklarasikan\_variabel.html x konversi\_tipe\_data.html x konfirmasi.htm

```
1 <HTML>
2 <HEAD>
3 <TITLE>Konfirmasi
4 </TITLE>
5 </HEAD>
6 <BODY>
7 <SCRIPT LANGUAGE =
8 "JavaScript">
9 <!--
10     var jawaban = window.confirm(
11         "Apakah Anda ingin meneruskan?");
12     document.write("Ya: " + jawaban);
13 <!-->
14 </SCRIPT>
15 </BODY>
16 </HTML>
```

Hyper Text Markup Language file


length : 251 lines : 16 Ln : 16 Col : 8 Sel : 0 | 0 Windows (CR LF) UTF-8 INS

Type here to search

1:45 AM 10/30/2019



# Mendeklarasikan Variabel



The image shows a Notepad++ window titled "C:\Users\User\Documents\tugas harian web\mendeklarasikan variabel.html - Notepad++". The editor contains an HTML document with the following code:

```
1 <HTML>
2 <HEAD>
3 <TITLE>Konfirmasi
4 </TITLE>
5 </HEAD>
6 <BODY>
7 <SCRIPT LANGUAGE =
8 "JavaScript">
9 <!--
10 var VariabelKu;
11 var VariabelKu2 = 3;
12 VariabelKu = 2;
13 document.write (VariabelKu*VariabelKu2);
14 // -->
15 </SCRIPT>
```

The status bar at the bottom indicates the file is a "Hyper Text Markup Language file" with a length of 230, 15 lines, and the cursor is at line 15, column 11. The Windows taskbar at the bottom shows the time as 1:45 AM on 10/30/2019.

# Konversi tipe data

C:\Users\User\Documents\tugas harian web\konversi\_tipe\_data.html - Notepad++

File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?


tagscript.html x properti.html x metode.html x penanganan\_kejadian.html x pemasukan\_data.html x jendela\_peringatan.html x jendela\_konfirmasi.html x mendeklarasikan\_variabel.html x konversi\_tipe\_data.html x konfirmasi.htm

```
1 <HTML>
2 <HEAD>
3 <TITLE>Konfirmasi
4 </TITLE>
5 </HEAD>
6 <BODY>
7 <SCRIPT LANGUAGE =
8 "JavaScript">
9 <!--
10 var a = parseInt("27");
11 document.write("1. " + a + "<BR>");
12 a = parseInt("27.5");
13 document.write("2. " + a + "<BR>");
14 var a = parseInt("27A");
15 document.write("3. " + a + "<BR>");
16 a = parseInt("A27.5");
17 document.write("4. " + a + "<BR>");
18 var b = parseFloat("27");
19 document.write("5. " + b + "<BR>");
20 b = parseFloat("27.5");
21 document.write("6. " + b + "<BR>");
22 var b = parseFloat("27A");
23 document.write("7. " + b + "<BR>");
24 b = parseFloat("A27.5");
25 document.write("8. " + b + "<BR>")
26 //-->
27 </SCRIPT>
28 </BODY>
29 </HTML>
```

Hyper Text Markup Language file length: 715 lines: 29 Ln: 29 Col: 8 Sel: 0 | 0 Windows (CR LF) UTF-8 INS

Type here to search 1:45 AM 10/30/2019

# Konfirmasi




```
1 <HTML>
2 <HEAD>
3 <TITLE>Konfirmasi
4 </TITLE>
5 </HEAD>
6 <BODY>
7 <SCRIPT LANGUAGE =
8 "JavaScript">
9 <!--
10 document.write("20 + 3 = " + (20 + 3) );
11 document.write("<BR>");
12 document.write("20 + 3 = " + (20 - 3) );
13 document.write("<BR>");
14 document.write("20 * 3 = " + (20 * 3) );
15 document.write("<BR>");
16 document.write("20 / 3 = " + (20 / 3) );
17 document.write("<BR>");
18 document.write("20 % 3 = " + (20 % 3) );
19 document.write("<BR>");
20 //-->
21 </SCRIPT>
22 </BODY>
23 </HTML>
```

Hyper Text Markup Language file      length : 519   lines : 23      Ln : 23   Col : 8   Sel : 0 | 0      Windows (CR LF)   UTF-8   INS

Type here to search      1:45 AM 10/30/2019

# Operator Pembanding




The screenshot shows a Notepad++ window with the title bar "C:\Users\User\Documents\tugas harian web\operator\_pembanding.html - Notepad++". The menu bar includes File, Edit, Search, View, Encoding, Language, Settings, Tools, Macro, Run, Plugins, Window, and ?. The toolbar contains various icons for file operations and editing. The tab bar shows several open files, with "operator\_pembanding.html" selected. The editor area displays the following HTML code:

```
1 <HTML>
2 <HEAD>
3 <TITLE>Operator
4 </TITLE>
5 </HEAD>
6 <BODY>
7 <SCRIPT LANGUAGE =
8 "JavaScript">
9 <!--
10     var nilai = prompt("Nilai (0-100): ", 0);
11     var hasil = (nilai >= 60) ? "Lulus" : "Tidak Lulus";
12     document.write("Hasil: " + hasil);
13 <!-->
14 </SCRIPT>
15 </BODY>
16 </HTML>
17
```

The status bar at the bottom indicates "Hyper Text Markup Language file", "length: 290 lines: 17", "Ln: 3 Col: 16 Sel: 0 | 0", "Windows (CR LF)", "UTF-8", and "INS".

# If tanpa false



The screenshot shows the Notepad++ editor with the file `C:\Users\User\Documents\tugas harian web\if_tanpa_false.html` open. The editor displays an HTML document with a JavaScript code block. The code block contains an `if` statement that checks if a user's input is greater than or equal to 60. If the condition is true, it updates the result to "Lulus"; otherwise, it remains "Tidak Lulus". The code is as follows:

```
1 <HTML>
2 <HEAD>
3 <TITLE>contoh if
4 </TITLE>
5 </HEAD>
6 <BODY>
7 <SCRIPT LANGUAGE =
8 "JavaScript">
9 <!--
10 var nilai = prompt("Nilai (0-100): ", 0);
11 var hasil = "Tidak Lulus";
12     if (nilai >= 60)
13         hasil = "Lulus";
14     document.write("Hasil: " + hasil);
15 <!-->
16 </SCRIPT>
17 </BODY>
18 </HTML>
19
```

The status bar at the bottom indicates the file is a "Hyper Text Markup Language file" with a length of 312, 19 lines, and the cursor is at line 3, column 17. The encoding is UTF-8 and the line endings are Windows (CR LF).

# If dengan else

C:\Users\User\Documents\tugas harian web\if\_dengan\_else.html - Notepad++

File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?

mendeklarasikan variabel.html konversi\_tipe\_data.html konfirmasi.html operator\_pembandingan.html if\_tanpa\_false.html if\_dengan\_else.html pernyataan\_switch.html contoh\_while.html do\_while.html for.html


```
1 <HTML>
2 <HEAD>
3 <TITLE>Contoh if
4 </TITLE>
5 </HEAD>
6 <BODY>
7 <SCRIPT LANGUAGE =
8 "JavaScript">
9 <!--
10     var nilai = prompt("Nilai (0-100): ", 0);
11     var hasil = "";
12
13     if (nilai >= 60)
14         hasil = "Lulus";
15     else
16         hasil = "Tidak Lulus";
17     document.write("Hasil: " + hasil);
18 <!-->
19 </SCRIPT>
20 </BODY>
21 </HTML>
22
```

Hyper Text Markup Language file length : 350 lines : 22 Ln : 21 Col : 9 Sel : 0 | 0 Windows (CR LF) UTF-8 INS

Type here to search

1:46 AM 10/30/2019

# Pernyataan switch



The screenshot shows a Notepad++ window titled "C:\Users\User\Documents\tugas harian web\pernyataan\_switch.html - Notepad++". The window contains an HTML document with a JavaScript switch statement. The code is as follows:

```
1 <HTML>
2 <HEAD>
3 <TITLE>Contoh SWITCH
4 </TITLE>
5 </HEAD>
6 <BODY>
7 <SCRIPT LANGUAGE =
8 "JavaScript">
9 <!--
10 var tanggal = new Date();
11 var kode_hari = tanggal.getDay();
12 var nama_hari = "";
13
14 switch(kode_hari) {
15     case 0:
16         nama_hari = "Minggu";
17         break;
18     case 1:
19         nama_hari = "Senin";
20         break;
21     case 2:
22         nama_hari = "Selasa";
23         break;
24     case 3:
25         nama_hari = "Rabu";
26         break;
27     case 4:
28         nama_hari = "Kamis";
29         break;
30     case 5:
31         nama_hari = "Jumat";
32         break;
33     case 6:
34         nama_hari = "Sabtu";
35         break;
36 }
```

The status bar at the bottom indicates "Hyper Text Markup Language file", "length : 904 lines : 44", "Ln : 1 Col : 1 Sel : 0 | 0", "Windows (CR LF)", "UTF-8", and "INS". The Windows taskbar is visible at the bottom with the search bar and various icons.

# While

C:\Users\User\Documents\tugas harian web\contoh\_while.html - Notepad++

File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?

mendeklarasikan variabel.html x konversi\_tipe\_data.html x konfirmasi.html x operator\_pembanding.html x if\_tanpa\_false.html x if\_dengan\_else.html x pernyataan\_switch.html x contoh\_while.html x do\_while.html x for.html x

```
1 <HTML>
2 <HEAD>
3 <TITLE>Contoh while
4 </TITLE>
5 </HEAD>
6 <BODY>
7 <SCRIPT LANGUAGE =
8 "JavaScript">
9 <!--
10     var bilangan = 0;
11     while (bilangan < 5) {
12         document.write("JavaScript<BR>");
13         bilangan++;
14     }
15     //-->
16 </SCRIPT>
17 </BODY>
18 </HTML>
```

Hyper Text Markup Language file length : 253 lines : 18 Ln : 1 Col : 1 Sel : 0 | 0 Windows (CR LF) UTF-8 INS



# Do while

C:\Users\User\Documents\tugas harian web\do\_while.html - Notepad++

File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?

mendeklarasikan variabel.html x konversi\_tipe\_data.html x konfirmasi.html x operator\_pembanding.html x if\_tanpa\_false.html x if\_dengan\_else.html x pernyataan\_switch.html x contoh\_while.html x do\_while.html x for.html x


```
1 <HTML>
2 <HEAD>
3 <TITLE>Contoh do while
4 </TITLE>
5 </HEAD>
6 <BODY>
7 <SCRIPT LANGUAGE =
8 "JavaScript">
9 <!--
10     var bilangan = 1;
11     do {
12         document.write(bilangan + "<BR>");
13         bilangan++;
14     } while (bilangan < 6);
15     //-->
16 </SCRIPT>
17 </BODY>
18 </HTML>
```

Hyper Text Markup Language file length : 257 lines : 18 Ln : 1 Col : 1 Sel : 0 | 0 Windows (CR LF) UTF-8 INS

Type here to search

1:46 AM 10/30/2019

# for



```
1 <HTML>
2 <HEAD>
3 <TITLE>Contoh for
4 </TITLE>
5 </HEAD>
6 <BODY>
7 <SCRIPT LANGUAGE =
8 "JavaScript">
9 <!--
10     var bilangan = 0;
11     for (bilangan = 1; bilangan <= 5; bilangan++)
12         document.write(bilangan + "<BR>");
13 <!-->
14 </SCRIPT>
15 </BODY>
16 </HTML>
```

Hyper Text Markup Language file      length : 253 lines : 16      Ln : 1 Col : 1 Sel : 0 | 0      Windows (CR LF) UTF-8 INS      1:46 AM 10/30/2019

# Proses pengulangan

C:\Users\User\Documents\tugas harian web\proses\_pengulangan.html - Notepad++

File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?

contoh\_while.html x do\_while.html x for.html x proses\_pengulangan.html x fungsi.html x fungsi\_rekursif.html x validasi.html x Jam.html x check\_box.html x objek\_array.html x Objek\_RADIO.html x OBJEK\_PASSWO

```
1 <HTML>
2 <HEAD>
3 <TITLE>Contoh for Berkala
4 </TITLE>
5 </HEAD>
6 <BODY>
7 <SCRIPT LANGUAGE =
8 "JavaScript">
9 <!--
10 var baris, i = 0;
11 var nilai_prompt = prompt("Tinggi: ", 5);
12 var tinggi = parseInt(nilai_prompt);
13
14 for (baris = 1; baris <= tinggi ; baris++) {
15     // Buat sejumlah spasi
16     for (i = 1; i <= tinggi - baris; i++) {
17         document.write(" "); // Karakter spasi
18     }
19     // Tampilkan *
20     for (i = 1; i < 2 * baris; i++) {
21         document.write("*");
22     }
23     // Pindah baris
24     document.write("\n");
25 }
26 //-->
27 </SCRIPT>
28 </PRE>
29 </BODY>
30 </HTML>
```

Hyper Text Markup Language file length: 576 lines: 30 Ln: 1 Col: 1 Sel: 0 | 0 Windows (CR LF) UTF-8 INS

# fungsi

C:\Users\User\Documents\tugas harian web\fungsi.html - Notepad++

File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?

contoh\_while.html x do\_while.html x for.html x proses\_pengulangan.html x fungsi.html x fungsi\_rekursif.html x validasi.html x Jam.html x check\_box.html x objek\_array.html x Objek\_RADIO.html x OBJEK\_PASSWO x

```
1 <HTML>
2 <HEAD>
3 <TITLE>Contoh fungsi
4 </TITLE>
5 </HEAD>
6 <BODY>
7 <SCRIPT LANGUAGE =
8 "JavaScript">
9 <!--
10 function jumlah(x, y) {
11     var hasil = x + y;
12     return(hasil);
13 }
14 var z = jumlah(2, 3);
15 document.write(z);
16 document.write("<BR>");
17 document.write(jumlah(4, 5));
18 //-->
19 </SCRIPT>
20 </BODY>
21 </HTML>
```

Hyper Text Markup Language file length : 323 lines : 21 Ln : 1 Col : 1 Sel : 0 | 0 Windows (CR LF) UTF-8 INS

Type here to search

1:47 AM 10/30/2019

# Fungsi Rekursif

C:\Users\User\Documents\tugas harian web\fungsi\_rekursif.html - Notepad++

File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?

contoh\_while.html do\_while.html for.html proses\_pengulangan.html fungsi.html fungsi\_rekursif.html validasi.html Jam.html check\_box.html objek\_array.html Objek\_RADIO.html OBJEK\_PASSWO

```
1 <HTML>
2 <HEAD>
3 <TITLE>Variabel Lokal
4 </TITLE>
5 </HEAD>
6 <BODY>
7 <SCRIPT LANGUAGE =
8 "JavaScript">
9 <!--
10 function faktorial(n) {
11     if (n == 0)
12         return(1);
13     else
14         return( n * faktorial(n-1));
15     }
16     var z = 77;
17     document.write("4! = " + faktorial(4));
18 //-->
19 </SCRIPT>
20 </BODY>
21 </HTML>
```

Hyper Text Markup Language file length : 307 lines : 21 Ln : 1 Col : 1 Sel : 0 | 0 Windows (CR LF) UTF-8 INS

# Validasi

C:\Users\User\Documents\tugas harian web\validasi.html - Notepad++

File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?

contoh\_while.html do\_while.html for.html proses\_pengulangan.html fungsi.html fungsi\_rekursif.html validasi.html Jam.html check\_box.html objek\_array.html Objek\_RADIO.html OBJEK\_PASSWO

```
1 <HTML>
2 <HEAD>
3 <TITLE>Validasi Masukan
4 </TITLE>
5 </HEAD>
6 <BODY>
7 <SCRIPT LANGUAGE =
8 "JavaScript">
9 <!--
10 function cekNama(form) {
11     if (form.elements[0].value == "") {
12         alert("Nama harus dimasukkan");
13         form.nama.focus();
14         form.nama.select();
15         return(false);
16     }
17     alert("Terima kasih, " +
18         form.elements[0].value);
19     return(true);
20 }
21 //-->
22 </SCRIPT>
23 <FORM NAME = "formku">
24 <PRE>
25 Nama : <INPUT TYPE = "TEXT"
26 NAME = "nama"><BR>
27 <INPUT TYPE = "BUTTON"
28 VALUE = "Kirim"
29     onClick = "cekNama(this.form)"><BR>
30 </PRE>
31 </FORM>
32 </BODY>
33 </HTML>
```

Hyper Text Markup Language file length : 571 lines : 33 Ln : 1 Col : 1 Sel : 0 | 0 Windows (CR LF) UTF-8 INS



Type here to search



1:48 AM  
10/30/2019



# Jam

```
C:\Users\User\Documents\tugas harian web\Jam.html - Notepad++
File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?

contoh_while.html x do_while.html x for.html x proses_pengulangan.html x fungsi.html x fungsi_rekursif.html x validasi.html x Jam.html x check_box.html x objek_array.html x Objek_RADIO.html x OBJEK_PASSWO x

1 <HTML>
2 <HEAD>
3 <TITLE>Jam
4 </TITLE>
5 </HEAD>
6 <BODY>
7 <FORM NAME = "formWaktu">
8 Waktu Sekarang :
9 <INPUT TYPE = "TEXT"
10 NAME = "teksWaktu"
11 VALUE = ""
12 SIZE = "22">
13 </FORM>
14 <SCRIPT LANGUAGE =
15 "JavaScript">
16 <!--
17 function aturWaktu() {
18     var sekarang = new Date();
19     var waktuSekarang = sekarang.toLocaleString();
20     document.formWaktu.teksWaktu.value =
21     waktuSekarang;
22     setTimeout('aturWaktu()', 1000);
23     return(true);
24 }
25 // Menjalankan fungsi aturWaktu
26 aturWaktu();
27 <!-->
28 </SCRIPT>
29 </BODY>
30 </HTML>
31

Hyper Text Markup Language file length: 565 lines: 31 Ln: 12 Col: 19 Sel: 0 | 0 Windows (CR LF) UTF-8 INS
```

# Check box

C:\Users\User\Documents\tugas harian web\check\_box.html - Notepad++

File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?

contoh\_while.html x do\_while.html x for.html x proses\_pengulangan.html x fungsi.html x fungsi\_rekursif.html x validasi.html x Jam.html x check\_box.html x objek\_array.html x Objek\_RADIO.html x OBJEK\_PASSWO

```
1 <HTML>
2 <HEAD>
3 <TITLE>check_box
4 </TITLE>
5 </HEAD>
6 <BODY>
7 <SCRIPT LANGUAGE =
8 "JavaScript">
9 <!-- function ModifField()
10 {
11     if (document.forms["form1"].check_box.checked)
12     {document.forms["form1"].text_field.value="checkbox dipilih"}
13     else
14     {document.forms["form1"].text_field.value="checkbox tidak dipilih"}
15 }
16 // -->
17 </script>
```

Hyper Text Markup Language file length : 357 lines : 17 Ln : 3 Col : 17 Sel : 0 | 0 Windows (CR LF) UTF-8 INS



# Objek\_array

C:\Users\User\Documents\tugas harian web\objek\_array.html - Notepad++

File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?

contoh\_while.html do\_while.html for.html proses\_pengulangan.html fungsi.html fungsi\_rekursif.html validasi.html Jam.html check\_box.html objek\_array.html Objek\_RADIO.html OBJEK\_PASSWO

```
1 <HTML>
2 <HEAD>
3 <TITLE>Properti prototype
4 </TITLE>
5 </HEAD>
6 <BODY>
7 <SCRIPT LANGUAGE =
8 "JavaScript">
9 <!--
10 function tampilkanElemenArray() {
11   for (var i = 0; i < this.length; i++) {
12     document.write "[" + i + "] = " +
13       this[i] + "<BR>");
14   }
15 }
16 Array.prototype.cetak = tampilkanElemenArray;
17 var musik = new Array("Pop", "Rock",
18   "Campursari", "Dangdut");
19 var tanaman = new Array("Aglaonema", "Begonia",
20   "Bromelia");
21 document.write("Isi array musik: <BR>");
22 musik.cetak();
23 document.write("Isi array tanaman: <BR>");
24 tanaman.cetak();
25 //-->
26 </SCRIPT>
27 </BODY>
28 </HTML>
```

Hyper Text Markup Language file length: 623 lines: 28 Ln: 1 Col: 1 Sel: 0 | 0 Windows (CR LF) UTF-8 INS

# Objek Radio

```
C:\Users\User\Documents\tugas harian web\Objek_RADIO.html - Notepad++
File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?
contoh_while.html do_while.html for.html proses_pengulangan.html fungsi.html fungsi_rekursif.html validasi.html Jam.html check_box.html objek_array.html Objek_RADIO.html OBJEK_PASSWO

1 <HTML>
2 <HEAD>
3 <TITLE>Mengakses Objek radio
4 </TITLE>
5 </HEAD>
6 <BODY>
7 Klik pada musik yang paling Anda sukai<BR>
8 <FORM NAME = "formTes"
9 METHOD = "GET">
10 <INPUT TYPE = "RADIO"
11 NAME = "radioMusik"
12 VALUE = "Pop"
13 onClick = "info()">Pop<BR>
14 <INPUT TYPE = "RADIO"
15 NAME = "radioMusik"
16 VALUE = "Rock"
17 onClick = "info()">Rock<BR>
18 <INPUT TYPE = "RADIO"
19 NAME = "radioMusik"
20 VALUE = "Campursari"
21 onClick = "info()">Campursari<BR>
22 <INPUT TYPE = "RADIO"
23 NAME = "radioMusik"
24 VALUE = "Lainnya"
25 onClick = "info()">Lainnya<BR>
26 <HR>
27 Info:
28 <INPUT TYPE = "TEXT"
29 NAME = "fieldMusik"
30 SIZE = "50">
31 </FORM>
32 <SCRIPT LANGUAGE = "JavaScript">
33 <!--
34 function info() {
35     for (var i = 0; i < 4; i++)
```

# Objek Password

```
C:\Users\User\Documents\tugas harian web\OBJEK_PASSWORD.html - Notepad++
File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?
do_while.html for.html proses_pengulangan.html fungsi.html fungsi_rekursif.html validasi.html Jam.html check_box.html objek_array.html Objek_RADIO.html OBJEK_PASSWORD.html x

1 <HTML>
2 <HEAD>
3 <TITLE>Mengakses Objek password
4 </TITLE>
5 </HEAD>
6 <BODY>
7 <FORM NAME = "formTes"
8 ACTION = "tesform.html"
9 METHOD = "POST">
10 <PRE>
11 Password Pengganti : <INPUT TYPE = "PASSWORD"
12 NAME = "password_1">
13 Password Sekali Lagi: <INPUT TYPE = "PASSWORD"
14 NAME = "password_2">
15 </PRE> <INPUT TYPE = "BUTTON"
16 NAME = "tombolProses"
17 VALUE = "Proses"
18 onClick = "cekPassword()">
19 </FORM>
20 <SCRIPT LANGUAGE =
21 "JavaScript">
22 <!--
23 function cekPassword() {
24 if (document.formTes.password_1.value !=
25 document.formTes.password_2.value)
26 alert("Dua password yang Anda masukkan tidak sama");
27 else
28 window.location.href = "tesform.html";
29 }
30 //-->
31 </SCRIPT>
32 </BODY>
33 </HTML>
```

Hyper Text Markup Language file length : 745 lines : 33 Ln : 5 Col : 9 Sel : 0 | 0 Windows (CR LF) UTF-8 INS