

---

# Effect of Signal Sparsity, Signal Density and Noise Level on Rotational Equivariant Features for Image Classification

---

Aliraza Punjani Apoorv Kulshreshtha Jamshed Shapoorjee Plaban Mohanty

{ amp2280, ak3963, js4962, pm2878 }@columbia.edu

## Abstract

Current convolution methods for feature learning are already translation equivariant i.e. translation in input image produces a proportionate translation in feature maps. However, this is not true for rotational equivariance. A lot of recent research has been focussed on ensuring rotational equivariance for the same. Our research focusses on characterizing effect of different input image parameters, like sparsity, density and noise, on effectiveness of the learnt rotational equivariant features proposed in the recent work of Harmonic Convolutions. Feature maps learnt using Harmonic Convolutions exhibit equivariance to patch-wise translation and 360 degree rotation. These variant of normal convolutions use parameter-efficient and low computational complexity representation, thereby encoding complicated rotational equivariance within the network. In this paper, we show the effectiveness of rotational equivariance features for image classification as the sparsity, density and noise levels of the input image vary.

## 1. Introduction

## 2. Related Work

## 3. Problem Analysis

Harmonic Convolutions hard bake 360 degree rotational equivariance into their feature representations by restricting the convolution filters to be from the circular harmonics family. In the following sections, we will discuss the properties of circular harmonics which help the network learn rotation equivariant features. To reiterate, rotational equivariance implies that a particular rotation in input image produces a proportionate rotation in feature maps.

### 3.1. Circular Harmonics Equivariance

We describe an image using polar co-ordinates  $r$  and  $\phi$  as  $F(r, \phi)$ . We will now show that there exists a filter  $W_m$  such that the cross-correlation of  $F$  with  $W_m$  yields a rotationally equivariant feature map. This condition is satisfied when  $W_m$  is a circular harmonic of the form  $W_m = R(r) e^{i(m\phi+\beta)}$  for some  $m$  belonging to integers. Consider the rotation of original image by  $\theta$  which leads to a new image  $F(r, \phi - \theta)$ . The cross-correlation for the rotated image is

$$\begin{aligned} [W * F(r, \phi - \theta)] &= \int W(r, \phi) F(r, \phi - \theta) dr d\phi \\ &= \int W(r, \phi' + \theta) F(r, \phi') dr d\phi' \end{aligned}$$

where  $\phi' = \phi - \theta$ . If we replace  $W_m$  to be of the form  $R(r) e^{i(m\phi+\beta)}$ , then the integral transforms as:

$$\begin{aligned} [W * F(r, \phi - \theta)] &= \int R(r) e^{i(m(\phi'+\theta)+\beta)} F(r, \phi') dr d\phi' \\ &= e^{im\theta} \int R(r) e^{i(m\phi'+\beta)} F(r, \phi') dr d\phi' \end{aligned}$$

When rotation  $\theta = 0$ , then  $\phi = \phi'$ . Therefore, the above equation can be written as

$$\begin{aligned} &= e^{im\theta} \int R(r) e^{i(m\phi+\beta)} F(r, \phi) dr d\phi \\ &= e^{im\theta} [W * F(r, \phi)] \end{aligned}$$

Hence, we observe that the cross-correlation of the rotated signal  $F(r, \phi - \theta)$  with harmonic filter  $W_m = R(r) e^{i(m\phi+\beta)}$  is equal to the response at 0 rotation  $[W * F(r, \phi)]$ , multiplied by a complex phase shift  $e^{im\theta}$ . Thus, we have shown that cross-correlation with  $W_m$  yields a rotationally equivariant feature mapping when  $W_m$  is a circular harmonic.

### 3.2. Chain rule for cross-correlation of circular harmonics

In this section, we will show that the rotation order of a feature map, that we obtain after subsequent cross-correlations in each layer, is equal to the sum of the rotation orders of the filters in the chain. TO-DO

## 4. Experiments

## 5. Conclusion

## 6. Future Work

## 7. References

We will continue the ICML tradition in which the authors are given the option of providing a short reaction to the initial reviews. These reactions will be taken into account in the discussion among the reviewers and area chairs.

### 7.1. Submitting Final Camera-Ready Copy

The final versions of papers accepted for publication should follow the same format and naming convention as initial submissions, except of course that the normal author information (names and affiliations) should be given. See Section 8.3.2 for details of how to format this.

The footnote, “Preliminary work. Under review by the International Conference on Machine Learning (ICML). Do not distribute.” must be modified to “*Proceedings of the 34<sup>th</sup> International Conference on Machine Learning*, Sydney, Australia, 2017. JMLR: W&CP. Copyright 2017 by the author(s).”

For those using the  $\text{\LaTeX}$  style file, simply change `\usepackage{icml2017}` to

```
\usepackage[accepted]{icml2017}
```

Authors using **Word** must edit the footnote on the first page of the document themselves.

Camera-ready copies should have the title of the paper as running head on each page except the first one. The running title consists of a single line centered above a horizontal rule which is 1 point thick. The running head should be centered, bold and in 9 point type. The rule should be 10 points above the main text. For those using the  $\text{\LaTeX}$  style file, the original title is automatically set as running head using the `fancyhdr` package which is included in the ICML 2017 style file package. In case that the original title exceeds the size restrictions, a shorter form can be supplied by using

```
\icmltitlerunning{...}
```

just before `\begin{document}`. Authors using **Word** must edit the header of the document themselves.

## 8. Format of the Paper

All submissions must follow the same format to ensure the printer can reproduce them without problems and to let

readers more easily find the information that they desire.

### 8.1. Length and Dimensions

Papers must not exceed eight (8) pages, including all figures, tables, and appendices, but excluding references and acknowledgements. When references and acknowledgements are included, the paper must not exceed ten (10) pages. Acknowledgements should be limited to grants and people who contributed to the paper. Any submission that exceeds this page limit or that diverges significantly from the format specified herein will be rejected without review.

The text of the paper should be formatted in two columns, with an overall width of 6.75 inches, height of 9.0 inches, and 0.25 inches between the columns. The left margin should be 0.75 inches and the top margin 1.0 inch (2.54 cm). The right and bottom margins will depend on whether you print on US letter or A4 paper, but all final versions must be produced for US letter size.

The paper body should be set in 10 point type with a vertical spacing of 11 points. Please use Times typeface throughout the text.

### 8.2. Title

The paper title should be set in 14 point bold type and centered between two horizontal rules that are 1 point thick, with 1.0 inch between the top rule and the top edge of the page. Capitalize the first letter of content words and put the rest of the title in lower case.

### 8.3. Author Information for Submission

To facilitate blind review, author information must not appear. If you are using  $\text{\LaTeX}$  and the `icml2017.sty` file, you may use `\icmlauthor{...}` to specify authors. The author information will simply not be printed until `accepted` is an argument to the style file. Submissions that include the author information will not be reviewed.

#### 8.3.1. SELF-CITATIONS

If you are citing published papers for which you are an author, refer to yourself in the third person. In particular, do not use phrases that reveal your identity (e.g., “in previous work (?), we have shown ...”).

Do not anonymize citations in the reference section by removing or blacking out author names. The only exception are manuscripts that are not yet published (e.g. under submission). If you choose to refer to such unpublished manuscripts (?), anonymized copies have to be submitted as Supplementary Material via CMT. However, keep in mind that an ICML paper should be self contained and should contain sufficient detail for the reviewers to evaluate

the work. In particular, reviewers are not required to look at the Supplementary Material when writing their review.

### 8.3.2. CAMERA-READY AUTHOR INFORMATION

If a paper is accepted, a final camera-ready copy must be prepared. For camera-ready papers, author information should start 0.3 inches below the bottom rule surrounding the title. The authors' names should appear in 10 point bold type, electronic mail addresses in 10 point small capitals, and physical addresses in ordinary 10 point type. Each author's name should be flush left, whereas the email address should be flush right on the same line. The author's physical address should appear flush left on the ensuing line, on a single line if possible. If successive authors have the same affiliation, then give their physical address only once.

A sample file (in PDF) with author names is included in the ICML2017 style file package.

## 8.4. Abstract

The paper abstract should begin in the left column, 0.4 inches below the final address. The heading 'Abstract' should be centered, bold, and in 11 point type. The abstract body should use 10 point type, with a vertical spacing of 11 points, and should be indented 0.25 inches more than normal on left-hand and right-hand margins. Insert 0.4 inches of blank space after the body. Keep your abstract brief and self-contained, limiting it to one paragraph and roughly 4–6 sentences. Gross violations will require correction at the camera-ready phase.

## 8.5. Partitioning the Text

You should organize your paper into sections and paragraphs to help readers place a structure on the material and understand its contributions.

### 8.5.1. SECTIONS AND SUBSECTIONS

Section headings should be numbered, flush left, and set in 11 pt bold type with the content words capitalized. Leave 0.25 inches of space before the heading and 0.15 inches after the heading.

Similarly, subsection headings should be numbered, flush left, and set in 10 pt bold type with the content words capitalized. Leave 0.2 inches of space before the heading and 0.13 inches afterward.

Finally, subsubsection headings should be numbered, flush left, and set in 10 pt small caps with the content words capitalized. Leave 0.18 inches of space before the heading and 0.1 inches after the heading.

Please use no more than three levels of headings.

### 8.5.2. PARAGRAPHS AND FOOTNOTES

Within each section or subsection, you should further partition the paper into paragraphs. Do not indent the first line of a given paragraph, but insert a blank line between succeeding ones.

You can use footnotes<sup>1</sup> to provide readers with additional information about a topic without interrupting the flow of the paper. Indicate footnotes with a number in the text where the point is most relevant. Place the footnote in 9 point type at the bottom of the column in which it appears. Precede the first footnote in a column with a horizontal rule of 0.8 inches.<sup>2</sup>




Figure 1. Historical locations and number of accepted papers for International Machine Learning Conferences (ICML 1993 – ICML 2008) and International Workshops on Machine Learning (ML 1988 – ML 1992). At the time this figure was produced, the number of accepted papers for ICML 2008 was unknown and instead estimated.

## 8.6. Figures

You may want to include figures in the paper to help readers visualize your approach and your results. Such artwork should be centered, legible, and separated from the text. Lines should be dark and at least 0.5 points thick for purposes of reproduction, and text should not appear on a gray background.

Label all distinct components of each figure. If the fig-

<sup>1</sup>For the sake of readability, footnotes should be complete sentences.

<sup>2</sup>Multiple footnotes can appear in each column, in the same order as they appear in the text, but spread them across columns and pages if possible.

**Algorithm 1** Bubble Sort

---

**Input:** data  $x_i$ , size  $m$   
**repeat**  
  Initialize  $noChange = true$ .  
  **for**  $i = 1$  **to**  $m - 1$  **do**  
    **if**  $x_i > x_{i+1}$  **then**  
      Swap  $x_i$  and  $x_{i+1}$   
       $noChange = false$   
    **end if**  
  **end for**  
**until**  $noChange$  is  $true$

---

ure takes the form of a graph, then give a name for each axis and include a legend that briefly describes each curve. Do not include a title inside the figure; instead, the caption should serve this function.

Number figures sequentially, placing the figure number and caption *after* the graphics, with at least 0.1 inches of space before the caption and 0.1 inches after it, as in Figure 1. The figure caption should be set in 9 point type and centered unless it runs two or more lines, in which case it should be flush left. You may float figures to the top or bottom of a column, and you may set wide figures across both columns (use the environment `figure*` in L<sup>A</sup>T<sub>E</sub>X), but always place two-column figures at the top or bottom of the page.

### 8.7. Algorithms

If you are using L<sup>A</sup>T<sub>E</sub>X, please use the “algorithm” and “algorithmic” environments to format pseudocode. These require the corresponding stylefiles, `algorithm.sty` and `algorithmic.sty`, which are supplied with this package. Algorithm 1 shows an example.

### 8.8. Tables

You may also want to include tables that summarize material. Like figures, these should be centered, legible, and numbered consecutively. However, place the title *above* the table with at least 0.1 inches of space before the title and the same after it, as in Table 1. The table title should be set in 9 point type and centered unless it runs two or more lines, in which case it should be flush left.

Tables contain textual material that can be typeset, as contrasted with figures, which contain graphical material that must be drawn. Specify the contents of each row and column in the table’s topmost row. Again, you may float tables to a column’s top or bottom, and set wide tables across both columns, but place two-column tables at the top or bottom of the page.

Table 1. Classification accuracies for naive Bayes and flexible Bayes on various data sets.

DATA SET	NAIVE	FLEXIBLE	BETTER?
BREAST	95.9± 0.2	96.7± 0.2	✓
CLEVELAND	83.3± 0.6	80.0± 0.6	×
GLASS2	61.9± 1.4	83.8± 0.7	✓
CREDIT	74.8± 0.5	78.3± 0.6	
HORSE	73.3± 0.9	69.7± 1.0	×
META	67.1± 0.6	76.5± 0.5	✓
PIMA	75.1± 0.6	73.9± 0.5	
VEHICLE	44.9± 0.6	61.5± 0.4	✓

### 8.9. Citations and References

Please use APA reference format regardless of your formatter or word processor. If you rely on the L<sup>A</sup>T<sub>E</sub>X bibliographic facility, use `natbib.sty` and `icml2017.bst` included in the style-file package to obtain this format.

Citations within the text should include the authors’ last names and year. If the authors’ names are included in the sentence, place only the year in parentheses, for example when referencing Arthur Samuel’s pioneering work (?). Otherwise place the entire reference in parentheses with the authors and year separated by a comma (?). List multiple references separated by semicolons (???). Use the ‘et al.’ construct only for citations with three or more authors or after listing all authors to a publication in an earlier reference (?).

Authors should cite their own work in the third person in the initial version of their paper submitted for blind review. Please refer to Section 8.3 for detailed instructions on how to cite your own papers.

Use an unnumbered first-level section heading for the references, and use a hanging indent style, with the first line of the reference flush against the left margin and subsequent lines indented by 10 points. The references at the end of this document give examples for journal articles (?), conference publications (?), book chapters (?), books (?), edited volumes (?), technical reports (?), and dissertations (?).

Alphabetize references by the surnames of the first authors, with single author entries preceding multiple author entries. Order references for the same authors by year of publication, with the earliest first. Make sure that each reference includes all relevant information (e.g., page numbers).

### 8.10. Software and Data

We strongly encourage the publication of software and data with the camera-ready version of the paper whenever ap-

appropriate. This can be done by including a URL in the camera-ready copy. However, do not include URLs that reveal your institution or identity in your submission for review. Instead, provide an anonymous URL or upload the material as “Supplementary Material” into the CMT reviewing system. Note that reviewers are not required to look at this material when writing their review.

## Acknowledgements

**Do not** include acknowledgements in the initial version of the paper submitted for blind review.

If a paper is accepted, the final camera-ready version can (and probably should) include acknowledgements. In this case, please place such acknowledgements in an unnumbered section at the end of the paper. Typically, this will include thanks to reviewers who gave useful comments, to colleagues who contributed to the ideas, and to funding agencies and corporate sponsors that provided financial support.