

Nordic ID HH83 UHF RFID Handheld Terminal (2D/WLAN/4G)

The Nordic ID HH83 (2D/WLAN/4G) is a durable, ergonomic handheld RFID terminal delivering high-performance UHF RFID and barcode data collection. With WLAN and 4G LTE connectivity options, it adapts to both indoor and field operations. Its modular design, Android 10, and IP65 construction ensure reliable all-day operation in demanding environments.



UHF RFID IDENTIFICATION

Supported Standard	EPCglobal UHF RFID Class 1 Gen2v2 (ISO 18000-63)
Operating Frequency	ETSI 865.6–867.6 MHz / FCC/IC 902–928 MHz
Max Receive Sensitivity	-80 dBm
Max Read Distance	Up to 15 m
Antenna Type	Software controllable antenna polarizations (vertical, horizontal or vertical/horizontal switching)
Reader Module	Nordic ID NUR2-1W

PLATFORM

CPU	Octa-Core ARM Cortex-A53 1.8 GHz
Operating System	Android 10
RAM	2 GB
Flash Storage	16 GB
Expansion	MicroSD slot with SDXC support

CAMERA & IMAGER

Camera	5 Mpix rear-facing with autofocus and LED flash (torch mode supported)
Barcode Imager	Integrated 2D imager
Sensors	Accelerometer, ambient light sensor, Time of Flight sensor, proximity sensor, pedometer, gyroscope

CONNECTIVITY

WWAN	4G LTE, 3G WCDMA, GPRS/EDGE
WLAN	IEEE 802.11 a/b/g/n/ac
Bluetooth	Bluetooth 4.2
NFC	ISO 14443
USB	USB 2.0 via USB Type-C connector

BATTERY

Capacity	10,050 mAh, 3.6 V
Type	Rechargeable, removable Lithium-ion
Hot-Swap	Supported

MECHANICAL

Dimensions	212 x 83/72 x 133/29 mm
Weight	515 g (with 6,700 mAh battery)
IP Rating	IP65
Drop Resistance	1.6 m

ENVIRONMENT

Operating Temperature	-20 °C to +55 °C (-4 °F to +131 °F)
-----------------------	-------------------------------------

FEATURE HIGHLIGHTS

- Market-leading UHF RFID performance with up to 15m read range
- WLAN and 4G LTE connectivity for indoor and field use
- Modular design for easy barcode to RFID upgrades
- Rugged IP65-rated housing with drop resistance
- Android 10 operating system with full-day battery

PRODUCT GROUP

Category	RFID Reader
Product Group	UHF RFID Handheld Terminal