

R-VisionDeskOmni

R-VisionDeskOmni is a UHF RFID desktop workstation for library management, item registration, card operations and self-service desk workflows.



RF SPECIFICATION

Identification Method	UHF
RF Chip	Impinj R2000
Frequency Range	840MHz-960MHz adjustable
Protocol	EPC C1G2, ISO 18000-6B, ISO 18000-6C
Frequency Band (Optional)	ETSI: 865-868MHz, JP: 916.8-920.4MHz, TW: 922.25-927.75MHz, ID: 923.125-925.125MHz, RUS: 866.6-867.4MHz, TEST: 802.75-998.75MHz, JP_LBT: 916.8-920.8MHz
RFID Item Reader	15 pcs (depends on item size)
Function	RFID read function, multiple label identification, label data filtering, RSSI perception, quantity statistics

HARDWARE SPECIFICATION

System	Windows / Android (optional)
Hardware	I5 CPU, 4G RAM, 128G ROM; RK3399 CPU, 4G RAM, 16G ROM (optional)
Display	1920 x 1080, 21.5-inch capacitive touch screen
Communication	RJ45 10/100Mbps
Other Interface	2xUSB 2.0

FUNCTION SELECTION

RFID Card Reader	Standard
Face Recognition	Optional
Bar Code	Standard
QR Code	Standard
Sound Light Alarm	Optional
Fingerprint Recognition	Optional
Solar Energy	Optional
CCTV Camera	Optional
Thermostatic Dehumidifier	Optional
Wireless Network	WiFi / 4G

BASIC SPECIFICATION

Material	Carbon steel plate
Power Supply	AC110-220V 50Hz 50W
Working Humidity	10%RH-90%RH
Operat Temperature	0 deg C - 60 deg C
Size	50.7 x 52 x 40cm
Weight	about 50kg

FEATURE HIGHLIGHTS

- 21.5-inch capacitive touch screen with 1920 x 1080 resolution
- 840-960 MHz UHF RFID technology with protocol extension support
- RJ45 communication interface with 2xUSB 2.0
- Supports permission settings and function expansion
- Supports card information registration
- Integrated RFID reading for librarian workstation use


PRODUCT GROUP

Category	UHF RFID Librarian Workstation
Product Group	RFID Gate Product

PRODUCT VIEWS



DIMENSION



Unit : mm (inch)

Weight : about 50kg