Variable Selection for Health Care Demand in Germany

Zhu Wang

UT Health San Antonio

wangz1@uthscsa.edu

January 28, 2019

This document reproduces the data analysis presented in Wang et al. (2015). In an effort to optimize the computing algorithms, the penalized regression can be slightly different. For a description of the theory behind application illustrated here we refer to the original manuscript.

Riphahn et al. (2003) utilized a part of the German Socioeconomic Panel (GSOEP) data set to analyze the number of doctor visits. The original data have twelve annual waves from 1984 to 1995 for a representative sample of German households, which provide broad information on the health care utilization, current employment status, and the insurance arrangements under which subjects are protected. The data set contains number of doctor office visits for 1,812 West German men aged 25 to 65 years in the last three months of 1994. As shown in the figure, many doctor office visits are zeros, which can be difficult to fit with a Poisson or negative binomial model. Therefore, zero-inflated negative binomial (ZINB) model is considered.

```
R> library("mpath")
R> library("zic")
R> library("pscl")
R> data(docvisits)

R> barplot(with(docvisits, table(docvisits)), ylab = "Frequency",
    xlab = "Doctor office visits")
```

We include the linear spline variables *age30* to *age60* and their interaction terms with the health satisfaction *health*.

```
R> dt <- docvisits[, -(2:3)]
R> tmp <- model.matrix(~age30 * health + age35 * health +
    age40 * health + age45 * health + age50 * health +
    age55 * health + age60 * health, data = dt)[, -(1:9)]
R> dat <- cbind(dt, tmp)
```

Full ZINB model with all predictor variables.

```
R> m1 <- zeroinfl(docvisits ~ . | ., data = dat, dist = "negbin")
R> summary(m1)

Call:
zeroinfl(formula = docvisits ~ . | ., data = dat, dist = "negbin")

Pearson residuals:
   Min     1Q Median    3Q    Max
-1.073 -0.660 -0.394  0.301  9.910

Count model coefficients (negbin with log link):
              Estimate Std. Error z value Pr(>|z|)
(Intercept)    2.41222    0.34563    6.98    3e-12 ***
health        -0.16382    0.03449   -4.75    2e-06 ***
handicap       0.26691    0.19452    1.37  0.17001
hdegree       -0.00201    0.00329   -0.61  0.54180
married       -0.14720    0.09284   -1.59  0.11282
```

2

```
schooling            -0.00458   0.01539   -0.30   0.76616
hhincome              0.00441   0.01616    0.27   0.78504
children              0.01741   0.08841    0.20   0.84385
self                 -0.35994   0.15389   -2.34   0.01934 *
civil                -0.26809   0.16062   -1.67   0.09511 .
bluec                 0.10345   0.08615    1.20   0.22983
employed             -0.09392   0.10723   -0.88   0.38110
public               -0.01141   0.13959   -0.08   0.93487
addon                 0.36473   0.23249    1.57   0.11670
age30TRUE             0.09414   0.36278    0.26   0.79525
age35TRUE            -0.25482   0.36728   -0.69   0.48780
age40TRUE             0.05154   0.39890    0.13   0.89720
age45TRUE             0.72053   0.38568    1.87   0.06173 .
age50TRUE             0.20245   0.34105    0.59   0.55278
age55TRUE            -0.51587   0.30727   -1.68   0.09318 .
age60TRUE             0.40081   0.31340    1.28   0.20093
`age30TRUE:health`  -0.01175   0.05206   -0.23   0.82146
`health:age35TRUE`   0.04319   0.05427    0.80   0.42605
`health:age40TRUE`  -0.01669   0.06167   -0.27   0.78664
`health:age45TRUE`  -0.10124   0.06145   -1.65   0.09946 .
`health:age50TRUE`  -0.02410   0.05336   -0.45   0.65150
`health:age55TRUE`   0.13292   0.05166    2.57   0.01008 *
`health:age60TRUE`  -0.09509   0.05593   -1.70   0.08909 .
Log(theta)           0.32239   0.09046    3.56   0.00037 ***

Zero-inflation model coefficients (binomial with logit link):
                 Estimate Std. Error z value Pr(>|z|)
(Intercept)         -2.31059   0.97764   -2.36    0.018 *
health               0.22741   0.09983    2.28    0.023 *
handicap            -0.33423   0.75516   -0.44    0.658
hdegree             -0.00243   0.01562   -0.16    0.876
married             -0.40373   0.24700   -1.63    0.102
schooling            0.01852   0.03825    0.48    0.628
hhincome            -0.03842   0.04432   -0.87    0.386
children             0.50569   0.23533    2.15    0.032 *
self                -0.24892   0.47771   -0.52    0.602
civil                0.02095   0.38325    0.05    0.956
bluec                0.02283   0.22215    0.10    0.918
employed            -0.08448   0.29703   -0.28    0.776
public              -0.23043   0.33817   -0.68    0.496
addon                0.29983   0.52438    0.57    0.567
age30TRUE           -1.67862   1.32598   -1.27    0.206
age35TRUE            0.90000   1.44345    0.62    0.533
age40TRUE           -0.64989   1.44217   -0.45    0.652
age45TRUE            2.99929   1.20006    2.50    0.012 *
age50TRUE           -2.95569   1.70089   -1.74    0.082 .
age55TRUE            0.33612   1.80886    0.19    0.853
age60TRUE           -2.33629   2.68475   -0.87    0.384
`age30TRUE:health`   0.22794   0.16279    1.40    0.161
`health:age35TRUE`  -0.11043   0.18081   -0.61    0.541
```

```
`health:age40TRUE`  0.11569     0.18628     0.62     0.535
`health:age45TRUE` -0.40960     0.16390    -2.50     0.012 *
`health:age50TRUE`  0.25083     0.22087     1.14     0.256
`health:age55TRUE`  0.10792     0.23375     0.46     0.644
`health:age60TRUE`  0.19599     0.33942     0.58     0.564
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Theta = 1.38
Number of iterations in BFGS optimization: 63
Log-likelihood: -3.63e+03 on 57 Df

R> cat("loglik of zero-inflated model", logLik(m1))

loglik of zero-inflated model -3626

R> cat("BIC of zero-inflated model", AIC(m1, k = log(dim(dat)[1])))

BIC of zero-inflated model 7679

R> cat("AIC of zero-inflated model", AIC(m1))

AIC of zero-inflated model 7366
```

Backward stepwise variable selection with significance level alpha=0.01.

```
R> fitbe <- be.zeroinfl(m1, data = dat, dist = "negbin",
     alpha = 0.01, trace = FALSE)
R> summary(fitbe)

Call:
zeroinfl(formula = eval(parse(text = out)), data = data, dist = dist)

Pearson residuals:
   Min     1Q Median     3Q    Max
-1.020 -0.646 -0.394  0.296  8.665

Count model coefficients (negbin with log link):
            Estimate Std. Error z value Pr(>|z|)
(Intercept)   2.5662     0.0955   26.86  < 2e-16 ***
health       -0.2013     0.0143  -14.12  < 2e-16 ***
handicap      0.3031     0.0849    3.57  0.00036 ***
self         -0.3663     0.1178   -3.11  0.00187 **
civil        -0.3372     0.1043   -3.23  0.00123 **
Log(theta)    0.2360     0.0898    2.63  0.00858 **

Zero-inflation model coefficients (binomial with logit link):
            Estimate Std. Error z value Pr(>|z|)
(Intercept)  -2.9838     0.3722   -8.02  1.1e-15 ***
health        0.3010     0.0461    6.53  6.4e-11 ***
age50TRUE    -1.0004     0.2602   -3.84  0.00012 ***
---
```

```
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Theta = 1.266
Number of iterations in BFGS optimization: 17
Log-likelihood: -3.66e+03 on 9 Df

R> cat("loglik of zero-inflated model with backward selection",
    logLik(fitbe))

loglik of zero-inflated model with backward selection -3656

R> cat("BIC of zero-inflated model with backward selection",
    AIC(fitbe, k = log(dim(dat)[1])))

BIC of zero-inflated model with backward selection 7380
```

Compute LASSO estimates.

```
R> fit.lasso <- zipath(docvisits ~ . | ., data = dat, family = "negbin",
    nlambda = 100, lambda.zero.min.ratio = 0.001, maxit.em = 300,
    maxit.theta = 25, theta.fixed = FALSE, trace = FALSE,
    penalty = "enet", rescale = FALSE)
```

Estimated coefficient parameters with smallest BIC value.

```
R> minBic <- which.min(BIC(fit.lasso))
R> coef(fit.lasso, minBic)

$count
       (Intercept)              health             handicap
           2.30563            -0.17366              0.15513
           hdegree             married            schooling
           0.00000             0.00000              0.00000
          hhincome            children                 self
           0.00000             0.00000              0.00000
             civil               bluec             employed
           0.00000             0.00000              0.00000
            public               addon            age30TRUE
           0.05665             0.00000              0.00000
         age35TRUE           age40TRUE            age45TRUE
           0.00000             0.00000              0.00000
         age50TRUE           age55TRUE            age60TRUE
           0.03786             0.09883              0.00000
`age30TRUE:health` `health:age35TRUE` `health:age40TRUE`
           0.00000             0.00000              0.00000
`health:age45TRUE` `health:age50TRUE` `health:age55TRUE`
           0.00000             0.00000              0.00000
`health:age60TRUE`
           0.00000


$zero
       (Intercept)              health             handicap
```

```
           -2.6970              0.2521              0.0000
            hdegree             married           schooling
             0.0000              0.0000              0.0000
           hhincome            children                self
             0.0000              0.1950              0.0000
              civil               bluec            employed
             0.0000              0.0000              0.0000
             public               addon           age30TRUE
             0.0000              0.0000              0.0000
          age35TRUE           age40TRUE           age45TRUE
             0.0000              0.0000              0.0000
          age50TRUE           age55TRUE           age60TRUE
            -0.3978              0.0000              0.0000
 `age30TRUE:health` `health:age35TRUE` `health:age40TRUE`
             0.0000              0.0000              0.0000
 `health:age45TRUE` `health:age50TRUE` `health:age55TRUE`
             0.0000              0.0000              0.0000
 `health:age60TRUE`
             0.0000
```

```
R> cat("theta estimate", fit.lasso$theta[minBic])
```

```
theta estimate 1.368
```

Compute standard errors of coefficients and theta (the last one for theta).

```
R> se(fit.lasso, minBic, log = FALSE)
```

```
 [1] 0.15053 0.01800 0.10393 0.09110 0.10278 0.11073 0.28648 0.03498
 [9] 0.15419 0.18298 0.12955
```

Compute AIC, BIC, log-likelihood values of the selected model.

```
R> AIC(fit.lasso)[minBic]
```

```
0.048
 7351
```

```
R> BIC(fit.lasso)[minBic]
```

```
0.048
 7412
```

```
R> logLik(fit.lasso)[minBic]
```

```
[1] -3665
```

Compute log-likelihood value via 10-fold cross-validation using 2 CPU cores.

```
R> n <- dim(dat)[1]
R> K <- 10
R> set.seed(197)
R> foldid <- split(sample(1:n), rep(1:K, length = n))
```

```
R> fitcv <- cv.zipath(docvisits ~ . | ., data = dat, family = "negbin",
     nlambda = 100, lambda.count = fit.lasso$lambda.count[1:30],
     lambda.zero = fit.lasso$lambda.zero[1:30], maxit.em = 300,
     maxit.theta = 1, theta.fixed = FALSE, penalty = "enet",
     rescale = FALSE, foldid = foldid, n.cores = 2)
R> cat("cross-validated loglik", max(fitcv$cv))

cross-validated loglik -367.8
```

Compute MCP estimates. We compute solution paths for the first 30 pairs of shrinkage parameters (the EM algorithm can be slow), and then evaluate results as for the LASSO estimates. For cross-validation, set maximum number of iterations in estimating scaling parameter 1 (maxit.theta=1) to reduce computation costs.

```
R> tmp <- zipath(docvisits ~ . | ., data = dat, family = "negbin",
     gamma.count = 2.7, gamma.zero = 2.7, lambda.zero.min.ratio = 0.1,
     maxit = 1, maxit.em = 1, maxit.theta = 2, theta.fixed = FALSE,
     penalty = "mnet")
R> fit.mcp <- zipath(docvisits ~ . | ., data = dat, family = "negbin",
     gamma.count = 2.7, gamma.zero = 2.7, lambda.count = tmp$lambda.count[1:30],
     lambda.zero = tmp$lambda.zero[1:30], maxit.em = 300,
     maxit.theta = 25, theta.fixed = FALSE, penalty = "mnet")
```

Estimated coefficient parameters with smallest BIC value.

```
R> minBic <- which.min(BIC(fit.mcp))
R> coef(fit.mcp, minBic)

$count
       (Intercept)              health             handicap
            2.4853             -0.1952               0.2272
           hdegree             married            schooling
            0.0000              0.0000               0.0000
          hhincome            children                 self
            0.0000              0.0000              -0.3690
             civil               bluec             employed
           -0.3293              0.0000               0.0000
            public               addon             age30TRUE
            0.0000              0.0000               0.0000
         age35TRUE           age40TRUE            age45TRUE
            0.0000              0.0000               0.0000
         age50TRUE           age55TRUE            age60TRUE
            0.0000              0.2132               0.0000
 `age30TRUE:health` `health:age35TRUE`  `health:age40TRUE`
            0.0000              0.0000               0.0000
`health:age45TRUE` `health:age50TRUE`  `health:age55TRUE`
            0.0000              0.0000               0.0000
`health:age60TRUE`
            0.0000

$zero
```

```
          (Intercept)             health             handicap
              -3.3564             0.3173               0.0000
              hdegree            married            schooling
               0.0000             0.0000               0.0000
             hhincome           children                 self
               0.0000             0.4350               0.0000
                civil              bluec             employed
               0.0000             0.0000               0.0000
               public              addon            age30TRUE
               0.0000             0.0000               0.0000
            age35TRUE          age40TRUE            age45TRUE
               0.0000             0.0000               0.0000
            age50TRUE          age55TRUE            age60TRUE
              -0.6757             0.0000               0.0000
  `age30TRUE:health`  `health:age35TRUE`  `health:age40TRUE`
               0.0000             0.0000               0.0000
   `health:age45TRUE`  `health:age50TRUE`  `health:age55TRUE`
               0.0000             0.0000               0.0000
   `health:age60TRUE`
               0.0000
```

R> cat("theta estimate", fit.mcp$theta[minBic])

```
theta estimate 1.277
```

Compute standard errors of coefficients and theta (the last one for theta).

R> se(fit.mcp, minBic, log = FALSE)

```
 [1] 0.12484 0.01815 0.10379 0.12200 0.11882 0.08565 0.40888 0.04505
 [9] 0.17731 0.25174 0.13369
```

Compute AIC, BIC, log-likelihood values of the selected model.

R> AIC(fit.mcp)[minBic]

```
0.0228
  7320
```

R> BIC(fit.mcp)[minBic]

```
0.0228
  7380
```

R> logLik(fit.mcp)[minBic]

```
[1] -3649
```

Compute log-likelihood value via 10-fold cross-validation using 2 CPU cores.

R> fitcv <- cv.zipath(docvisits ~ . | ., data = dat, family = "negbin",
*   gamma.count = 2.7, gamma.zero = 2.7, lambda.count = tmp$lambda.count[1:30],*
*   lambda.zero = tmp$lambda.zero[1:30], maxit.em = 300,*
*   maxit.theta = 1, theta.fixed = FALSE, penalty = "mnet",*
*   rescale = FALSE, foldid = foldid, n.cores = 2)*
R> cat("cross-validated loglik", max(fitcv$cv))

```
cross-validated loglik -367.9
```

Compute SCAD estimates.

```
R> tmp <- zipath(docvisits ~ . | ., data = dat, family = "negbin",
    gamma.count = 2.5, gamma.zero = 2.5, lambda.zero.min.ratio = 0.01,
    maxit = 1, maxit.em = 1, maxit.theta = 2, theta.fixed = FALSE,
    penalty = "snet")
R> fit.scad <- zipath(docvisits ~ . | ., data = dat, family = "negbin",
    gamma.count = 2.5, gamma.zero = 2.5, lambda.count = tmp$lambda.count[1:30],
    lambda.zero = tmp$lambda.zero[1:30], maxit.em = 300,
    maxit.theta = 25, theta.fixed = FALSE, penalty = "snet")
```

Estimated coefficient parameters with smallest BIC value.

```
R> minBic <- which.min(BIC(fit.scad))
R> coef(fit.scad, minBic)

$count
        (Intercept)               health             handicap
             2.4876              -0.1952               0.2259
            hdegree              married            schooling
             0.0000               0.0000               0.0000
           hhincome             children                 self
             0.0000               0.0000              -0.3692
              civil                bluec             employed
            -0.3315               0.0000               0.0000
             public                addon             age30TRUE
             0.0000               0.0000               0.0000
          age35TRUE            age40TRUE            age45TRUE
             0.0000               0.0000               0.0000
          age50TRUE            age55TRUE            age60TRUE
             0.0000               0.2141               0.0000
`age30TRUE:health`  `health:age35TRUE`  `health:age40TRUE`
             0.0000               0.0000               0.0000
`health:age45TRUE`  `health:age50TRUE`  `health:age55TRUE`
             0.0000               0.0000               0.0000
`health:age60TRUE`
             0.0000

$zero
        (Intercept)               health             handicap
            -3.3159               0.3143               0.0000
            hdegree              married            schooling
             0.0000               0.0000               0.0000
           hhincome             children                 self
             0.0000               0.4135               0.0000
              civil                bluec             employed
             0.0000               0.0000               0.0000
             public                addon             age30TRUE
             0.0000               0.0000               0.0000
```

```
         age35TRUE              age40TRUE              age45TRUE
            0.0000                 0.0000                 0.0000
         age50TRUE              age55TRUE              age60TRUE
           -0.6743                 0.0000                 0.0000
`age30TRUE:health`  `health:age35TRUE`  `health:age40TRUE`
            0.0000                 0.0000                 0.0000
`health:age45TRUE`  `health:age50TRUE`  `health:age55TRUE`
            0.0000                 0.0000                 0.0000
`health:age60TRUE`
            0.0000
```

```
R> cat("theta estimate", fit.scad$theta[minBic])
```

```
theta estimate 1.285
```

Compute standard errors of coefficients and theta (the last one for theta).

```
R> se(fit.scad, minBic, log = FALSE)
```

```
 [1] 0.12478 0.01813 0.10376 0.12196 0.11885 0.08557 0.39939 0.04440
 [9] 0.17481 0.24779 0.13360
```

Compute AIC, BIC, log-likelihood values of the selected model.

```
R> AIC(fit.scad)[minBic]
```

```
0.0228
  7320
```

```
R> BIC(fit.scad)[minBic]
```

```
0.0228
  7380
```

```
R> logLik(fit.scad)[minBic]
```

```
[1] -3649
```

Compute log-likelihood value via 10-fold cross-validation using 2 CPU cores.

```
R> fitcv <- cv.zipath(docvisits ~ . | ., data = dat, family = "negbin",
     gamma.count = 2.5, gamma.zero = 2.5, lambda.count = tmp$lambda.count[1:30],
     lambda.zero = tmp$lambda.zero[1:30], maxit.em = 300,
     maxit.theta = 1, theta.fixed = FALSE, penalty = "snet",
     rescale = FALSE, foldid = foldid, n.cores = 2)
R> cat("cross-validated loglik", max(fitcv$cv))
```

```
cross-validated loglik -368.8
```

Running time for the entire analysis.

```
R> print(proc.time() - ptm)
```

```
   user  system elapsed
743.068   1.691 752.375
```

```
R> sessionInfo()

R version 3.5.2 (2018-12-20)
Platform: x86_64-pc-linux-gnu (64-bit)
Running under: Ubuntu 18.04.1 LTS

Matrix products: default
BLAS: /usr/lib/x86_64-linux-gnu/blas/libblas.so.3.7.1
LAPACK: /usr/lib/x86_64-linux-gnu/lapack/liblapack.so.3.7.1

locale:
 [1] LC_CTYPE=en_US.UTF-8       LC_NUMERIC=C
 [3] LC_TIME=en_US.UTF-8        LC_COLLATE=en_US.UTF-8
 [5] LC_MONETARY=en_US.UTF-8    LC_MESSAGES=en_US.UTF-8
 [7] LC_PAPER=en_US.UTF-8       LC_NAME=C
 [9] LC_ADDRESS=C               LC_TELEPHONE=C
[11] LC_MEASUREMENT=en_US.UTF-8 LC_IDENTIFICATION=C

attached base packages:
[1] stats     graphics  grDevices utils     datasets  methods
[7] base

other attached packages:
[1] pscl_1.5.2  zic_0.9.1   mpath_0.3-7

loaded via a namespace (and not attached):
 [1] Rcpp_1.0.0       lattice_0.20-38  codetools_0.2-16
 [4] glmnet_2.0-16    foreach_1.4.4    MASS_7.3-51.1
 [7] grid_3.5.2       gtable_0.2.0     coda_0.19-2
[10] doParallel_1.0.14 bst_0.3-15      rpart_4.1-13
[13] Matrix_1.2-15    splines_3.5.2    iterators_1.0.10
[16] tools_3.5.2      survival_2.43-3  numDeriv_2016.8-1
[19] parallel_3.5.2   compiler_3.5.2   gbm_2.1.4
[22] gridExtra_2.3
```

References

Regina T Riphahn, Achim Wambach, and Andreas Million. Incentive effects in the demand for health care: a bivariate panel count data estimation. *Journal of Applied Econometrics*, 18(4):387–405, 2003.

Zhu Wang, Shuangge Ma, and Ching-Yun Wang. Variable selection for zero-inflated and overdispersed data with application to health care demand in germany. *Biometrical Journal*, 33(29):5192–208, 2015. Article first published online: 8 JUN 2015 DOI: 10.1002/bimj.201400143.