

Computer Vision

Fall 2021

Problem Set #2

First Name Last Name

Email Address

1a) Traffic Light Detection



Coordinates and State:

(-1, -1), color: black

ps2-1-a-1

1b) Traffic Sign Detection - Construction



Coordinates:

(-1, -1), color: black

ps2-1-b-1

2a) Template Matching - TL



Coordinates:
(-1, -1)

ps2-2-a-1

2b) Template Matching - Construction



Coordinates:

$(-1, -1)$

ps2-2-b-1

2c) Template Matching - Finding Waldo



Coordinates:

(-1, -1)

ps2-2-c-1

2d) Discussion

What are the disadvantages of using Hough based methods in finding Waldo? Can template matching be generalised to all images?

Explain Why/Why not. Which method consistently performed the best, why?

[Answer here.](#)

4a1) Compression - Threshold 0.1



ps2-4-a-1 resulting image



ps2-4-a-1 frequency domain

4a2) Compression - Threshold 0.05



ps2-4-a-2 resulting image



ps2-4-a-2 frequency domain

4a3) Compression - Threshold 0.001



ps2-4-a-3 resulting image



ps2-4-a-3 frequency domain

5a1) Filtering - Radius 100



ps2-5-a-1 resulting image



ps2-5-a-1 frequency domain

5a2) Filtering - Radius 50



ps2-5-a-2 resulting image



ps2-5-a-2 frequency domain

5a3) Filtering - Radius 10



ps2-5-a-3 resulting image



ps2-5-a-3 frequency domain

5b) Discussion

What are the differences between compression and filtering? How does this change the resulting image?

What are the differences between compression and filtering?
How does this change the resulting image?

5c) Discussion

Given an image corrupted with salt and pepper pepper noise, what filtering method can effectively reduce/remove this noise? Also explain your choice of filtering method.

[Answer here.](#)