



Name: Khizar Ali

Roll No: 22P-9269

Subject: Programing Fundamentals LAB

Submitted to: Muhammad Usman

Problem: 1

```
#include<stdio.h>
int min(int a[],int n)
{
    int minimum=a[0];
    for(int i=1;i<n;i++)
    {
        if (minimum>a[i])
            minimum=a[i];
    }

    return minimum;
}
int max( int a[],int n)
{
    int maximum=a[0];
    for(int j=1;j<n;j++)
    {
        if (maximum<a[j])
            maximum=a[j];
    }
    return maximum ;
}
int sum(int a[],int n)
{
    int sum=a[0];
    for(int i=1;i<n;i++)
    {
        sum=sum+a[i];
    }
    return sum;
}
float average(int a[],int n)
{
    float avg=0;
    float sum=a[0];
    for (int i=1;i<n;i++)
    {
        sum=sum+a[i];
    }
    avg=sum/n;
    return avg;
}
void reverse(int a[], int n )
{
    int temp;
    int i , j;
    printf("The reverse of array is \n");
```

```

    for( i=9;i>=0;i--)
    {
        printf("%d \t",a[i]);
    }
}
void even_odd(int a[],int n)
{
    int even=0, odd=0;
    for(int i=0;i<n;i++)
    {
        if(a[i]%2==0)
        {
            even++;
        }
        else
            odd++ ;
    }
    printf("\n There are %d even elements \n",even);
    printf("There are %d odd elements \n",odd);
}
int odd(int a[],int n)
{
    int sum=0;
    for(int i=0;i<n;i++)
    {
        if(a[i]%2!=0)
        {
            sum=sum+a[i];
        }
    }
    return sum;
}
int main()
{
    int array[10],n;
    printf("Enter number of elements in array \n");
    scanf("%d",&n);
    printf("Enter elemnts of array \n ");
    for(int i=0;i<n;i++)
    {
        scanf("%d",&array[i]);
    }

    int a=min(array,n);
    printf("1. The minimum value in the array is %d \n ",a);
    int b=max(array,n);
    printf("2. The maximum value in the array is %d \n",b);
    int s=sum(array,n);
    printf("3. The sum of array is %d \n",s);
    float AVG=average(array,n);

```

```

printf("4. The average of the array is %.2f \n",AVG);
// Last element of array
printf("5. The last element of array is %d \n",array[9]);
// 2nd element of array
printf("6. The value at 2nd index is %d \n",array[2]);
// reverse of array
reverse(array,n);
// even & odd elements count
even_odd(array,n);
// sum of odd
int x=odd(array,n);
printf("The sum of odd array is %d",x);
return 0 ;
}

```

```

PS C:\Users\p22-9269\Desktop\Khizar\Pf lab\Ex 7> ./a.exe
Enter number of elements in array
10
Enter elements of array
2
4
6
8
1
3
5
7
10
13
1. The minimum value in the array is 1
2. The maximum value in the array is 13
3. The sum of array is 59
4. The average of the array is 5.90
5. The last element of array is 13
6. The value at 2nd index is 6
The reverse of array is
13    10    7    5    3    1    8    6    4    2
There are 5 even elements
There are 5 odd elements
The sum of odd array is 29
PS C:\Users\p22-9269\Desktop\Khizar\Pf lab\Ex 7> 

```

Problem 2:

```

#include<stdio.h>
int main()
{
    int a[60];
    int i ,j ,k;

```

```

for( i=0;i<20;i++)
{
    a[i]=i*i;
    printf("%d \t ",a[i]);
}
for (int j=20;j<40;j++)
{
    a[j]=j*j*j;
    printf(" %d \t",a[j]);
}
for (k=40,i=0,j=20;k<60,i<20,j<40;k++,i++,j++)
{
    a[k]=a[i]+a[j];
    printf(" %d \t",a[k]);
}

return 0;
}

```

```

PROBLEMS  OUTPUT  TERMINAL  DEBUG CONSOLE

Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

Try the new cross-platform PowerShell https://aka.ms/pscore6

PS C:\Users\p22-9269\Desktop\Khizar\Pf lab\Ex 7> gcc 2.c
PS C:\Users\p22-9269\Desktop\Khizar\Pf lab\Ex 7> ./a.exe
0      1      4      9      16     25     36     49     64     81     100    121    144    169    196    225    256    289    324    361    8000    9261    10648    12167    13824    15625
17576  19683  21952  24389  27000  29791  32768  35937  39304  42875  46656  50653  54872  59319  64000  68926  74112  79569  85304  91329  97656  104297  111256  118535  126144  134095
32912  36106  39500  43100  46912  50942  55196  59680
PS C:\Users\p22-9269\Desktop\Khizar\Pf lab\Ex 7>

```

Problem 3:

```

#include<stdio.h>
int main()
{
    int a[]={2,4,6,12,4,12,44,5,4,2,14,45,12,14,12,14,21,42,11,41,14};
    int n;
    int count=0;
    printf("Enter the number you want to search:");
    scanf("%d",&n);
    for(int i=0;i<21;i++)
    {
        if(a[i]==n)
        {
            count++;
        }
    }
}

```

```
}  
printf("The element %d is foud %d times in the array",n,count);  
return 0;  
}
```

PROBLEMS OUTPUT TERMINAL DEBUG CONSOLE

Windows PowerShell

Copyright (C) Microsoft Corporation. All rights reserved.

Try the new cross-platform PowerShell <https://aka.ms/pscore6>

PS C:\Users\p22-9269\Desktop\Khizar\Pf lab\Ex 7> gcc 3.c

PS C:\Users\p22-9269\Desktop\Khizar\Pf lab\Ex 7> ./a.exe

Enter tha number you want to search:12

The element 12 is foud 4 times in the array

PS C:\Users\p22-9269\Desktop\Khizar\Pf lab\Ex 7> |