


Comprehension & Validation of the OSS



- Feedback management tool for education
- Cloud based
- Runs locally in a browser







Comprehension & Validation of the OSS




- Team peer evaluations
- Flexible feedback paths (giver & reciever)
- Powerful visibility control
- Reports & Statistics









- Fine-grained access control
- Different question types
- Downloadable data
- Shareable comments


Contribution Breadth





comments #10042 4 days ago Compatibility 29 issue **UI** for Mobile opened this madanalogy Improve

Open

Θ







Contribution Breadth



+ Add New Course

Course ID \$	Course Name \$	Creation Date	Sections	Teams	Total Students	Total Unregistered	Action(s)		
SWENG-2020	Software Engineering in practice	15 May 2020	show	show	show	show	Enroll View Edit Archive Delete		
aliki.ntouzgou.gma- demo	Sample Course 101	12 May 2020	show	show	show	show	Enroll View Edit Archive Delete		


Courses

+ Add New Course

Course ID Course Name Cou		Creation Date \$	Sections	Teams	Total Students	Total Unregistered	Action(s)	
SWENG-2020	Software Engineering in practice	15 May 2020	show	show	show	show	Enroll	Other Actions ▼
aliki.ntouzgou.gma-demo	Sample Course 101	12 May 2020	show	show	show	show	Enroll	View Edit
								Archive Delete

Quality of Implementation





Improve UI for Mobile Compatibility #10042

madanalogy opened this issue 29 days ago · 17 comments

View changes

⊕ …

Member

madanalogy left a comment • edited •

There is no point having both xs and md with the same column values, as grid classes for a given screen size apply to that screen size and larger. Some useful links: bootstrap, stackoverflow

Also, can we try having content in the center at smaller screen sizes? You can take reference from #10044 on how this is done.



madanalogy added the s.Ongoing label 29 days ago



Aliki-Ntouzgou commented 28 days ago

Author Contributor



There is no point having both xs and md with the same column values, as grid classes for a given screen size apply to that screen size and larger. Some useful links: bootstrap, stackoverflow

Also, can we try having content in the center at smaller screen sizes? You can take reference from #10044 on how this is done.

Of course! I will look into it

Right results don't matter if the way isn't right










Quality of Implementation



Verified ✓ c71727d




Add a dropdown button for the actions in the Instructor Courses table #10079 (F) Closed Aliki-Ntouzgou opened this issue 23 days ago · 2 comments madanalogy requested changes 20 days ago View changes madanalogy left a comment Member ··· Your PR seems to be failing the CI linting check, could you try and run the it locally to verify? Thanks Aliki-Ntouzgou commented 20 days ago Author Contributor 😧 · · · Your PR seems to be failing the CI linting check, could you try and run the it locally to verify? Thanks Of course! I will let you know Updated css file to pass the lint test Verified X 169b254 Aliki-Ntouzgou requested a review from madanalogy 20 days ago Aliki-Ntouzgou and others added 3 commits 20 days ago Updated css to pass the TravisCI check Verified X dfa2443


Fixed a spacing error for TravisCI

Integration





[#10079] Add a dropdown button for the "Action(s)" section in Courses page #10094







Improve UI for Mobile Compatibility #10042

madanalogy opened this issue 29 days ago · 17 comments

Expectations

Submitted PRs should minimally include a screenshot for manual verification of the fix. Please refer to our development guideline on how to work with your copy of TEAMMATES to achieve this. PRs addressing this epic should not "Resolve" the issue but rather be "Part of" the issue (i.e. do not use GitHub auto-closing keywords with your PR). An example of this is #10052

Pease also try to run the component tests locally. If the file you're working on has a snapshot, you will need to update that snapshot to pass the CI check. You can refer to the testing guide here and more information about snapshot testing here. You can refer to #9997 (comment) for a more involved guide if you're still encountering problems, or just put up a draft PR and ask for help:)

Working List

This list tracks the pages or components we are aware of that need mobile UI optimisation. It is not a comprehensive list, and if you find something not on this list, feel free to submit a PR or comment here in this issue for feedback! :)

- Instructor Pages: Edit Feedback Session Page
- Instructor Pages: Add Feedback Session Page
- Instructor Pages: Course Details & Edit Pages

```
C:\Users\aliki\OneDrive\Documents\AlikisGitRepos\teammates>npm run lint

> @ lint C:\Users\aliki\OneDrive\Documents\AlikisGitRepos\teammates
> npm-run-all lint:* -c

e > @ lint:ts C:\Users\aliki\OneDrive\Documents\AlikisGitRepos\teammates
> ng lint --tslint-config static-analysis/teammates-tslint.yml

Linting "teammates"...
All files pass linting.

> @ lint:json C:\Users\aliki\OneDrive\Documents\AlikisGitRepos\teammates
> jsonlint-cli src/web/**/*.json src/main/resources/*.json src/test/resources/

> @ lint:css C:\Users\aliki\OneDrive\Documents\AlikisGitRepos\teammates
> stylelint "src/web/**/*.scss" --config static-analysis/teammates-stylelint.y

> @ lint:spaces C:\Users\aliki\OneDrive\Documents\AlikisGitRepos\teammates
```

> lintspaces -n -t -d spaces -l 1 -. "src/main/**/*.html" "src/web/**/*.html"



Add a dropdown button for the actions in the Instructor Courses table #10079

(F) Closed Aliki-Ntouzgou opened this issue 23 days ago · 2 comments

```
C:\Users\aliki\OneDrive\Documents\AlikisGitRepos\teammates>npm run lint
 @ lint C:\Users\aliki\OneDrive\Documents\AlikisGitRepos\teammates
 npm-run-all lint:* -c
 @ lint:ts C:\Users\aliki\OneDrive\Documents\AlikisGitRepos\teammates
> ng lint --tslint-config static-analysis/teammates-tslint.yml
Linting "teammates"...
All files pass linting.
> @ lint:json C:\Users\aliki\OneDrive\Documents\AlikisGitRepos\teammates
 jsonlint-cli src/web/**/*.json src/main/resources/*.json src/test/resources/data/*.json
 @ lint:css C:\Users\aliki\OneDrive\Documents\AlikisGitRepos\teammates
> stylelint "src/web/**/*.scss" --config static-analysis/teammates-stylelint.yml
 @ lint:spaces C:\Users\aliki\OneDrive\Documents\AlikisGitRepos\teammates
 lintspaces -n -t -d spaces -l 1 -. "src/main/**/*.html" "src/web/**/*.html" "src/**/*.xml" "src/**/*.json" "src/**/*.p
```



Add a dropdown button for the actions in the Instructor Courses table #10079

Closed Aliki-Ntouzgou opened this issue 23 days ago · 2 comments

```
PASS src/web/app/pages-instructor/instructor-courses-page/instructor-courses-page.component.spec.ts
 InstructorCoursesPageComponent

√ should snap with all courses in course stats (634ms)

√ should snap when it is undeletable and unrestorable (455ms)

√ should snap with no courses in course stats (550ms)

   o skipped should create
   o skipped should snap with default fields
 > 3 snapshots updated.
Snapshot Summary
 > 3 snapshots updated from 1 test suite.
Test Suites: 1 passed, 1 total
            2 skipped, 3 passed, 5 total
Tests:
Snapshots: 3 updated, 3 total
            1.976s
Time:
Ran all test suites.
Watch Usage: Press w to show more.
```

Test Suites: 213 passed, 213 total
Tests: 406 passed, 406 total
Snapshots: 65 passed, 65 total

Time: 127.19s Ran all test suites.

exports[`InstructorCoursesPageComponent should snap when it is undeletable and unrestorable 1`




exports[`InstructorCoursesPageComponent should snap with all courses in course stats 1

```
<tm-instructor-courses-page</pre>
<tm-instructor-courses-page</pre>
                                                                                            SortBy={[Function Object]}
 SortBy={[Function Object]}
                                                                                            SortOrder={[Function Object]}
 SortOrder={[Function Object]}
                                                                                            activeCourses={[Function Array]}
 activeCourses={[Function Array]}
                                                                                            archivedCourses={[Function Array]}
 archivedCourses={[Function Array]}
                                                                                            canDeleteAll={[Function Boolean]}
 canDeleteAll="false"
 canRestoreAll="false"
                                                                                            canRestoreAll={[Function Boolean]}
 courseService={[Function CourseService]}
                                                                                            courseService={[Function CourseService]}
 courseStats={[Function Object]}
                                                                                            courseStats={[Function Object]}
 instructorService={[Function InstructorService]}
                                                                                            instructorService={[Function InstructorService]}
 isAddNewCourseFormExpanded="false"
                                                                                            isAddNewCourseFormExpanded="false"
 isRecycleBinExpanded="false"
                                                                                            isRecycleBinExpanded="false"
 modalService={[Function NgbModal]}
                                                                                            modalService={[Function NgbModal]}
 route={[Function ActivatedRoute]}
                                                                                            route={[Function ActivatedRoute]}
 softDeletedCourses={[Function Array]}
                                                                                            softDeletedCourses={[Function Array]}
 statusMessageService={[Function StatusMessageService]}
                                                                                            statusMessageService={[Function StatusMessageService]}
 studentService={[Function StudentService]}
 tableComparatorService={[Function TableComparatorService]}
                                                                                            studentService={[Function StudentService]}
                                                                                          exports[`InstructorCoursesPageComponent should snap with no courses in course stats
exports[`InstructorCoursesPageComponent should snap with default fields 1`] =
                                                                                          <tm-instructor-courses-page</pre>
<tm-instructor-courses-page</pre>
                                                                                            SortBy={[Function Object]}
 SortBy={[Function Object]}
                                                                                            SortOrder={[Function Object]}
  SortOrder={[Function Object]}
                                                                                            activeCourses={[Function Array]}
  activeCourses={[Function Array]}
                                                                                            archivedCourses={[Function Array]}
  archivedCourses={[Function Array]}
                                                                                            canDeleteAll={[Function Boolean]}
  canDeleteAll={[Function Boolean]}
                                                                                            canRestoreAll={[Function Boolean]}
  canRestoreAll={[Function Boolean]}
                                                                                            courseService={[Function CourseService]}
  courseService={[Function CourseService]}
                                                                                            courseStats={[Function Object]}
  courseStats={[Function Object]}
                                                                                            instructorService={[Function InstructorService]}
                                                                                            isAddNewCourseFormExpanded="false"
  instructorService={[Function InstructorService]}
                                                                                            isRecycleBinExpanded="false"
  isAddNewCourseFormExpanded="false"
                                                                                            modalService={[Function NgbModal]}
  isRecycleBinExpanded="false"
                                                                                            route={[Function ActivatedRoute]}
  modalCorvice-[[Eunction MahModall]]
```

Collaboration with the Dev Team






Via emails

Collaboration with the Dev Team



Contributor ()

Contributor ()



Via GitHub commentary

Add "Sort by" for unregistered students and "Remind students to join" option in the Instructor-Courses-Page #10096

① Open Aliki-Ntouzgou opened this issue 21 days ago · 2 comments

Aliki-Ntouzgou commented 21 days ago • edited •

Environment: Instructor-Courses-Page

Description of feature/enhancement

So, I was thinking about adding one more "Sort by", where the instructor can sort his courses by the number of unregistered students of each course and then give him the option to remind them to joi via email directly. I am thinking about two possible ways to remind the students: 1)add a "Remind students to join" link reference in the number of the unregistered students or 2)add one more butto in the dropdown menu named "Remind" for the instructor to automatically send a "remind" email to his students.

Justification

I noticed that the instructor doesn't have an option where he can see the courses ordered by the number of unregistered students, which I believe can cause inconvenience when an instructor has to handle more than 2-3 courses. Also, if the instructor wants to remind his students to join the course has to do it from the "View" page (which is 3 clicks until he gets to "Remind students to join"). The first way of "remind" only requires 1 click instead of 3 and the second way requires only 2 clicks instead of 3.

I think this can really enhance an instructor's experience when it comes to handling it students and courses and I would like to start working on it!

damithc commented 21 days ago

Thanks for the suggestion @Aliki-Ntouzgou


Indeed it can be useful in cases where an instructor is handling many courses. However, based on our experience, that is a rare case. Most teachers teach 1-2 courses at any time. Furthermore, 'registering optional and almost no instructor requires students to register in a course. Instead, students submit responses using the submission links sent by TEAMMATES.


Given the above, we are unlikely to implement this enhancement in the near future.

Quality of the deliverables



Branches







Quality of the deliverables



Checks





Work in GitHub



How can I contribute?

Submitting an issue

We use the issue tracker to contain bug reports and feature/enhancement requests. Before submitting a new issue, search the issue tracker to ensure that there is no similar open issue.

If you are certain that you are reporting a new issue, open a new issue using the templates provided.

Manual testing

We welcome anyone manually testing our product and reporting bugs or suggestions for enhancements in the issue tracker.


If you want to undertake such a role without actually contributing code, get an instructor account from TEAMMATES. Remember to mention the purpose of your request under "Any other comments/queries".

Submitting a pull request

We accept patches/fixes in form of pull requests (PRs). Make sure that the pull request addresses an open issue in the issue tracker. Remember to follow the TEAMMATES Development Process.


By submitting a PR, you agree to allow the project team to license your work under the terms of the GNU GPL v2 License.

If this is your first time contributing to TEAMMATES, you may want to read up the contributor orientation guide lined out in the next section.



Work in GitHub





Improve UI for Mobile Compatibility #10042

madanalogy opened this issue 29 days ago · 17 comments

8 participants



















Add a dropdown button for the actions in the Instructor Courses table #10079



(i) Closed Aliki-Ntouzgou opened this issue 23 days ago ⋅ 2 comments



Used knowledge from:

- SEiP courses
- the docs

Contributed


2 participants





Code Reviews







(!' Closed

Add a dropdown button for the actions in the Instructor Courses table #10079

Aliki-Ntouzgou opened this issue 25 days ago · 2 comments



madanalogy commented 25 days ago

Member



Enhancement looks good, suggest using title case for Other Actions . Am I right to assume you want to work on this?





Lessons Learned





Documentation











Follow the rules

Communication

