

Supplementary Information: ω B97M-V: A combinatorially-optimized, range-separated hybrid, meta-GGA density functional with VV10 nonlocal correlation

Narbe Mardirossian[†] and Martin Head-Gordon^{*,†}

Kenneth S. Pitzer Center for Theoretical Chemistry, Department of Chemistry, University of California, Berkeley, California 94720, USA, and Chemical Sciences Division, Lawrence Berkeley National Laboratory, Berkeley, California 94720, USA

E-mail: mhg@cchem.berkeley.edu

1 SI

The origins of the reference values used for the 84 datasets are further explained here:

The A24 reference values are taken from Table 1 of Reference 1 by adding the CCSD(T)/CBS and core correlation columns.

The DS14 reference values are taken from Table 1 of Reference 2 from the CBS (Δ aTZ)^b column.

The HB15 reference values are taken from Table S1 of the SI of Reference 3.

The HSG reference values are taken from Table 6 of Reference 4 from the "HSG-A" column.

The NBC10 reference values are taken from NBC10.txt of the SI of Reference 4.

The S22 reference values are taken from Table 1 of Reference 4.

The X40 reference values are taken from Table 1 of Reference 5. The dimers that contain iodine have been removed.

The A21x12 reference values were acquired from the authors of Reference 6.

The BzDC215 reference values are taken from

^{*}To whom correspondence should be addressed

[†]Kenneth S. Pitzer Center for Theoretical Chemistry, Department of Chemistry, University of California, Berkeley, California 94720, USA

[‡]Chemical Sciences Division, Lawrence Berkeley National Laboratory, Berkeley, California 94720, USA

the SI of Reference 7.

The HW30 reference values are taken from Table 1 of Reference 8 from the " $E_{int}^{CCSD(T) c}$ " column.

The NC15 reference values are taken from Table S1 of the SI of Reference 9. The LiH dimer and the five duplicate dimers from A24 have been removed.

The S66 reference values are taken from BEGDB.com from the "CCSD(T)/CBS(haTZ) CP" column.

The S66x8 reference values are taken from BEGDB.com from the "CCSD(T)/CBS CP" column.

The 3B-69-DIM reference values are taken from Table S1 of the SI of Reference 10.

The AlkBind12 reference values are taken from Tables 1-3 of Reference 11. The non-counterpoise-corrected CCSD(T)/CBS values are used.

The CO2Nitrogen16 reference values are taken from the BENCHMARK folder in the SI of Reference 12. Only the equilibrium geometries (1.0) are used.

The HB49 reference values are taken from Table 8 of Reference 13.

The Ionic43 reference values are taken from Tables 1 and 2 of Reference 14. Ionic43 is a combination of the AHB21, CHB6, and IL16 datasets.

The H2O6Bind8 reference values are taken from Table S4 of the SI of Reference 15 from the “CCSD(T)/CBS” column.

The HW6Cl reference values are taken from Table S7 of the SI of Reference 15 from the “CCSD(T)/CBS” column.

The HW6F reference values are taken from Table S6 of the SI of Reference 15 from the “CCSD(T)/CBS” column.

The FmH2O10 reference values are taken from Table S8 of the SI of Reference 15 from the “CCSD(T)/CBS” column.

The Shields38 reference values are taken from BEGDB.com from the “CCSD(T)/CBS noCP” column.

The SW49Bind345 reference values are taken from Table 1 of the SI of Reference 16.

The SW49Bind6 reference values are taken from Table 1 of the SI of Reference 16.

The WATER27 reference values are taken from GMTKN30. The 4 water 20-mers have been removed and placed in H2O20Bind4.

The 3B-69-TRIM reference values are constructed by combining the three-body energies from the CCSD(T)/CBS column of Table 1 of Reference 10 with the two-body energies from 3B-69-DIM.

The CE20 reference values are taken from Table S2 of the SI of Reference 17 from the “ ΔE_e^d ” column.

The H2O20Bind10 reference values are taken from Table S5 of the SI of Reference 15 from the “CCSD(T)/CBS” column.

The H2O20Bind4 reference values are taken from the abstract of Reference 18.

The TA13 reference values are taken from Table 1 of Reference 19 from the “ E_{nonrel}^a ” column.

The XB18 reference values are taken from the “Energies XB18” tab of the SI (ct301064t_si_001.xlsx) of Reference 20. The values under “REFERENCE CCSD(T)/CBS” are used. The systems with iodine are removed.

The Bauza30 reference values are taken from Table 1 of Reference 21 from the “Ave-CBS” column.

The CT20 reference values are taken from Table S5 of the SI of Reference 22 from the “CCSD(T)” column.

The XB51 reference values are taken

from the “WF on XB51” tab of the SI (ct301064t_si_001.xlsx) of Reference 20. The values under “CCSD(T)/AVTZ MP2-CBS(Q5)” are used. The systems with iodine, palladium, and lithium are removed.

The AlkIsomer11 reference values are taken from Table S8 of the SI of Reference 23.

The Butanediol65 reference values are taken from the “Energies” tab of the SI (jp410723v_si_001.xlsx) of Reference 24. The values under “CCSD(T)-F12b cc-pVTZ-F12” are used.

The ACONF reference values are taken from GMTKN30.

The CYCONF reference values are taken from GMTKN30.

The Pentane14 reference values are taken from Table 1 of Reference 25 from the “CCSD(T)” column.

The SW49Rel345 reference values are taken from Table 1 of the SI of Reference 16.

The SW49Rel6 reference values are taken from Table 1 of the SI of Reference 16.

The H2O16Rel5 reference values are taken from Table 1 of Reference 26 from the “ ΔE_e [CCSD(T)]” column.

The H2O20Rel10 reference values are relative binding energies of the H2O20Bind10 dataset.

The H2O20Rel4 reference values are relative binding energies of the H2O20Bind4 dataset.

The Melatonin52 reference values are taken from Table 1 of Reference 27 from the “best” column.

The YMPJ519 reference values are taken from the SI (ESI_2_DFT-new with CV.xlsx within ct5b01066_si_002.zip) of Reference 28 from the Reference tab with CV on.

The EIE22 reference values are taken from Table 1 of Reference 29 from the “ ΔE_e^e ” column.

The Styrene45 reference values are taken from Table 1 of Reference 30 from the “ ΔE_e^d ” column.

The DIE60 reference values are taken from Table 1 of Reference 31 from the “ ΔE_e^e ” column.

The ISOMERIZATION20 reference values are taken from the SI (mmc1.xls) of Reference

32 from the Table SI-VIII tab and the “TAEe (a)” column.

The C20C24 reference values are taken from Table 5 of Reference 33 from the “MP2-F12/VTZ-F12+HLC/VTZ” column.

The AlkAtom19 reference values are taken from Table S7 of the SI of Reference 23.

The BDE99nonMR reference values are taken from the SI (mmc1.xls) of Reference 32 from the Table SI-VI tab and the “TAEe (a)” column.

The G21EA reference values are taken from GMTKN30.

The G21IP reference values are taken from GMTKN30.

The TAE140nonMR reference values are taken from the SI (mmc1.xls) of Reference 32 from the Table SI-V tab and the “TAEe (a)” column.

The AlkIsod14 reference values are taken from Table S9 of the SI of Reference 23.

The BH76RC reference values are taken from GMTKN30.

The EA13 reference values are taken from <http://comp.chem.umn.edu/db/dbs/ea13.html> from the “REF1” column.

The HAT707nonMR reference values are taken from the SI (mmc1.xls) of Reference 32 from the Table SI-VII tab and the “TAEe (a)” column.

The IP13 reference values are taken from <http://comp.chem.umn.edu/db/dbs/ip21.html> from the “REF1” column. Only the first 13 entries are taken.

The NBPRC reference values are taken from GMTKN30.

The SN13 reference values are taken from the SI (mmc1.xls) of Reference 32 from the Table SI-IX tab and the “TAEe (a)” column.

The BSR36 reference values are taken from GMTKN30.

The HNBrBDE18 reference values are taken from Table 1 of Reference 34 from the “ $BDE_e^{[a]}$ ” column.

The WCPT6 reference values are taken from Table 1 of Reference 35.

The BDE99MR reference values are taken from the SI (mmc1.xls) of Reference 32 from

the Table SI-VI tab and the “TAEe (a)” column.

The HAT707MR reference values are taken from the SI (mmc1.xls) of Reference 32 from the Table SI-VII tab and the “TAEe (a)” column.

The TAE140MR reference values are taken from the SI (mmc1.xls) of Reference 32 from the Table SI-V tab and the “TAEe (a)” column.

The PlatonicHD6 reference values are taken from Table 1 of Reference from the “ $TAE_e^{[f]}$ ” row.

The PlatonicID6 reference values are taken from Table 1 of Reference from the “ $TAE_e^{[f]}$ ” row.

The PlatonicIG6 reference values are taken from Table 1 of Reference from the “ $TAE_e^{[f]}$ ” row.

The PlatonicTAE6 reference values are taken from Table 1 of Reference from the “ $TAE_e^{[f]}$ ” row.

The BHPERI26 reference values are taken from Table S3 of the SI of Reference 36 from the ΔE_e^c column.

The CRBH20 reference values are taken from Table 2 of Reference 37 from the “ ΔE_e^c ” column.

The DBH24 reference values are taken from Table 1 of Reference 38 from the “ TAE_e^a ” column.

The CR20 reference values are taken from Table 2 of Reference 39 from the “ ΔE_e^c ” column.

The HTBH38 reference values are taken from GMTKN30.

The NHTBH38 reference values are taken from GMTKN30.

The PX13 reference values are taken from Table S2 of the SI of Reference 17 from the “ ΔE_e^d ” column.

The WCPT27 reference values are taken from Table 1 of Reference 35.

The AE18 reference values are taken from Table 11 of Reference 40 from the last column of each row.

The RG10 reference values are generated using the Tang-Toennies model in Reference 41.

Table S1: Mean signed errors (MSE) for 82 datasets and 12 density functionals.

MSE (kcal/mol)	B97-D3(BJ)	B97M-V	M06-2X	M06-L	M08-HX	M11	MN15	MN15-L	B97M-V	B97X-D	B97X-V	M05-D
A24	0.03	-0.01	0.03	0.31	0.00	0.29	-0.15	-0.05	0.04	0.02	0.02	0.03
DS14	-0.09	0.05	0.18	0.40	0.10	0.51	-0.08	-0.01	0.13	0.20	0.08	0.21
HB15	0.25	0.13	-0.10	0.35	0.11	0.26	0.34	2.15	-0.05	-0.22	-0.10	-0.13
HSG	0.07	0.05	0.43	0.53	0.59	0.85	0.11	-0.18	0.05	-0.08	0.06	-0.17
NBC10	-0.50	0.16	0.43	0.51	0.50	0.73	0.03	-0.75	0.01	-0.11	0.14	-0.20
S22	-0.02	0.20	0.25	0.70	0.35	0.62	0.17	-0.09	0.03	-0.10	0.13	-0.05
X40	0.17	0.10	0.18	0.46	0.39	0.62	0.05	0.10	0.12	0.31	0.10	0.32
A21x12	-0.01	0.00	0.00	0.14	0.03	0.09	-0.01	0.05	0.00	0.00	0.00	0.03
BzDC215	-0.23	0.04	-0.12	0.24	-0.18	-0.04	-0.37	-0.51	-0.13	-0.09	-0.09	-0.11
HW30	0.07	-0.03	-0.07	0.45	-0.12	0.20	-0.18	-0.08	-0.04	0.00	-0.06	-0.02
NC15	-0.02	-0.04	-0.01	0.16	0.02	0.17	-0.06	0.01	0.00	0.08	-0.03	0.12
S66	-0.02	0.08	0.20	0.54	0.26	0.53	-0.13	-0.65	-0.01	-0.24	0.02	-0.26
S66x8	-0.07	0.07	0.21	0.43	0.34	0.44	-0.01	-0.33	-0.02	-0.13	0.00	-0.15
3B-69-DIM	0.18	0.09	0.40	0.60	0.59	0.74	0.30	0.13	0.05	0.17	0.01	0.15
AlkBind12	-0.31	-0.01	0.23	0.16	0.19	0.38	-1.03	-3.18	0.00	-0.86	0.03	-1.03
CO2Nitrogen16	0.46	0.20	0.28	1.13	0.50	0.84	0.30	-0.39	0.02	0.80	0.09	0.62
HB49	0.26	0.30	0.01	0.54	0.26	0.44	0.28	1.68	0.11	0.07	0.01	-0.01
Ionic43	0.74	0.29	-0.44	0.24	-0.04	0.31	0.17	2.10	0.20	0.62	0.13	0.01
H2O6Bind8	3.30	0.19	-1.47	1.03	-0.55	0.87	0.05	9.90	-0.29	-0.83	-0.43	-0.67
HW6Cl	1.70	0.19	-2.56	-0.59	-2.09	-0.58	-1.85	4.52	-0.16	0.21	-0.32	-0.76
HW6F	4.65	0.53	-3.88	-0.84	-1.82	-1.55	-2.13	5.45	0.12	-0.44	0.07	-1.94
FmH2O10	10.32	0.07	-8.51	-3.28	-2.95	-1.56	-3.40	17.56	-0.42	-2.85	-0.08	-4.66
Shields38	2.64	0.59	-1.62	1.18	-0.19	0.92	-0.49	9.45	-0.40	-0.55	-0.58	-1.48
SW49Bind345	0.17	0.29	-0.46	-0.18	0.52	0.76	0.02	1.58	0.17	-0.29	0.14	-0.44
SW49Bind6	1.46	0.81	-0.88	0.19	1.12	1.87	0.44	5.01	0.59	0.06	0.61	-0.40
WATER27	-1.84	-0.67	2.19	-0.57	0.65	0.00	0.89	-6.80	0.38	0.42	0.71	1.92
3B-69-TRIM	0.54	0.22	1.06	1.46	1.64	1.93	0.71	-0.06	0.04	0.40	-0.06	0.24
CE20	-1.33	-0.19	0.45	-0.86	-0.21	-1.06	0.15	-5.38	0.09	0.15	0.21	0.71
H2O20Bind10	17.86	2.75	-3.35	6.24	3.86	9.83	6.71	46.41	0.96	-1.92	1.17	-1.25
H2O20Bind4	10.47	2.92	-2.71	7.52	4.67	9.36	1.97	39.83	-1.05	-0.96	-1.85	-5.86
TA13	-2.84	-2.49	-1.06	-2.00	-1.04	-0.60	-1.40	-0.53	-0.98	-0.90	-1.29	-1.07
XB18	0.03	-0.40	0.55	0.06	0.74	1.17	0.25	0.54	0.40	0.97	0.49	1.04
Bauza30	-1.05	-1.20	-0.88	-0.86	-0.63	0.63	-0.50	1.44	0.13	0.84	0.34	0.16
CT20	0.28	-0.13	0.18	0.30	0.31	0.49	0.12	-0.04	0.01	0.40	-0.06	0.30
XB51	-0.62	-0.44	0.55	-0.03	0.62	1.28	0.30	0.67	0.43	0.80	0.52	0.84
AlkIsomer11	0.92	0.19	0.15	0.77	-0.08	-0.20	-0.52	-1.38	0.17	0.88	0.58	0.29
Butanediol65	-0.08	-0.17	-0.10	0.05	-0.28	-0.14	-0.39	-1.11	-0.03	0.01	-0.02	-0.13
ACONF	-0.06	0.12	-0.25	-0.44	-0.40	-0.65	-0.52	-0.73	-0.06	-0.23	0.01	-0.21
CYCONF	0.39	-0.22	-0.13	0.32	0.25	0.28	0.37	-0.23	0.00	0.11	0.04	0.15
Pentane14	-0.20	0.25	-0.04	-0.29	-0.24	-0.41	-0.27	0.00	-0.09	-0.12	-0.04	-0.17
SW49Rel345	-0.05	-0.07	0.04	-0.11	0.01	0.01	-0.04	-0.27	-0.04	0.00	-0.02	-0.04
SW49Rel6	0.91	0.00	0.28	0.61	-0.11	-0.09	0.25	-0.04	0.12	0.98	0.19	0.66
H2O16Rel5	-1.09	0.33	1.41	1.68	0.85	1.08	0.87	3.99	0.00	-0.10	-0.29	0.40
H2O20Rel10	0.02	-0.23	-0.99	-0.88	-0.70	-0.76	-0.68	-1.78	-0.04	-0.21	0.07	-0.41
H2O20Rel4	-0.26	-0.20	-0.33	0.25	-0.43	-0.29	-0.38	-1.07	0.03	0.12	-0.04	0.03
Melatonin52	-0.32	-0.10	0.10	0.25	0.17	0.52	0.23	1.26	0.04	-0.05	-0.04	0.24
YMPJ519	-0.40	-0.07	-0.21	-0.14	0.11	0.20	-0.07	-0.77	-0.15	-0.26	-0.13	-0.19
EIE22	1.76	2.12	0.19	2.35	0.31	0.00	0.70	1.93	-0.03	0.53	0.04	0.29
Styrene45	3.27	2.62	-0.03	-1.83	0.43	0.42	-1.51	-0.20	0.34	0.83	-0.57	0.71
DIE60	1.63	1.82	0.42	2.36	0.52	0.13	0.69	1.93	-0.21	0.37	-0.08	0.33
ISOMERIZATION20	0.53	0.13	0.57	-0.34	0.73	0.30	1.17	0.79	0.43	-0.09	0.49	0.27
C20C24	-1.81	-12.81	1.59	-13.30	3.05	11.28	-7.53	-20.51	2.19	-2.24	-1.47	6.81
AlkAtom19	-1.86	0.91	7.69	9.04	6.95	4.83	14.00	16.25	0.87	3.13	1.62	6.14
BDE99nonMR	-0.18	-0.73	0.12	-0.13	0.01	-1.53	-1.77	-0.04	-0.58	0.05	-0.49	0.19
G21EA	-0.98	-0.27	-1.73	-4.08	0.49	0.80	-0.53	-0.86	-1.48	-1.00	-1.74	-1.81
G21IP	-1.24	0.51	-0.05	-2.78	2.96	2.01	0.04	-2.10	-1.15	-0.16	-0.08	-1.28
TAE140nonMR	-2.57	-0.49	1.10	0.24	1.25	-1.02	-0.59	-0.30	-0.56	1.58	0.07	1.66
AlkIsod14	-2.03	-0.52	-1.58	-3.62	-1.78	-1.99	-1.11	0.41	-0.97	-2.17	-1.68	-1.38
BH76RC	0.27	1.13	-0.15	1.74	0.03	-0.22	0.49	1.41	0.39	0.09	0.37	-0.15
EA13	-1.47	-0.41	-1.81	-3.82	0.12	0.19	-1.25	-1.52	-1.50	-1.05	-1.96	-2.35
HAT707nonMR	1.38	-1.49	-0.95	-1.95	0.13	0.02	-1.47	-0.87	-0.01	-0.42	0.23	-0.06
IP13	0.18	2.89	0.83	-0.11	3.14	3.50	2.19	-0.04	-0.50	1.88	1.19	0.06
NBPRC	1.66	0.74	-0.37	0.98	0.17	0.95	-1.55	-0.87	0.30	0.84	-0.09	0.40
SN13	-2.98	0.45	-0.38	0.61	0.73	-1.16	-2.70	-2.17	0.03	0.51	0.05	0.27
BSR36	-3.47	-0.20	-3.51	-6.05	-2.90	-2.16	-0.35	2.97	-0.99	-4.29	-2.55	-2.21
HNBBrBDE18	-4.27	-3.99	-2.94	-4.84	0.21	-1.02	-2.25	-3.96	-2.49	-4.08	-2.34	-3.44
WCPT6	-0.08	0.23	-0.34	0.70	-0.17	0.10	-0.47	-0.13	-0.01	0.24	0.12	-0.52
BDE99MR	-4.56	-1.78	5.61	-1.65	5.86	4.71	2.88	-0.60	2.95	4.12	3.63	4.66
HAT707MR	2.51	-0.36	0.02	-0.38	0.73	0.59	-0.32	-0.84	0.78	1.07	1.39	1.27
TAE140MR	-9.24	-3.32	6.90	-3.89	7.13	5.87	2.55	-0.08	3.01	4.21	2.47	4.73
PlatonicHD6	-10.43	-4.20	0.79	-24.88	-2.23	-11.61	-13.11	-14.57	-4.29	-3.87	-4.78	-1.18
PlatonicID6	0.48	-3.73	7.35	-5.11	6.10	-1.05	-8.28	-17.70	-0.39	7.91	3.57	6.40
PlatonicIG6	-2.67	16.03	3.76	53.06	17.07	24.13	-10.37	-41.83	4.77	18.69	5.35	7.39
PlatonicTAE6	-11.04	1.06	-6.41	3.00	-12.63	-15.92	-4.67	-5.60	4.02	-2.38	7.27	-9.26
BHPERI26	-3.92	-0.29	0.80	1.14	0.34	1.61	0.79	0.80	0.96	2.02	2.04	-0.64
CRBH20	-14.08	-7.50	0.96	-13.68	0.90	-0.30	0.10	-7.07	-0.99	-1.07	2.97	0.33
DBH24	-6.06	-3.70	0.10	-2.95	0.38	-0.12	-0.63	-1.04	-0.67	-0.34	-0.14	-1.01
CR20	-9.36	-2.01	-1.67	-12.62	-2.38	-6.13	0.16	-1.46	0.22	-3.56	2.82	-1.52
HTBH38	-7.61	-4.23	-0.53	-3.97	0.14	-0.89	-0.41	-0.22	-1.14	-2.17	-1.73	-2.49
NHTBH38	-6.12	-3.86	0.18	-2.83	0.27	0.04	-1.09	-1.25	-1.03	0.05	0.05	-0.73
PX13	-6.30	1.09	-6.11	1.07	0.57	-2.97	-2.35	11.26	-2.06	-1.42	-2.84	-8.71
WCPT27	-6.06	-0.90	-2.30	-1.28	1.00	-1.01	-1.55	2.84	-0.87	-0.93	-0.70	-3.96

Table S2: Maximum absolute errors (MAX) for 82 datasets and 12 density functionals.

MAX (kcal/mol)	B97-D3(BJ)	B97M-V	M06-2X	M06-L	M08-HX	M11	MN15	MN15-L	B97M-V	B97X-D	B97X-V	M05-D
A24	0.82	0.50	0.69	0.50	0.73	0.63	1.21	1.43	0.18	0.33	0.19	0.46
DS14	0.55	0.35	0.47	0.67	0.38	0.96	0.54	1.50	0.25	0.45	0.22	0.39
HB15	2.09	0.57	1.01	1.03	0.77	0.99	1.56	3.79	0.45	1.44	0.59	1.24
HSG	1.91	0.31	0.81	1.04	1.30	1.44	0.58	2.14	0.31	1.04	0.39	0.64
NBC10	1.29	1.76	1.36	2.23	1.65	1.56	1.63	4.45	1.20	1.31	1.79	1.37
S22	0.95	0.76	1.50	1.50	1.67	2.12	2.26	5.50	0.72	0.58	0.62	0.79
X40	1.64	0.42	0.90	1.05	1.48	2.07	1.04	2.73	0.55	0.92	0.72	1.24
A21x12	1.28	0.94	0.94	0.61	1.41	0.74	1.83	2.75	0.25	0.54	0.29	0.64
BzDC215	0.78	1.37	1.35	1.03	1.63	1.34	1.37	1.48	0.69	1.30	0.96	0.86
HW30	0.57	0.33	1.02	0.84	0.97	0.65	1.23	1.45	0.39	0.71	0.34	0.73
NC15	0.59	0.14	0.32	0.49	0.27	0.43	0.31	0.25	0.15	0.31	0.16	0.35
S66	0.85	0.52	0.80	1.42	0.85	1.16	1.72	4.95	0.43	1.43	0.52	1.76
S66x8	1.02	0.89	1.34	1.38	2.47	1.60	2.12	5.17	0.62	1.95	1.22	1.75
3B-69-DIM	1.21	0.57	1.16	1.65	1.79	2.06	1.86	4.08	0.54	1.26	0.82	0.77
AlkBind12	0.83	0.39	0.63	0.69	0.58	0.89	2.31	6.48	0.21	1.90	0.20	2.22
CO2Nitrogen16	0.92	0.30	0.70	1.63	1.16	1.31	0.62	1.85	0.18	1.00	0.17	0.74
HB49	1.93	1.34	2.34	1.59	1.14	1.38	1.77	4.18	0.67	0.87	1.17	2.61
Ionic43	4.73	1.62	3.61	3.21	5.37	5.78	1.84	4.54	2.31	3.07	2.18	1.99
H2O6Bind8	4.00	0.53	2.76	2.01	1.19	1.35	0.94	11.23	0.41	0.93	0.52	1.27
HW6C1	2.72	0.36	3.77	1.30	2.99	1.64	2.79	9.15	0.35	0.57	0.53	1.42
HW6F	6.91	0.96	5.35	1.89	2.76	2.26	3.11	9.53	0.24	1.36	0.24	2.68
FmH2O10	11.10	0.34	9.61	3.96	4.22	3.11	4.74	18.91	0.55	3.39	0.37	5.05
Shields38	4.09	1.11	2.87	2.50	1.01	2.86	1.29	19.32	1.12	1.65	1.60	3.61
SW49Bind345	2.11	0.62	1.00	0.95	0.94	1.40	0.52	3.91	0.65	1.73	0.77	1.42
SW49Bind6	3.09	0.99	1.16	1.55	1.59	2.30	0.96	6.48	0.99	2.26	1.17	1.31
WATER27	6.86	3.57	5.36	4.07	3.90	2.16	2.94	13.24	1.02	1.34	1.54	4.54
3B-69-TRIM	2.61	1.11	2.48	3.79	3.76	4.09	3.54	6.57	0.80	2.74	1.02	1.56
CE20	3.53	1.59	3.26	2.95	1.12	3.54	2.63	11.25	1.83	0.85	2.13	4.26
H2O20Bind10	18.85	3.05	6.20	7.22	4.58	10.59	7.40	48.19	1.19	2.57	1.36	2.68
H2O20Bind4	12.16	3.52	5.42	12.10	5.18	10.62	3.20	48.33	1.25	1.08	2.33	6.88
TA13	12.93	9.02	3.77	9.21	5.00	5.69	5.27	3.80	7.92	7.03	8.76	7.62
XB18	0.56	1.07	0.80	0.56	1.11	1.58	0.42	1.61	0.53	1.15	0.63	1.24
Bauza30	6.62	6.61	3.50	6.39	3.31	2.51	2.11	4.00	1.34	2.84	1.46	2.31
CT20	0.81	1.11	0.47	0.71	0.67	0.75	0.41	0.54	0.32	0.92	0.31	0.59
XB51	4.40	2.98	1.80	2.89	2.05	3.01	1.21	1.97	1.43	1.50	1.63	1.73
AlkIsomer11	2.65	0.64	0.38	1.48	1.10	1.70	2.21	4.65	0.37	2.34	1.53	0.57
Butanediol65	0.84	0.33	0.62	0.51	0.86	1.20	1.15	2.19	0.18	0.53	0.08	0.42
ACONF	0.23	0.24	0.53	0.82	0.79	1.33	1.08	1.60	0.13	0.52	0.05	0.42
CYCONF	1.29	0.46	0.40	0.73	0.74	0.92	0.97	0.97	0.14	0.64	0.16	0.57
Pentane14	0.67	0.76	0.26	0.81	0.46	0.74	0.53	0.79	0.23	0.36	0.16	0.33
SW49Rel345	1.65	0.18	0.50	0.86	0.85	0.85	0.41	1.23	0.21	1.73	0.46	1.42
SW49Rel6	2.55	0.22	0.82	1.98	0.35	0.34	0.77	2.17	0.53	3.17	0.75	2.38
H2O16Rel5	1.85	0.59	2.75	2.96	1.54	2.05	1.57	6.61	0.05	0.15	0.52	0.81
H2O20Rel10	1.01	0.74	3.85	3.49	2.23	2.76	2.24	6.00	0.28	0.86	0.25	1.84
H2O20Rel4	3.19	0.95	3.03	4.83	1.85	2.29	2.07	8.74	0.21	0.47	0.53	1.23
Melatonin52	1.18	0.64	0.59	1.69	1.02	1.43	1.14	2.93	0.34	0.66	0.19	0.85
YMPJ519	2.31	1.07	1.84	2.38	2.15	2.55	3.26	5.89	0.95	2.36	0.81	2.24
EIE22	3.50	3.98	0.68	4.82	1.06	1.22	1.78	3.54	0.56	1.36	0.50	1.11
Styrene45	18.58	10.75	9.97	15.67	7.73	12.81	10.48	10.62	4.91	5.17	11.64	7.13
DIE60	3.19	2.68	2.08	4.09	2.38	2.41	2.22	3.37	1.21	1.90	1.81	2.42
ISOMERIZATION20	10.34	5.67	3.51	8.68	3.75	5.07	4.05	6.12	3.93	3.74	3.62	2.22
C20C24	65.81	57.32	38.28	90.27	29.09	35.04	36.02	58.34	13.03	22.28	15.66	26.57
AlkAtom19	2.93	2.00	11.01	14.20	10.44	8.45	20.45	24.49	1.41	6.00	2.96	9.02
BDE99nonMR	14.01	14.65	11.77	24.39	13.25	14.31	11.67	11.22	11.31	7.95	11.34	8.74
G21EA	8.59	6.79	5.40	9.98	9.23	7.82	4.44	5.21	6.61	4.39	5.92	4.39
G21IP	8.73	7.84	11.83	14.89	15.97	14.48	8.40	12.19	8.74	11.14	7.57	8.74
TAE140nonMR	15.24	26.71	17.07	18.37	12.29	12.71	11.87	11.40	9.42	16.01	11.93	9.57
AlkIsod14	3.96	1.06	2.85	6.61	2.91	3.27	2.17	2.05	1.67	4.13	3.18	2.33
BH76RC	13.72	7.94	3.03	17.10	3.52	5.45	4.70	10.19	2.87	4.72	4.11	3.68
EA13	6.80	4.95	4.62	11.10	2.75	1.52	3.64	6.28	4.89	4.37	6.15	5.15
HAT707nonMR	15.80	11.08	11.44	16.96	12.03	11.48	12.63	12.07	10.29	10.16	11.81	13.80
IP13	8.91	6.74	7.76	6.80	8.58	14.61	7.42	4.47	5.96	5.85	5.79	6.13
NBPRC	9.41	3.63	1.92	10.80	4.12	5.98	3.95	9.54	2.02	5.09	4.09	1.86
SN13	5.85	3.52	2.10	3.72	1.98	3.80	4.70	4.97	1.10	2.47	2.31	1.92
BSR36	9.17	0.98	12.72	16.90	8.94	6.46	1.51	8.75	2.43	13.25	6.28	6.60
HNBrBDE18	7.50	6.97	4.56	9.37	2.37	3.92	4.96	7.09	4.14	7.24	4.30	6.03
WCPT6	1.93	1.47	1.26	3.43	1.38	2.55	2.15	1.59	0.49	1.76	1.60	1.24
BDE99MR	11.04	4.89	13.88	7.74	12.00	11.27	7.54	6.17	8.37	10.55	9.58	13.51
HAT707MR	17.36	9.54	14.48	14.04	13.45	14.46	13.18	9.96	10.67	14.57	14.25	16.88
TAE140MR	26.70	11.75	17.51	13.59	21.85	16.61	18.69	13.52	16.88	14.69	16.45	15.29
PlatonicHD6	15.64	8.44	16.30	30.99	12.01	22.36	16.12	18.71	4.98	6.15	7.03	11.04
PlatonicID6	11.28	8.25	29.42	26.14	23.40	18.13	13.58	22.25	2.94	18.07	9.67	15.11
PlatonicIG6	12.54	42.08	22.25	142.47	45.34	65.74	14.47	55.68	13.25	39.64	13.23	17.09
PlatonicTAE6	32.56	8.21	27.84	30.66	36.76	49.64	32.90	39.49	5.05	7.98	11.70	21.13
BHPER126	7.21	3.26	4.48	4.37	5.03	6.05	4.91	4.24	3.96	3.74	9.33	4.40
CRBH20	17.12	8.89	2.97	16.00	2.43	3.02	1.84	9.02	2.33	3.44	5.40	1.38
DBH24	18.71	12.00	2.99	14.89	2.73	2.99	5.97	9.38	3.89	3.95	4.22	4.16
CR20	12.35	3.38	3.95	15.05	3.99	8.12	3.54	2.99	1.51	5.19	3.87	2.95
HTBH38	15.42	8.60	2.51	10.53	3.59	3.44	3.69	6.08	4.22	4.85	5.00	4.40
NHTBH38	19.79	12.84	3.74	15.97	3.57	3.01	7.05	10.46	4.84	4.54	4.60	3.79
PX13	8.94	3.56	12.22	3.78	5.68	9.34	5.08	22.36	4.99	2.66	6.47	16.76
WCPT27	14.45	5.51	6.64	5.35	3.51	4.25	3.99	9.55	5.10	4.98	6.94	9.82

References

- (1) Řezáč, J.; Hobza, P. Describing Noncovalent Interactions beyond the Common Approximations: How Accurate Is the Gold Standard CCSD(T) at the Complete Basis Set Limit? *Journal of Chemical Theory and Computation* **2013**, *9*, 2151–2155.
- (2) Mintz, B. J.; Parks, J. M. Benchmark Interaction Energies for Biologically Relevant Noncovalent Complexes Containing Divalent Sulfur. *The Journal of Physical Chemistry A* **2012**, *116*, 1086–1092.
- (3) Řezáč, J.; Hobza, P. Advanced Corrections of Hydrogen Bonding and Dispersion for Semiempirical Quantum Mechanical Methods. *Journal of Chemical Theory and Computation* **2012**, *8*, 141–151.
- (4) Marshall, M. S.; Burns, L. A.; Sherill, C. D. Basis set convergence of the coupled-cluster correction, $\delta_{MP2}^{CCSD(T)}$: Best practices for benchmarking noncovalent interactions and the attendant revision of the S22, NBC10, HBC6, and HSG databases. *The Journal of Chemical Physics* **2011**, *135*, 194102.
- (5) Řezáč, J.; Riley, K. E.; Hobza, P. Benchmark Calculations of Noncovalent Interactions of Halogenated Molecules. *Journal of Chemical Theory and Computation* **2012**, *8*, 4285–4292.
- (6) Witte, J.; Goldey, M.; Neaton, J. B.; Head-Gordon, M. Beyond Energies: Geometries of Nonbonded Molecular Complexes as Metrics for Assessing Electronic Structure Approaches. *Journal of Chemical Theory and Computation* **2015**, *11*, 1481–1492.
- (7) Crittenden, D. L. A Systematic CCSD(T) Study of Long-Range and Noncovalent Interactions between Benzene and a Series of First- and Second-Row Hydrides and Rare Gas Atoms. *The Journal of Physical Chemistry A* **2009**, *113*, 1663–1669.
- (8) Copeland, K. L.; Tschumper, G. S. Hydrocarbon/Water Interactions: Encouraging Energetics and Structures from DFT but Disconcerting Discrepancies for Hessian Indices. *Journal of Chemical Theory and Computation* **2012**, *8*, 1646–1656.
- (9) Smith, D. G. A.; Jankowski, P.; Slawik, M.; Witek, H. A.; Patkowski, K. Basis Set Convergence of the Post-CCSD(T) Contribution to Noncovalent Interaction Energies. *Journal of Chemical Theory and Computation* **2014**, *10*, 3140–3150.
- (10) Řezáč, J.; Huang, Y.; Hobza, P.; Beran, G. J. O. Benchmark Calculations of Three-Body Intermolecular Interactions and the Performance of Low-Cost Electronic Structure Methods. *Journal of Chemical Theory and Computation* **2015**, *11*, 3065–3079.
- (11) Granatier, J.; Pitoňák, M.; Hobza, P. Accuracy of Several Wave Function and Density Functional Theory Methods for Description of Noncovalent Interaction of Saturated and Unsaturated Hydrocarbon Dimers. *Journal of Chemical Theory and Computation* **2012**, *8*, 2282–2292.
- (12) Li, S.; Smith, D. G. A.; Patkowski, K. An accurate benchmark description of the interactions between carbon dioxide and polyheterocyclic aromatic compounds containing nitrogen. *Phys. Chem. Chem. Phys.* **2015**, *17*, 16560–16574.
- (13) Boese, A. D. Basis set limit coupled-cluster studies of hydrogen-bonded systems. *Molecular Physics* **2015**, *113*, 1618–1629.
- (14) Lao, K. U.; Schäffer, R.; Jansen, G.; Herbert, J. M. Accurate Description of Intermolecular Interactions Involving Ions Using Symmetry-Adapted Perturbation Theory. *Journal of Chemical Theory and Computation* **2015**, *11*, 2473–2486.

- (15) Lao, K. U.; Herbert, J. M. Accurate and Efficient Quantum Chemistry Calculations for Noncovalent Interactions in Many-Body Systems: The XSAPT Family of Methods. *The Journal of Physical Chemistry A* **2015**, *119*, 235–252.
- (16) Mardirossian, N.; Lambrecht, D. S.; McCaslin, L.; Xantheas, S. S.; Head-Gordon, M. The Performance of Density Functionals for Sulfate–Water Clusters. *Journal of Chemical Theory and Computation* **2013**, *9*, 1368–1380.
- (17) Karton, A.; O’Reilly, R. J.; Chan, B.; Radom, L. Determination of Barrier Heights for Proton Exchange in Small Water, Ammonia, and Hydrogen Fluoride Clusters with G4(MP2)-Type, MPn, and SCS-MPn Procedures—A Caveat. *Journal of Chemical Theory and Computation* **2012**, *8*, 3128–3136.
- (18) Anacker, T.; Friedrich, J. New accurate benchmark energies for large water clusters: DFT is better than expected. *J. Comput. Chem.* **2014**, *35*, 634–643.
- (19) Tentscher, P. R.; Arey, J. S. Binding in Radical-Solvent Binary Complexes: Benchmark Energies and Performance of Approximate Methods. *Journal of Chemical Theory and Computation* **2013**, *9*, 1568–1579.
- (20) Kozuch, S.; Martin, J. M. L. Halogen Bonds: Benchmarks and Theoretical Analysis. *Journal of Chemical Theory and Computation* **2013**, *9*, 1918–1931.
- (21) de-la Roza, A. O.; Johnson, E. R.; DiLabio, G. A. Halogen Bonding from Dispersion-Corrected Density-Functional Theory: The Role of Delocalization Error. *Journal of Chemical Theory and Computation* **2014**, *10*, 5436–5447.
- (22) Steinmann, S. N.; Piemontesi, C.; Delachat, A.; Corminboeuf, C. Why are the Interaction Energies of Charge-Transfer Complexes Challenging for DFT? *Journal of Chemical Theory and Computation* **2012**, *8*, 1629–1640.
- (23) Karton, A.; Gruzman, D.; Martin, J. M. L. Benchmark Thermochemistry of the C_nH_{2n+2} Alkane Isomers ($n = 2-8$) and Performance of DFT and Composite Ab Initio Methods for Dispersion-Driven Isomeric Equilibria. *The Journal of Physical Chemistry A* **2009**, *113*, 8434–8447.
- (24) Kozuch, S.; Bachrach, S. M.; Martin, J. M. Conformational Equilibria in Butane-1,4-diol: A Benchmark of a Prototypical System with Strong Intramolecular H-bonds. *The Journal of Physical Chemistry A* **2014**, *118*, 293–303.
- (25) Martin, J. M. L. What Can We Learn about Dispersion from the Conformer Surface of n-Pentane? *The Journal of Physical Chemistry A* **2013**, *117*, 3118–3132.
- (26) Yoo, S.; Aprà, E.; Zeng, X. C.; Xantheas, S. S. High-Level Ab Initio Electronic Structure Calculations of Water Clusters $(H_2O)_{16}$ and $(H_2O)_{17}$: A New Global Minimum for $(H_2O)_{16}$. *The Journal of Physical Chemistry Letters* **2010**, *1*, 3122–3127.
- (27) Fogueri, U. R.; Kozuch, S.; Karton, A.; Martin, J. M. The Melatonin Conformer Space: Benchmark and Assessment of Wave Function and DFT Methods for a Paradigmatic Biological and Pharmacological Molecule. *The Journal of Physical Chemistry A* **2013**, *117*, 2269–2277.
- (28) Kesharwani, M. K.; Karton, A.; Martin, J. M. L. Benchmark ab Initio Conformational Energies for the Proteinogenic Amino Acids through Explicitly Correlated Methods. Assessment of Density Functional Methods. *Journal of Chemical Theory and Computation* **2016**, *12*, 444–454.
- (29) Yu, L.-J.; Sarrami, F.; Karton, A.; O’Reilly, R. J. An assessment of theoretical procedures for π -conjugation stabilisation energies in enones. *Molecular Physics* **2015**, *113*, 1284–1296.

- (30) Karton, A.; Martin, J. M. Explicitly correlated benchmark calculations on C₈H₈ isomer energy separations: how accurate are DFT, double-hybrid, and composite ab initio procedures? *Molecular Physics* **2012**, *110*, 2477–2491.
- (31) Yu, L.-J.; Karton, A. Assessment of theoretical procedures for a diverse set of isomerization reactions involving double-bond migration in conjugated dienes. *Chemical Physics* **2014**, *441*, 166 – 177.
- (32) Karton, A.; Daon, S.; Martin, J. M. W4-11: A high-confidence benchmark dataset for computational thermochemistry derived from first-principles W4 data. *Chemical Physics Letters* **2011**, *510*, 165 – 178.
- (33) Manna, D.; Martin, J. M. L. What Are the Ground State Structures of C₂₀ and C₂₄? An Explicitly Correlated Ab Initio Approach. *The Journal of Physical Chemistry A* **2016**, *120*, 153–160.
- (34) O’Reilly, R. J.; Karton, A. A dataset of highly accurate homolytic N–Br bond dissociation energies obtained by Means of W2 theory. *International Journal of Quantum Chemistry* **2016**, *116*, 52–60.
- (35) Karton, A.; O’Reilly, R. J.; Radom, L. Assessment of Theoretical Procedures for Calculating Barrier Heights for a Diverse Set of Water-Catalyzed Proton-Transfer Reactions. *The Journal of Physical Chemistry A* **2012**, *116*, 4211–4221.
- (36) Karton, A.; Goerigk, L. Accurate reaction barrier heights of pericyclic reactions: Surprisingly large deviations for the CBS-QB3 composite method and their consequences in DFT benchmark studies. *Journal of Computational Chemistry* **2015**, *36*, 622–632.
- (37) Yu, L.-J.; Sarrami, F.; O’Reilly, R. J.; Karton, A. Reaction barrier heights for cycloreversion of heterocyclic rings: An Achilles’ heel for DFT and standard ab initio procedures. *Chemical Physics* **2015**, *458*, 1 – 8.
- (38) Karton, A.; Tarnopolsky, A.; Lamère, J.-F.; Schatz, G. C.; Martin, J. M. L. Highly Accurate First-Principles Benchmark Data Sets for the Parametrization and Validation of Density Functional and Other Approximate Methods. Derivation of a Robust, Generally Applicable, Double-Hybrid Functional for Thermochemistry and Thermochemical Kinetics. *The Journal of Physical Chemistry A* **2008**, *112*, 12868–12886.
- (39) Yu, L.-J.; Sarrami, F.; O’Reilly, R. J.; Karton, A. Can DFT and ab initio methods describe all aspects of the potential energy surface of cycloreversion reactions? *Molecular Physics* **2016**, *114*, 21–33.
- (40) Chakravorty, S. J.; Gwaltney, S. R.; Davidson, E. R.; Parpia, F. A.; Fischer, C. F. Ground-state correlation energies for atomic ions with 3 to 18 electrons. *Phys. Rev. A* **1993**, *47*, 3649–3670.
- (41) Tang, K. T.; Toennies, J. P. The van der Waals potentials between all the rare gas atoms from He to Rn. *The Journal of Chemical Physics* **2003**, *118*, 4976–4983.