

Practice Questions

Set up SQLAlchemy with SQLite. Create a User model with id, name, email, is_active. Run `Base.metadata.create_all()` to create the table.

FastAPI 0.1.0 OAS 3.1

/openapi.json

default



GET / Home

Parameters

Cancel

No parameters

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
'http://127.0.0.1:8000/' \
-H 'accept: application/json'
```



Request URL

http://127.0.0.1:8000/

Server response

Code Details

200

Response body

```
{
  "message": "Database Connected!"
}
```



Download

Response headers

```
content-length: 33
content-type: application/json
date: Thu, 09 Jul 2026 14:39:59 GMT
server: uvicorn
```

Responses

Code Description

Links

200

Successful Response

No links

models.py

users.db

Write a `get_db` dependency using `yield` and plug it into a `POST /users` route that saves a new user to the database.

0/docs#/default/create_user_users_post

Edit Value | Schema

```
{
  "name": "Alina",
  "email": "alina@gmail.com"
}
```

Execute

Clear

Responses

Curl

```
curl -X 'POST' \
  'http://127.0.0.1:8000/users' \
  -H 'accept: application/json' \
  -H 'Content-Type: application/json' \
  -d '{
    "name": "Alina",
    "email": "alina@gmail.com"
  }'
```

Request URL

```
http://127.0.0.1:8000/users
```

Server response

Code	Details
200	Response body <pre>{ "id": 1, "name": "Alina", "email": "alina@gmail.com", "is_active": true }</pre> Response headers <pre>content-length: 66 content-type: application/json date: Thu, 09 Jul 2026 14:45:25 GMT server: uvicorn</pre>

Download

Resoosnes

Write a `GET /users/{user_id}` route that fetches from the DB and returns 404 if not found.

GET

/users/{user_id} Get User

^

Parameters

Cancel

Name	Description
user_id * required integer (path)	2

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
'http://127.0.0.1:8000/users/2' \
-H 'accept: application/json'
```

Request URL

```
http://127.0.0.1:8000/users/2
```

Server response

Code	Details
404 <i>undocumented</i>	Error: Not Found Response body <pre>{ "detail": "User not found" }</pre> Response headers <pre>content-length: 27 content-type: application/json date: Thu, 09 Jul 2026 14:49:34 GMT server: uvicorn</pre>

Responses

Code	Description	Links
200	Successful Response	No links

Media type

application/json

Controls Accept header.

Example Value | Schema

Write a GET /users route that returns all users, with skip and limit query params applied to the DB query.

GET /users Get Users

GET /users/{user_id} Get User

Parameters

Name	Description
user_id * Required	
integer	
(path)	

1

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
'http://127.0.0.1:8000/users/1' \
-H 'accept: application/json'
```

Request URL

```
http://127.0.0.1:8000/users/1
```

Server response

Code	Details
200	Response body <pre>{ "id": 1, "name": "Alina", "email": "alina@gmail.com", "is_active": true }</pre> Response headers <pre>content-length: 66 content-type: application/json date: Thu, 09 Jul 2025 14:50:27 GMT server: uvicorn</pre>

Responses

Code	Description	Links
200	Successful Response	No links

Media type

application/json

Controls Accept header.

Example Value | Schema

```
{
  "id": 0,
  "name": "string",
  "email": "string",
  "is_active": true
}
```

Write a DELETE /users/{user_id} route that deletes the user and returns 204 No Content.

DELETE /users/{user_id} Delete User

Cancel

Parameters

Name	Description
user_id required	
integer (path)	1

Execute Clear

Responses

Curl

```
curl -X 'DELETE' \
'http://127.0.0.1:8000/users/1' \
-H 'accept: */*'
```

Request URL

```
http://127.0.0.1:8000/users/1
```

Server response

Code	Details
204	Response headers <pre>date: Thu, 09 Jul 2026 14:53:21 GMT server: uvicorn</pre>

Responses

Code	Description	Links
204	Successful Response	No links
422	Validation Error	No links

Media type

application/json

Example Value Schema

```
{
  "detail": [
    {
      "loc": [
        "string",

```

Add a Post model with a ForeignKey to User. Write a route GET /users/{user_id}/posts that returns all posts for that user.

GET /users/{user_id}/posts Get Posts

Cancel

Parameters

Name	Description
user_id required	
integer (path)	1

Execute Clear

Responses

Curl

```
curl -X 'GET' \
'http://127.0.0.1:8000/users/1/posts' \
-H 'accept: application/json'
```

Request URL

```
http://127.0.0.1:8000/users/1/posts
```

Server response

Code	Details
200	Response body <pre>[]</pre> Response headers <pre>content-length: 2 content-type: application/json date: Thu, 09 Jul 2026 14:59:53 GMT server: uvicorn</pre>

Responses

Code	Description	Links
200	Successful Response	No links