```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Digital Self</title>
  <style>
    body {
       font-family: 'Arial', sans-serif;
       background-color: #1E1E2E;
       color: white:
       margin: 0;
       height: 100vh;
       display: flex;
       flex-direction: column;
       align-items: center;
       justify-content: center;
       text-align: center;
    }
     .hidden {
       display: none;
     .start-container {
       display: flex;
       flex-direction: column;
       align-items: center;
       padding: 40px;
       border-radius: 10px;
       background: #29293D;
       box-shadow: 0 4px 10px rgba(255, 255, 255, 0.1);
    }
     .start-container h1 {
       margin-bottom: 20px;
     .start-container button {
       margin: 10px;
       padding: 12px 20px;
       border: none;
       background: linear-gradient(45deg, #007AFF, #005BBB);
       color: white;
       border-radius: 8px;
       font-size: 16px;
       cursor: pointer;
       transition: 0.3s;
     .start-container button:hover {
       background: linear-gradient(45deg, #005BBB, #003E8C);
     .app-container {
       display: none;
       width: 100%;
       height: 100vh;
       display: flex;
     .sidebar {
       width: 260px;
       background-color: #29293D;
       padding: 20px;
       display: flex;
       flex-direction: column;
```

```
border-right: 2px solid #44445A;
}
.sidebar h3 {
  margin-bottom: 10px;
.sidebar ul {
  list-style: none;
  padding: 0;
.sidebar ul li {
  padding: 12px;
  margin-bottom: 8px;
  background-color: #3A3A5A;
  border-radius: 8px;
  cursor: pointer;
  transition: 0.3s;
.sidebar ul li:hover {
  background-color: #505072;
.main-container {
  flex: 1;
  display: none;
  flex-direction: column;
.header {
  display: flex;
  justify-content: space-between;
  align-items: center;
  background-color: #29293D;
  padding: 15px 20px;
  font-size: 18px;
  box-shadow: 0 4px 6px rgba(255, 255, 255, 0.1);
.header span {
  cursor: pointer;
.input-container {
  display: flex;
  padding: 12px;
  background-color: #29293D;
  border-top: 2px solid #44445A;
  justify-content: center;
.input-container input {
  flex: 1;
  max-width: 500px;
  padding: 12px;
  border-radius: 8px;
  border: none;
  font-size: 16px;
  background-color: #3A3A5A;
  color: white;
.input-container button {
  margin-left: 10px;
  padding: 12px 18px;
  border: none;
  background: linear-gradient(45deg, #007AFF, #005BBB);
  color: white;
```

```
border-radius: 8px;
      cursor: pointer;
      transition: 0.3s;
  </style>
</head>
<body>
  <div class="start-container" id="startPage">
    <h1>Welcome to Digital Self</h1>
    A unified user-owned profile for all Al agents.
    <button onclick="startApp()">Start</button>
  </div>
  <div class="app-container hidden" id="appContainer">
    <div class="sidebar">
      <h3>Categories</h3>
      ul>
         Work
         Health
         Personal Growth
         Social
         Shopping
         Travel
         Entertainment
         onclick="openPermissionsDashboard()">  Al Permissions
      </div>
    <div class="main-container" id="mainApp">
      <div class="header">
         <span>≡ Digital Self - Your Personal Al Context</span>
         <span onclick="openProfile()">  Profile</span>
      </div>
      <div class="chat-container" id="chat">
         <div class="message ai">Welcome to Digital Self! How can I assist you?</div>
      <div class="input-container">
         <input type="text" id="userInput" placeholder="Enter your request...">
         <button onclick="sendMessage()">></putton>
      </div>
    </div>
  </div>
  <script>
    function startApp() {
      document.getElementById("startPage").classList.add("hidden");
      document.getElementById("appContainer").classList.remove("hidden");
      document.getElementById("mainApp").style.display = "flex";
  </script>
</body>
</html>
```