Модуль 1 практика 2 раздел 3

Шаг 1

Зарегистрируйтесь на сайте github.com, если еще не сделали этого ранее

Шаг 2

Установите параметры git в соответствии с вашими учетными данными:

git config --global user.name "AlinaDerezinceva"

git config --global user.email "aderezinceva@gmail.com"

git config --global init.defaultBranch main

шаг 3

Установите непосредственно программу git и набор утилит для управления github из командной строки gh:

apt update

apt install git gh

шаг 4

Создайте ключ ssh:

ssh-keygen -t ed25519 -f ~/.ssh/AlinaDerezinceva

cat ~/.ssh/AlinaDerezinceva.pub

```
root@eltex-practice2-pg2-v16:~# nano practice2_eltex-pg2-v16_part3.log
root@eltex-practice2-pg2-v16:~# ssh-keygen -t ed25519 -f ~/.ssh/AlinaDerezinceva
Generating public/private ed25519 key pair.
Enter passphrase (empty for no passphrase):
Enter same passphrase again:
Your identification has been saved in /root/.ssh/AlinaDerezinceva
Your public key has been saved in /root/.ssh/AlinaDerezinceva.pub
The key fingerprint is:
SHA256:VFHUig1IknaIGpJ5H9srgHc+dYxeiRJjhAhQtOJpZ7Q root@eltex-practice2-pg2-v16
The key's randomart image is:
+--[ED25519 256]--+
|=*oo...+..o+o.   |
|= +.* +.o..   .  |
|.+.* B =.. + .   |
|o.* * =.= . o    |
| = E + +S        |
|. o + o          |
|     o           |
|                 |
|                 |
+----[SHA256]-----+
root@eltex-practice2-pg2-v16:~# cat .ssh/AlinaDerezinceva.pub
ssh-ed25519 AAAAC3NzaC1lZDI1NTE5AAAAIMoaUZSfKHHndxgETa5eCZslhuuW41XVmGr/8dyE3TmG root@eltex-practice2-pg2-v16
```

шаг 5

Подключите этот комьютер к github:

gh auth login

```
root@eltex-practice2-pg2-v16:~# gh auth login
? What account do you want to log into? GitHub.com
? What is your preferred protocol for Git operations on this host? SSH
? Upload your SSH public key to your GitHub account? /root/.ssh/AlinaDerezinceva.pub
? Title for your SSH key: AlinaDerezinceva
? How would you like to authenticate GitHub CLI? Login with a web browser

! First copy your one-time code: 9E15-F668
Press Enter to open github.com in your browser...
! Failed opening a web browser at https://github.com/login/device
  exec: "xdg-open,x-www-browser,www-browser,wslview": executable file not found in $PATH
  Please try entering the URL in your browser manually
✓ Authentication complete.
- gh config set -h github.com git_protocol ssh
✓ Configured git protocol
! Authentication credentials saved in plain text
✓ Uploaded the SSH key to your GitHub account: /root/.ssh/AlinaDerezinceva.pub
✓ Logged in as AlinaDerezinceva
```

Шаг 6

Укажите автоматическую авторизацию только для сайта github.com:

gh auth setup-git --hostname github.com

Шаг 7

Убедиться, что все в порядке можно командой: **gh auth status**

```
root@eltex-practice2-pg2-v16:~# gh auth setup-git --hostname github.com
root@eltex-practice2-pg2-v16:~# gh auth status
github.com
  ✓ Logged in to github.com account AlinaDerezinceva (/root/.config/gh/hosts.yml)
  - Active account: true
  - Git operations protocol: ssh
  - Token: gho_**********************************
  - Token scopes: 'admin:public_key', 'gist', 'read:org', 'repo'
```

Шаг 8

Создайте репозиторий на сервере github:

gh repo create –public Module_1

```
root@eltex-practice2-pg2-v16:~# gh repo create --public Module_1
✓ Created repository AlinaDerezinceva/Module_1 on GitHub
  https://github.com/AlinaDerezinceva/Module_1
root@eltex-practice2-pg2-v16:~#
```

Шаг 9

наполнить его:

mkdir ~/Module_1 && cd ~/Module_1

```
root@eltex-practice2-pg2-v16:~# mkdir ~/Module_1 && cd ~/Module_1
root@eltex-practice2-pg2-v16:~/Module_1#
```

```
root@eltex-practice2-pg2-v16:~/Module_1# echo "#Репозиторий для практик Модуля 1 Школы Elt
ex" >> README.md
root@eltex-practice2-pg2-v16:~/Module_1# ls
README.md
root@eltex-practice2-pg2-v16:~/Module_1# git init
Initialized empty Git repository in /root/Module_1/.git/
root@eltex-practice2-pg2-v16:~/Module_1# git add README.md
root@eltex-practice2-pg2-v16:~/Module_1# git commit -m "first commit"
[main (root-commit) bcaac3f] first commit
 1 file changed, 1 insertion(+)
 create mode 100644 README.md
root@eltex-practice2-pg2-v16:~/Module_1#
```

```
root@eltex-practice2-pg2-v16:~/Module_1# git branch -M main
root@eltex-practice2-pg2-v16:~/Module_1# git remote add origin https://github.com/AlinaDer
ezinceva/Module_1
root@eltex-practice2-pg2-v16:~/Module_1# git status
On branch main
nothing to commit, working tree clean
root@eltex-practice2-pg2-v16:~/Module_1#
```

```
root@eltex-practice2-pg2-v16:~/Module_1# git push -u origin main
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 2 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 291 bytes | 291.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
To https://github.com/AlinaDerezinceva/Module_1
 * [new branch]      main -> main
branch 'main' set up to track 'origin/main'.
root@eltex-practice2-pg2-v16:~/Module_1#
```

```
root@eltex-practice2-pg2-v16:~/Module_1# git add .
root@eltex-practice2-pg2-v16:~/Module_1# git status
On branch main
Your branch is up to date with 'origin/main'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        new file:   module1/task1/report_part1.txt
        new file:   module1/task2/eltex-pg2-v16_part.log
        new file:   module1/task3/eltex-pg2-v16_part3.log

root@eltex-practice2-pg2-v16:~/Module_1# git commit -m "практика 1"
[main 63d2e28] практика 1
 3 files changed, 410 insertions(+)
 create mode 100644 module1/task1/report_part1.txt
 create mode 100644 module1/task2/eltex-pg2-v16_part.log
 create mode 100644 module1/task3/eltex-pg2-v16_part3.log
root@eltex-practice2-pg2-v16:~/Module_1# git push
Enumerating objects: 10, done.
Counting objects: 100% (10/10), done.
Delta compression using up to 2 threads
Compressing objects: 100% (8/8), done.
Writing objects: 100% (9/9), 3.34 KiB | 3.34 MiB/s, done.
Total 9 (delta 0), reused 0 (delta 0), pack-reused 0
To https://github.com/AlinaDerezinceva/Module_1
   bcaac3f..63d2e28  main -> main
root@eltex-practice2-pg2-v16:~/Module_1#
```

Шаг 10

Клонируйте ваш репозиторий:

mkdir ~/Module_1_clone && cd ~/Module_1_clone

git clone https://github.com/AlinaDerezinceva_github/Module_1.git

```
root@eltex-practice2-pg2-v16:~# mkdir ~/Module_1_clone && cd ~/Module_1_clon
e
root@eltex-practice2-pg2-v16:~/Module_1_clone# git clone https://github.com/
AlinaDerezinceva/Module_1.git
Cloning into 'Module_1'...
remote: Enumerating objects: 12, done.
remote: Counting objects: 100% (12/12), done.
remote: Compressing objects: 100% (10/10), done.
remote: Total 12 (delta 0), reused 12 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (12/12), done.
root@eltex-practice2-pg2-v16:~/Module_1_clone#
```

Шаг 12

Повторите п.9 начиная с создания каталогов для отчета по второй практике

mkdir -p module1/practice2/task1

mkdir module1/ practice2/task2

mkdir module1/ practice2/task3

git add .

git status

git commit -m “практика 2”

git push

Шаг 11

Внесите изменение в основном каталоге, не забыв про git add/commit/push, выполните в каталоге с клоном:

Git pull

```
root@eltex-practice2-pg2-v16:~/Module_1_clone/Module_1# git pull
remote: Enumerating objects: 12, done.
remote: Counting objects: 100% (12/12), done.
remote: Compressing objects: 100% (10/10), done.
remote: Total 10 (delta 0), reused 10 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (10/10), 7.22 KiB | 7.22 MiB/s, done.
From https://github.com/AlinaDerezinceva/Module_1
   63d2e28..3ac9a36  main       -> origin/main
Updating 63d2e28..3ac9a36
Fast-forward
 module1/{ => practice1}/task1/report_part1.txt   |   0
 .../{ => practice1}/task2/eltex-pg2-v16_part.log |   0
 .../task3/eltex-pg2-v16_part3.log                |   0
 .../task1/practice2_eltex-pg2-v16_part1.log      | 209 +++++++++++++++++++
 .../task2/practice2_eltex-pg2-v16_part2.log      | 155 ++++++++++++++
 .../task3/practice2_eltex-pg2-v16_part3.log      |  65 ++++++
 6 files changed, 429 insertions(+)
 rename module1/{ => practice1}/task1/report_part1.txt (100%)
 rename module1/{ => practice1}/task2/eltex-pg2-v16_part.log (100%)
 rename module1/{ => practice1}/task3/eltex-pg2-v16_part3.log (100%)
 create mode 100644 module1/practice2/task1/practice2_eltex-pg2-v16_part1.log
 create mode 100644 module1/practice2/task2/practice2_eltex-pg2-v16_part2.log
 create mode 100644 module1/practice2/task3/practice2_eltex-pg2-v16_part3.log
```