

ANALYSE DE RISQUE

Analyse de Risque

Trend analysis of supplier non-conformities over the past 24 months shows a significant increase in dimensional deviations (+35%) from the supplier, requiring enhanced surveillance.

Le rapport annuel sur la mise en oeuvre du dispositif Sapin II a été présenté au conseil d'administration et fait apparaître un taux de complétion de 92% des actions planifiées, avec un retard sur le déploiement de la formation anti-corruption pour les équipes commerciales internationales.

The Group's litigation history in comparable matters shows an amicable resolution rate of approximately 65%, with settlement amounts averaging 45% of the initial claim.

Le registre des habilitations de sécurité est tenu à jour par le responsable de la sécurité de chaque site. Les habilitations de niveau Confidentiel Defense sont valables cinq (5) ans et celles de niveau Secret sont valables sept (7) ans.

The Supplier shall maintain ISO 9001 certification (and AS9100 or NADCAP where applicable) throughout the Term. Loss of certification shall constitute a material breach entitling the Customer to suspend Purchase Orders.

The applicable reference documentation for this lot is specification SP-AV3000-Rev.D dated 01/11/2019, together with control plan CP-AV3000-Rev.D and manufacturing routing MR-AV3000-Rev.D.

Le code de conduite du groupe a été traduit dans les cinq langues de travail (français, anglais, allemand, italien, espagnol) et fait l'objet d'une attestation de lecture annuelle par l'ensemble des collaborateurs.

All notices under this Agreement shall be in writing and delivered by registered mail, internationally recognized courier service, or email with read receipt confirmation, to the addresses set forth in the preamble.

Any amendment to this Agreement shall be in writing and duly executed by authorized representatives of both Parties. No oral modification or waiver shall be binding upon either Party.

The leak test was performed at 315 bar (1.5 times operating pressure) for 5 minutes per test procedure TP-QA-042 Rev. C. No leakage was detected.

The CAPA opened in response to the recurring non-conformity includes the following actions: supplementary supplier audit, enhanced receiving inspection, and qualification of an alternative supplier.

Calibration of the hydraulic test bench TB-042 was verified prior to testing. Calibration certificate No. CC-2024-042-012, issued by a UKAS-accredited laboratory, is included in the batch record.

Part marking includes: lot number, part number, serial number, date of manufacture, and inspector stamp. Marking is performed by micro-percussion per customer specification.

The fatigue test was conducted per ASTM E466 at ambient temperature (23 +/- 2 degrees C), with a stress ratio R = 0.1 and a cyclic frequency of 10 Hz. The specimen endured 10⁷ cycles without visible crack initiation.

Statutory interest on any damages awarded shall accrue at the applicable rate under section 35A of the Senior Courts Act 1981.

The Supplier shall implement and maintain environmental management practices in accordance with ISO 14001 and shall comply with REACH and RoHS regulations. Material Safety Data Sheets shall be provided upon request.

Statistical process control (SPC) monitoring is in place for critical dimensions identified in control plan CP-AV3000-Rev.F. Process capability indices Cpk exceed 1.67 for all key characteristics.

The Legal Department recommends appointment of a mediator accredited by the Centre for Effective Dispute Resolution (CEDR) to attempt settlement before the commencement of substantive proceedings.

Dimensional inspections were performed on a Metrologix M-G2 coordinate measuring machine (CMM), calibrated and certified in accordance with ISO 10360-2. The expanded measurement uncertainty (k=2) is +/- 0.003 mm.

Le plan de continuite d'activite informatique (PCA-IT) prevoit un objectif de temps de reprise (RTO) de 4 heures pour les systemes critiques et un objectif de point de reprise (RPO) de 1 heure, avec basculement automatique sur le site de secours.

L'homologation des systemes d'information traitant des informations classifiees de defense est conduite conformement a l'Instruction Generale Interministerielle n 1300 et a l'instruction particuliere du Ministere des Armees. L'homologation est delivree par l'autorite d'homologation designee.

It is noted that any document filed in the proceedings may be subject to disclosure to the opposing party. Internal documents should be prepared accordingly.

Sensitivity analysis indicates that the nuclear decommissioning provision is particularly sensitive to the discount rate assumption: a +/- 0.5% change in the rate results in a +/- EUR 1.2 million variation.

Each Party shall comply with all applicable laws and regulations, including without limitation anti-bribery legislation (UK Bribery Act 2010, US FCPA), data protection laws (GDPR, UK Data Protection Act 2018), and export control regulations.

The provision has been measured in accordance with IAS 37, based on the best estimate of the expenditure required to settle the obligation at the reporting date, discounted at a risk-free rate of 3.2%.

The cost plus method has been applied to contract manufacturing activities, with an 8% markup on direct and indirect production costs.

The 3.1 material certificate per EN 10204 has been verified and the mechanical properties (UTS, YS, El%, hardness) conform to the requirements of AMS 4928 for Ti-6Al-4V titanium alloy.

Storage conditions for released parts conform to requirements: temperature 15-25 degrees C, relative humidity below 60%, protection from dust and mechanical shock. Maximum storage duration before dispatch is 90 days.

The risk of an adverse costs order has been factored into the provision estimate, with additional exposure estimated at between GBP 50,000 and GBP 150,000.

The Legal Department has identified a contagion risk, as the facts underlying the claim may be replicated at other production sites within the Group.

Le registre des activites de traitement prevu a l'article 30 du RGPD est tenu a jour par chaque entite du groupe et fait l'objet d'une consolidation annuelle par le DPO. Il recense 147 traitements de donnees personnelles au niveau du groupe.

The matter will be monitored by the Legal Department in coordination with external counsel. A progress update will be presented to the Audit Committee at its next quarterly meeting.

In the event of regulatory changes materially affecting the terms of this Agreement, the Parties shall negotiate in good faith to amend the Agreement within a reasonable timeframe.

Year-end accruals include the following items: customer delay penalties (EUR 2.1M), product warranty provisions (EUR 1.2M), tax risk provisions (EUR 0.8M), and voluntary redundancy payments (EUR 0.6M).

The Supplier shall procure and maintain throughout the Term professional liability insurance with a minimum cover of five million euros (EUR 5,000,000) per occurrence and in the aggregate per year, and shall provide evidence thereof upon request.

The batch record includes the following records: production traveller, test reports (leak, fatigue, functional, NDT), material certificates, calibration certificates, non-conformity reports where applicable, and EASA Form 1.

The comparability analysis was performed using the Bureau van Dijk / TP Catalyst database, selecting comparable companies based on functions performed, assets employed, and risks assumed (FAR analysis).

The matter has been entered in the Group's legal risk register under reference LR-2024-XXX. Oversight has been assigned to the General Counsel.

This Agreement may not be assigned, in whole or in part, by either Party without the prior written consent of the other Party. Any unauthorized assignment shall be void and of no effect.

Environmental conditions during functional testing were within specification: temperature 23 +/- 2 degrees C, relative humidity 45 +/- 10%, hydraulic fluid cleanliness class 6 per NAS 1638.

All pre-existing intellectual property shall remain the sole property of its owner. Bespoke developments created by the Supplier under this Agreement and funded by the Customer shall vest in the Customer upon creation.

Packaging and labelling of all Products shall conform to the specifications set forth in the applicable Schedule. The Supplier shall be liable for any damage attributable to inadequate packaging during transport.

Le dispositif de filtrage des sanctions fait l'objet d'un criblage systématique de l'ensemble des tiers (clients, fournisseurs, partenaires) contre les listes de sanctions de l'Union Européenne, de l'OFAC (Etats-Unis), et des Nations Unies.

The supplier audit report identified three (3) major non-conformities relating to forging process control and raw material traceability. A corrective action plan with deadlines has been demanded.

Insurance coverage under the Group's professional indemnity policy has been verified. The applicable deductible is EUR 500,000 per claim, with an aggregate annual limit of EUR 50,000,000.

Les registres douaniers de la zone franche font l'objet d'un rapprochement mensuel entre les quantités importées en admission temporaire et les quantités exportées sous forme de produits finis, conformément aux exigences de l'Administration des Douanes et Impôts Indirects du Maroc.

The Supplier warrants that it holds all necessary authorizations, licenses, and permits required for the performance of its obligations. The Supplier shall promptly notify the Customer of any change that may affect its ability to perform.

The dimensional deviation on port B bore (measured: 25.015 mm against tolerance of 25.000 +0.010/-0.000 mm) has been subject to an engineering concession request (ref. EC-2024-0089).

La politique de classification des informations du groupe définit quatre niveaux : Public, Interne, Confidentiel, et Confidentiel Defense. Chaque niveau est associé à des mesures de protection spécifiques en matière de stockage, de transmission et d'accès.

A conflict-of-interest check has been performed to ensure that the appointed external counsel does not represent any adverse party or have any relationship that could compromise the objectivity of their advice.