

a
Biological similarity
13/13 intervals exclude 0
Hidden − back pain (logit)
0.4
0.3
0.2
0.1
0
P value
<.001
.03
<.001
<.001
<.001
<.001
<.001
<.001
<.001
<.001
<.001
.02
Learner
Logistic regression (L2)
Elastic net
Features
No glycaemic features
Sample
Adults without diabetes
Held-out cycle 2003–04
Case definition
Corroborated symptoms
Exclusions
Excl. sciatica
Excl. low B12
Excl. PAD / claudication
Excl. arthritis, cancer, alcohol, CKD
b
All-cause mortality
9/14 intervals exclude 1
Hazard ratio, hidden vs reference
4
3
2
1.5
1
0.6
P value
.88
.50
.34
.08
.02
.009
.03
.03
.006
.005
.01
.06
<.001
<.001
Sample
Adults without diabetes
Cycles 1999–2002 only
Cycle 2003–04 only
Excl. deaths < 2 y
Case definition
Corroborated symptoms
Exclusions
Excl. sciatica
Excl. low B12
Excl. arthritis, cancer, alcohol, CKD
Circulation
Excl. PAD / claudication
+ ABI, claudication, CVD
Normal circulation only
Hidden group, 95% CI excludes null
95% CI includes null
Main analysis
Back-pain control
Circulation-related analysis