

# JING-ZHANG HANDOVER LINE

Turn the disused railway into a civic comb: AI production space and an enterable, stoppable, staffed public service grow in pairs along one continuous spine.


ONE COMB • THREE YARDS • EIGHT TEETH • TWENTY PAIRED CELLS

URBAN FRAME / ONE PUBLIC SPINE STITCHES BOTH SIDES

F / 01

## JING-ZHANG HANDOVER LINE

Intelligence moves. Responsibility stays visible.



### HANDOVER PROTOCOL

#### 01 / BUILD TO VERIFY

Models, robots, compute and data enter tests with versions, risks and shutdown rules.

#### 02 / VERIFY TO SHARE

Results, licences, failures and limits travel together; open source never means exposing personal data.

#### 03 / SHARE TO SERVE

Civic services retain a human desk, a no-AI equivalent, appeal and exit records.

#### 04 / RETURN THE PROBLEM

Complaints, repairs and shutdown causes travel back to research as public learning.

Human takeover is not a fallback feature.  
It is civic infrastructure.

Source: submitted geometry and metrics.json; provisional boundary, conceptual design only

JING-ZHANG HANDOVER LINE / PACKAGE v2.0


KEY DESIGN / THREE YARDS, THREE URBAN CHARACTERS

F / 03

## THREE YARDS • THREE SECTIONS

FROM CONTROLLED TESTING TO A CIVIC ROOM • MACHINE SPACE RECEDES AS THE HUMAN EDGE DEEPENS

ONE PROTOCOL • THREE URBAN CHARACTERS



CONCEPT DIMENSIONS • REDLINES, GRADIENT, ACCESSIBILITY, FIRE, HERITAGE AND STRUCTURE REQUIRE AUTHORISED PROFESSIONAL REVIEW

JING-ZHANG HANDOVER LINE / PACKAGE v2.0

9.5 km

continuous public spine

8

east-west stitch links

20

industry / civic paired cells

6 × 6 m

P0 reversible patch

8 + 3

public cap + role seats

0 / 12

field tasks; authority pending

P0 PRE-FEASIBILITY / PARTICIPANT SENSITIVITY • NOT QUOTES OR AN APPROVED BUDGET


7.2 × 7.2 m CONTROL • QUEUE STOP AT 6 • CNY 0.12-0.29m / 90 DAYS • CNY 0.30-0.65m / YEAR • 4 ALTERNATIVES • 4 h REMOVAL TARGET UNTESTED

OFFLINE 12/12 • TAKEOVER 48/48 | FIELD 0/12 • QUOTES 0/3 • INSURANCE / FORMAL BUDGET NULL • SIGN-OFF 0

# Three Scopes, Land-use Topology and Key Areas

Full coverage without statutory fiction; three yards, three shifts of duty

## Land-use topology and three scopes



### LAND USE

- 0802 R&D / validation
- 0804 Learning / open source
- 09 Tech services / business
- 0701 Talent living
- 0702 Community service
- 0803 Culture / civic service
- 1401 Continuous parkland
- Handover Line main axis
- Handover yard node

**43.6 km<sup>2</sup>** → **11.4 km<sup>2</sup>** → **3 YARDS**  
RESEARCH Industry + future city      OVERALL DESIGN Spatial + delivery system      KEY AREAS Detailed validation




Design recommendation: all zones recalculate when official boundaries arrive; no ownership or statutory land-use claim.

Data: land\_use.geojson and site\_boundary.geojson; codes from the public MNR subset

## Three handover yards, three shifts of duty


Each key area answers programme, space, scenario and human-takeover gates  
Extents from key\_areas.geojson; points from public\_space.geojson; one shared scale

- Handover Line main axis
- East-west stitch links
- Public scenario / landmark



# Ecosystem Map and Regional Innovation Synergy

Eight shared stacks x three areas, two wings; synergy across belt-city- municipal-regional tiers



| EIGHT SHARED STACKS / INTERFACE AND DUTY OWNER VISIBLE                                    |                  |
|-------------------------------------------------------------------------------------------|------------------|
| Land                                                                                      | Zhongzhiyuan     |
| Reversible space supply                                                                   |                  |
| Space                                                                                     | All three        |
| Open labs, validation workshops, community rooms                                          |                  |
| Industry                                                                                  | Zhongzhiyuan     |
| Model, chip, robot and vertical-app interfaces                                            |                  |
| Finance                                                                                   | Services wing    |
| Transparent navigation; no subsidy promised                                               |                  |
| Talent                                                                                    | Origin Community |
| Universities, developers, maintainers, residents                                          |                  |
| Compute                                                                                   | Zhongzhiyuan     |
| Edge metering first, access on demand                                                     |                  |
| Data                                                                                      | All three        |
| Consent, minimisation, withdrawal, audit                                                  |                  |
| Scenarios                                                                                 | Scenario wing    |
| Problems, test rules, results, exit records                                               |                  |
| No company list, investment or output figures: industry metrics are defined, not assigned |                  |

|             |                                                                                                                                                                                |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WITHIN BELT | Three areas and two wings organise the research-validation-service loop; objections and shutdown reasons travel back north.                                                    |
| WITHIN CITY | Connects to the official “two zones and one belt” framework, matching Zhongguancun technology supply to this belt’s validation and scenario demand.                            |
| MUNICIPAL   | Future Science City, Huairou Science City and BDA form an original-research / engineering-validation / scale-delivery division; this belt is the public-validation output end. |
| REGIONAL    | Compute, energy and scenario interfaces reserved toward Zhangjiakou and other Beijing-Tianjin-Hebei nodes; feasibility to be confirmed by authorities.                         |

## Eight stacks x three areas / two wings — placement matrix

| Shared stack | Zhongzhiyuan                                                                        | Origin Community                                                                    | Dazhongsi                                                                             | Services wing                                                                         | Scenario wing                                                                         |
|--------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| Land         |  |                                                                                     |                                                                                       |                                                                                       |                                                                                       |
| Space        |  |  |  |                                                                                       |                                                                                       |
| Industry     |  |                                                                                     |                                                                                       |                                                                                       |                                                                                       |
| Finance      |                                                                                     |                                                                                     |                                                                                       |  |                                                                                       |
| Talent       |                                                                                     |  |                                                                                       |                                                                                       |                                                                                       |
| Compute      |  |                                                                                     |                                                                                       |                                                                                       |                                                                                       |
| Data         |  |  |  |                                                                                       |                                                                                       |
| Scenarios    |                                                                                     |                                                                                     |                                                                                       |                                                                                       |  |

Placement follows the duty-owner tags at upper right; "All three" = one dot each in Zhongzhiyuan, Origin Community and Dazhongsi, not a separate fourth owner

### Phase gates (three sequential gates, no calendar commitment)

|                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <div>PHASE 1 / PHASE-001</div> <div>4.84 km²</div> <div>Baseline and southern civic service pilot</div> <div>Entry condition</div> <div>Official boundary and key-area extents available; once condition, ownership, user and accessibility baselines are complete, low-risk human-led pilots may begin.</div> <div>Rollback: withdraw the temporary intelligent layer; keep fixed wayfinding, lighting, access and human service.</div> | <div>PHASE 2 / PHASE-002</div> <div>3.55 km²</div> <div>Share handover yard and the middle link</div> <div>Entry condition</div> <div>Inherit Gate 1's outcomes; once ownership, fire safety, community consultation, accessibility and ongoing operating duties clear review, first-floor opening and result relay may proceed.</div> <div>Rollback: revert to Gate 1 usable state; halt expansion and restore ordinary ground floor and community human service.</div> | <div>PHASE 3 / PHASE-003</div> <div>3.03 km²</div> <div>Build handover yard and belt operations</div> <div>Entry condition</div> <div>Inherit Gate 2's outcomes; once transport, utilities, heritage, privacy, safety, emergency response and ongoing budget clear professional review, cross-area validation networks may be discussed.</div> <div>Rollback: retract to validated segments; halt cross-area linkage and keep basic civic service and heritage interpretation.</div> |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

# Renewal structure and building decisions


One spine, eight stitches, three yards; priority areas in three tiers, buildings in four steps

F / 07

## Renewal structure and priority renewal areas

One spine, eight stitches, three yards; three tiers, operate first, reversible next, fixed last

### Renewal spatial structure



#### Handover Line / renewal spine

East-west stitch links ×8

Handover yards ×3

### Priority renewal tiers

#### Tier 1

The three handover yards and their walkable surrounds

Led by a coordinating body, multiple owners join by agreement

#### Tier 2

Stitch-spine junctions and low-efficiency space beside the heritage park

Renewal units bundled by district, one public interface

#### Tier 3

The remaining frontage along the line

Signage, shade and frontage tidying only; ownership untouched

### Twenty typology test units (10 per side)

#### Verify workshop

5

26.6%

#### Shared service stack

5

26.6%

#### Open R&D house

5

23.4%

#### Community co-op house

5

23.4%

Retain-first adaptive reuse 14 • investigate building by building 6

Source: submitted geometry buildings/roads/key\_areas/phasing; conceptual structure, no demolish-or-keep conclusion

JING-ZHANG HANDOVER LINE / PACKAGE v1.15

R / RETAIN

### Keep in use

Keep in use and complete the condition record.

A / ADAPT

### Low-impact repair

Fire safety, energy, accessibility and open ground floor first.

I / INSERT

### Removable trial

Removable elements and short-term use only.

D / INVESTIGATE

### Not demolition

Awaits survey, structure, ownership, fire and heritage review.


# Twelve reversible scenarios and human takeover

Movement, blue-green ground, human takeover and no-AI equivalents

F / 04

## One spine, eight stitch links, twelve takeover points

The smart layer is removable; basic access and human service stay available



### MOVEMENT / SERVICE

- Continuous walk-cycle spine
- East-west stitch links (8)
- Blue-green comfort ground
- Human-takeover scenario node (SCN)
- Civic landmark point

### A OFFLINE BY DEFAULT

Static signs, light, tactile maps and human help do not rely on a model.

### B GRADED TAKEOVER

Low confidence, boundary breach, objection or outage calls the duty person.

### C EXIT IS RECORDED

Shutdown cause, deletion and service continuity enter the public logbook.

### SECTION The handover section: order and adjacency only, no dimensions

| Handover counter                                                                                                                                  | Accessible walk                                                                     | Takeover Kiosk Zero                                                                        | Retained track                                           | Machine-only lane                                                                       | Planting and rest                                                    |
|---------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|----------------------------------------------------------|-----------------------------------------------------------------------------------------|----------------------------------------------------------------------|
|                                                                                                                                                   |                                                                                     |                                                                                            |                                                          |                                                                                         |                                                                      |
| Walking surface (continuous, no level change)<br>The staffed counter precedes the smart interface and still works once the smart layer is removed | Never interrupted by equipment, advertising, temporary occupation or charging posts | The physical stop control is reachable from the footway without downloading or registering | Set flush in the paving, a trace rather than an obstacle | Separated from walking; crossing the edge stops the machine, safety staff take priority | Non-commercial dwelling; seats and shade carry no spending condition |

Adjacency rule: counter, walk and stop control stay continuously reachable; the machine lane never comes between them

Conceptual connectivity, not road redlines or engineering feasibility; lengths calculated in EPSG:4548

JING-ZHANG HANDOVER LINE / PACKAGE v1.15

SCN-01

### Model red-team desk

Human review + paper risk log

SCN-02

### Robot right-of-way sandbox

Safety staff + physical stop

SCN-03

### Edge energy test station

Manual shutdown + offline meter

SCN-04

### Data-consent rehearsal

Paper consent + deletion desk

SCN-05

### Accessible-route copilot

Tactile map + human direction

SCN-06

### Public translation desk

Human desk + multilingual paper

SCN-07

### Campus research relay

Human curation + open catalogue

SCN-08

### Visible maintenance stop

Phone report + human dispatch

SCN-09

### Community care roster

Staff telephone roster

SCN-10

### Night-shift safety light

Fixed light + human patrol

SCN-11

### Jing-Zhang oral-history booth

Human guide + paper catalogue

SCN-12

### Global Handover Week route

Fixed signs + volunteers

# Recalculable, exitable, continuable

Metrics, phasing, risk, sources and professional review gates

F / 05

## The first pilot already has a reviewable proof chain

PUBLIC HANDOVER TABLE P0 | 12/12 OFFLINE TASKS | 48/48 TAKEOVER ASSERTIONS | 0 FIELD TASKS

**PARTICIPANT-CONTROLLED OFFLINE TABLETOP**

12/12  
OFFLINE TASKS

48/48  
TAKEOVER ASSERTIONS

0/12  
FIELD TASKS

The tabletop rehearsal is not presented as field evidence

12 SCENARIOS x 4 TAKEOVER CHECKS

|    |    |    |    |
|----|----|----|----|
| 01 | 02 | 03 | 04 |
| 05 | 06 | 07 | 08 |
| 09 | 10 | 11 | 12 |

SMART LAYER OFF HUMAN TAKEOVER SYNTHETIC DATA CLEARED HUMAN SERVICE RESTORE

P0 PUBLIC HANDOVER TABLE / FIRST PILOT UNIT

Six components form one launchable, removable and auditable S-class pilot package

C1

STAFFED DESK

Before smart UI

C2

NO-AI EQUAL

Same outcome/access

C3

VISIBLE STOP

No app or sign-up

C4

APPEAL + EXIT

One place to begin

C5

DUAL LOGBOOK

Giver + receiver

C6

ACCESS ROUTE

Continuous, clear

COST S = removable equipment E + maintenance M + training T + independent verification V + 10% contingency

SIX DUTY TYPES: space operator | community service | accessibility | privacy/data | independent review | public-realm maintenance

01

SPACE

P0 TABLE

02

USER

RESIDENT/VISITOR

03

ROLE PAIR

GIVER+RECEIVER

04

COST

CLASS S

05

GATES

ALL SIX

06

REHEARSAL

12/12

07

ROLLBACK

HUMAN SERVICE

PROVES: readable structure, auditable ledger and a complete offline takeover route.  
DOES NOT PROVE: field safety, measured accessibility, public acceptance or authority approval.

simulation.json × metrics.json × assumptions.json; synthetic offline tabletop, no live service or personal data

JING-ZHANG HANDOVER LINE / PACKAGE v1.15

|          |                                                                                                                            |
|----------|----------------------------------------------------------------------------------------------------------------------------|
| PHASE 01 | Return to baseline: official data, inventory, wayfinding and three low-risk human-led pilots.                              |
| PHASE 02 | Open-source yard: ground floors, research relay and community service after ownership and community review.                |
| PHASE 03 | Belt-wide operation: complex validation networks only after transport, utilities, heritage, privacy and safety conditions. |

Unknown by design: FAR, height, ownership, road redlines, utility capacity, investment and output.