






Mobility, blue-green and public-service continuity

FIG. 04

A service blueprint avoids drawing a road alignment before official transport and park data are supplied.

USER JOURNEY



Mobility layer	walking / bicycle / transit / accessible path known / unknown / next evidence
Blue-green layer	rail heritage / stream / shade / rest known / unknown / next evidence
Public-service layer	paper route / staffed desk / quiet fallback known / unknown / next evidence


No station, road, park or heritage boundary is inferred from this diagram.

NTS / conceptual proposal / provisional geometry / not deployed

Metrics are a feedback loop, not a dashboard ornament

FIG. 05

Unknown baselines stay unknown; every candidate metric has an owner, trigger and stop/restart action.



NTS / conceptual proposal / provisional geometry / not deployed

Seven roles, one evidence-gated planning team

FIG. 06


Each Agent has a bounded mission, handoff, quality gate and forbidden inference; the orchestrator owns integration and release.



Seven global mechanisms translated into an eight-step local chain

FIG. 07


Cases provide mechanisms and limits, not Haidian baselines; local actors and runtime remain to be confirmed.



Thirteen scenario cards: from need to safe public use

FIG. 08


Cards are conceptual candidates with human gates, non-digital alternatives and exit conditions; no card is a deployed service.



Daily, weekly, seasonal and annual operations close the loop

FIG. 09


Nineteen activity records carry a lead role, dependencies, metrics, stop condition and restart condition; real operators remain unknown.



Eight user journeys share one humane fallback

FIG. 10

The planning interface must preserve choice, explanation, human help, complaint and paper/phone alternatives for every user.



Three public landmarks, twelve reversible components

FIG. 11

Landmarks are public-service prototypes: readable, correctable, accessible and removable before any permanent construction.



