



HUMAN-SCALE ORIGIN CONCEPT VIEW;  
NOT FIELD EVIDENCE. ONE LOCAL  
SHADOW: 29/36 AGREEMENTS + 7  
DELTAS.

FOUR ORIGIN-LABELLED DELTAS KEEP  
THE PERMANENT H TABLE +  
DIFFERENCE DISPLAY; B REMAINS  
SHADOW-ONLY.

P0 RELAY: T00 → T01-T11 / W1-15 → 12  
ROLE CLASSES / RACI → 16 QUANTITY  
LINES → 12 INDICATORS.



THREE KEY AREAS / A • B • H IN PLAN + SECTION

PAIRED BAYS • DIFFERENCE CLOISTER • ONE QUEUE

ONE MECHANISM, THREE CONSTRUCTION AND CIVIC-HANDOFF FORMS; PARAMETRIC PLANS + SECTIONS LOCATE H, REMOVABLE SLOTS AND STOP CONDITIONS


03

ZHONGZHIYUAN • PROOF YARD

Proof Yard

COURT / controlled proof visible to the public


A/B MAY CHANGE OR CLOSE • H BYPASS • HUMAN SERVICE STAY OPEN



PUBLIC GROUND — CLIMATE EDGE — LONG-LIFE SUPPORT — REPLACEABLE INFILL

DEMOUNTABLE EAVE • VISIBLE DRAINAGE • FREEZE/THAW ACCESS

CERTIFIED LONG-LIFE 6 M SUPPORT → BOLTED SECONDARY FRAME → DRY REPLACEABLE INFILL  
INSPECTABLE SERVICE BAND



- RETAIN / REPAIR / INSERT: retain usable frame • repair public threshold • insert reversible first bay
- FIRST PILOT: observation cloister • isolated test cell
- STEWARDSHIP: test safety lead • independent checker (PROPOSED ROLE CLASS)
- STOP RULE: stop on boundary breach, failed replay or unsafe continuation


CANDIDATE PLACEMENT • OFFICIAL EXTENTS TRIGGER REVIEW • REBIND

AI ORIGIN • ORIGIN CLOISTER

Origin Cloister

CLOISTER / a retrofit-first campus-community weave


A/B MAY CHANGE OR CLOSE • H BYPASS • HUMAN SERVICE STAY OPEN



PUBLIC GROUND — CLIMATE EDGE — LONG-LIFE SUPPORT — REPLACEABLE INFILL

DEMOUNTABLE EAVE • VISIBLE DRAINAGE • FREEZE/THAW ACCESS

RETAIN AND CERTIFY EXISTING FRAME FIRST → INDEPENDENT BOLTED PLUG-IN → DRY 1.2 M INFILL  
COORDINATION → EXPOSED MAINTAINABLE SERVICE STRIP



- RETAIN / REPAIR / INSERT: retain campus/community stock • repair access • insert porous cloister
- FIRST PILOT: timed campus threshold • care court
- STEWARDSHIP: campus-community joint operator (PROPOSED ROLE CLASS)
- STOP RULE: no build without access agreement and care operator


CANDIDATE PLACEMENT • OFFICIAL EXTENTS TRIGGER REVIEW • REBIND

DAZHONGSI • EXCHANGE HALL

Exchange Hall

HALL / four public entrances and one all-weather room


A/B MAY CHANGE OR CLOSE • H BYPASS • HUMAN SERVICE STAY OPEN



PUBLIC GROUND — CLIMATE EDGE — LONG-LIFE SUPPORT — REPLACEABLE INFILL

DEMOUNTABLE EAVE • VISIBLE DRAINAGE • FREEZE/THAW ACCESS

LONG-LIFE 8 M PRIMARY FRAME → DEMOUNTABLE ROOF CASSETTES → REPLACEABLE  
MARKET/SERVICE INFILL → INSPECTABLE PERIMETER SERVICE BAND



- RETAIN / REPAIR / INSERT: survey retain/repair/insert • repair four-quadrant walking • add all-weather eave
- FIRST PILOT: station porch • Rider Dock • staffed help desk
- STEWARDSHIP: local authority • transit • Shared Floor operator (PROPOSED ROLE CLASS)
- STOP RULE: no scale-up before movement, ownership, fire and cost evidence

CANDIDATE • NEAR NATIONAL-KEY JUESHENG TEMPLE; OVERLAY CONTROLS; NO GUESSED BUFFER

EVIDENCE / A • B • H FROM DELTA TO SPACE

MAKE FAILURE VISIBLE; KEEP THE H TABLE

ONE LOCAL BGE-M3 SHADOW RUN EXPOSES SEVEN DELTAS; FOUR ORIGIN-LABELLED DIFFERENCES MAKE THE PERMANENT HUMAN H TABLE + DIFFERENCE DISPLAY NON-REMOVABLE

05

LOCAL MODEL SHADOW

29 / 36

B AGREES WITH PARTICIPANT A/REFERENCE; A IS NOT INDEPENDENT TRUTH

VISIBLE DELTAS

7 Δ

4 NON-HARD-STOP DELTAS CONCENTRATE ON ORIGIN TASKS

DETERMINISTIC H

12 / 12

EVERY HARD-STOP IS HELD AT THE DETERMINISTIC H GATE

SPATIAL RESULT

H TABLE

PERMANENT HUMAN REVIEW + PUBLIC DIFFERENCE DISPLAY

ONE ACTUAL LOCAL INFERENCE: A/REFERENCE × B/CANDIDATE

BGE-M3 • 1 BATCH / 39 INPUTS • 1024-D • EXACT TAG/MANIFEST/BLOB HASHES

| A/REFERENCE     | B=PROOF | B=ORIGIN | B=EXCHANGE |
|-----------------|---------|----------|------------|
| PROOF YARD      | 10      | 0        | 2          |
| ORIGIN CLOISTER | 3       | 7        | 2          |
| EXCHANGE HALL   | 0       | 0        | 12         |

FOUR NON-HARD-STOP DELTAS: A101-AMBIGUOUS • A106-NORMAL/AMBIGUOUS • A108-AMBIGUOUS

SPATIAL CHANGE / KEEP B IN SHADOW

FOUR NON-HARD-STOP DELTAS ARE ORIGIN-LABELLED; KEEP THE H TABLE + DIFFERENCE DISPLAY NON-REMOVABLE; DO NOT PROMOTE B; CLAIM NO SIZE CHANGE.

DELTA IS NOT A BACK-END SCORE; AT ORIGIN IT LEAVES A HUMAN REVIEW TABLE, A PUBLICLY LEGIBLE DIFFERENCE DISPLAY AND AN H ROUTE THAT DOES NOT DEPEND ON B.

One local BGE-M3 embedding call compares 36 hypothetical fixtures: 29 topology agreements, seven deltas, all twelve hard-stops held and zero promotion.

Four Origin-labelled non-hard-stop deltas make the permanent H table and difference display non-removable; the P0 relay runs T00 → T01-T11 / W1-15 → 12 role classes / RACI → 16 quantity lines → 12 indicators.

P0 / FROM DESIGN TO DECISION

ONE CONDITIONAL RELAY LINKS PRECONDITION, ACCOUNTABILITY, QUANTITIES + ACCEPTANCE

T00  
DOCUMENT GATE

T01-11  
W1-15 REFERENCE

12  
ROLE CLASSES / RACI

16  
QUANTITY LINES

12  
INDICATORS

SINGLE ACCOUNTABILITY

EXACTLY ONE ACCOUNTABLE CLASS FOR EACH OF 12 TASKS

TRACEABLE QUANTITIES

14 DESIGN/REFERENCE DERIVED + 2 TBC AFTER SURVEY OR AUTHORISED REVIEW

EVIDENCE HANDOFF

12 TEMPLATES: PREPARER → FUTURE ISSUER/ACCOUNTABLE CLASS → REVIEWER → ACCEPTOR


ACCEPTANCE LOGIC

8 PARTICIPANT RULES + 4 TO BE SET AFTER AN AUTHORISED BASELINE

BOUNDARY • PARTICIPANT TEMPLATE UNSIGNED / UNAPPROVED • EXTERNAL EVIDENCE RECEIPTS • EXTERNAL RELEASES HOLD

THE SHARED FLOOR / THE REAL CITY IS THE GROUND

SEVEN LOCAL FIGURE-GROUNDS; DATA GAPS ARE NOT FILLED BY ASSUMPTION



© OpenStreetMap contributors • ODbL 1.0 • MORPHOLOGY + ATTACHMENT READING ONLY  
NOT A STATUTORY MAP, REDLINE, PARCEL, SURVEY, BUILDING INVENTORY, ACCESS AGREEMENT OR NAVIGATION PRODUCT

SCOPE + EVIDENCE

43.6 km<sup>2</sup>  
research / official approximate

DARK-OSM BUILDING UNION • FIN

C1 • South Gate

C3 • Zhichun Learning Cross

C5 • Qinghua East Road Camp

C7 • Qinghe Rail-Water Cross

Jing-Zhang Park is treated as civic ground already - not a blank site.

A 412.5 m boundary conflict is disclosed; official polygons trigger rebinding.

The project works at real corridor interfaces: campus, community, transit, heritage, rivers and service.

SCOPE + EVIDENCE STATUS

43.6 km<sup>2</sup>

research / official approximate

11.4 km<sup>2</sup>

overall design / official approximate

368.4 ha

three key areas / official approximate

DARK=OSM BUILDING UNION • FINE=STREET • RED=RAIL • BLUE=WATER/GATE • ●=STATION • □=CAMPUS CENTROID • NUMBER=CANDIDATE

C1 • South Gate



BEIJING NORTH + CURRENT/FORMER RAIL TERMINUS


HERITAGE THRESHOLD

FORECOURT, HERITAGE + FLOW SURVEY REQUIRED

EXPERT | RESIDENT → GAP=REVISE

MAPPED: 44 BUILDING / 13 STREET RECORDS

C2 • Dazhongsi Exchange



STATION + RAIL + FOUR-QUADRANT FRACTURE


P0 STATION PORCH; NIGHT ROOM CONDITIONAL

TITLE, METRO, FIRE + OPERATOR

EXPERT | RESIDENT → GAP=REVISE

MAPPED: 12 BUILDING / 48 STREET RECORDS

C3 • Zhichun Learning Cross



STATION + RAIL + LEARNING DISTRICT

ZHICHUN LEARNING CROSS

7-DAY FLOW, ACCESS + CORNER SURVEY

EXPERT | RESIDENT → GAP=REVISE

MAPPED: 39 BUILDING / 94 STREET RECORDS

C4 • Origin Commons



FORMER-RAIL/PARK CONNECTOR + DAILY LIFE

ORIGIN COMMONS / CARE PORCH

HERITAGE, LOCAL NEED + OPERATOR AGREEMENT

EXPERT | RESIDENT → GAP=REVISE

MAPPED: 68 BUILDING / 170 STREET RECORDS

C5 • Qinghua East Road Campus Eave



STATION + CAMPUS CENTROID; GATE NOT CAPTURED

NEGOTIATED CAMPUS GATE

EXACT GATE, SECURITY + CAMPUS AGREEMENT

EXPERT | RESIDENT → GAP=REVISE

MAPPED: 51 BUILDING / 90 STREET RECORDS

C6 • Fifth Ring Approach



CURRENT/FORMER RAIL NEAR FIFTH RING; ROAD SEAM UNVERIFIED

RIDER DOCK / SERVICE FORECOURT

ROAD, LOADING, FIRE + LAND SURVEY

EXPERT | RESIDENT → GAP=REVISE

MAPPED: 49 BUILDING / 128 STREET RECORDS

C7 • Qinghe Rail-Water Crossing



CURRENT RAIL × QINGHE


SPONGE CROSSING

HYDROLOGY, RAIL, DRAINAGE + FLOOD REVIEW

EXPERT | RESIDENT → GAP=REVISE

MAPPED: 31 BUILDING / 48 STREET RECORDS

JING-ZHANG EVIDENCE LINE



ARCHIVE / RECORD

FIELD / SURVEY

P0 / REVERSIBLE PILOT

SAME INDICATORS / EXP+RES

ADOPT • REVISE • RETIRE

1909 RECORDS—NOT C1-C7 SITE EVIDENCE


INHERIT THE METHOD, NOT THE FORM • NO SCORING YET

CREDIT: TONGSHENG PHOTO STUDIO, JING-ZHANG LU GONG CUO YING, 1909 • ORIGINAL NLC • WDL/LOC • LCCN 2021668851

43.6 km<sup>2</sup> research field.

11.4 km<sup>2</sup> shared-floor grammar.

Three provisional reference areas for architectural depth.



The completed park and rail memory form the public-ground reference.

Long-life frames attach at interfaces; they do not claim an official redline.

## JING-ZHANG EVIDENCE LINE



LINE



STATION



WATER



BUILD

1909 RECORDS—NOT C1-C7 SITE EVIDENCE



ARCHIVE / RECORD



FIELD / SURVEY



P0 / REVERSIBLE PILOT



SAME INDICATORS / EXP+RES



ADOPT • REVISE • RETIRE

INHERIT THE METHOD, NOT THE FORM • NO SCORING YET

CREDIT: TONGSHENG PHOTO STUDIO, JING-ZHANG LU GONG CUO YING, 1909 • ORIGINAL NLC • WDL/LOC • LCCN 2021668851

Each room follows archive → field evidence → reversible pilot → same-indicator expert and resident review → adopt, revise or retire.

No scoring has yet occurred; every address remains provisional until survey, operator and access agreement exist.




THREE KEY AREAS • THREE SIMULTANEOUS CHANGEOVER TOPOLOGIES

07

ZHONGZHIYUAN • PROOF YARD

N ↑



SPATIAL TOPOLOGY

PAIRED BAYS: SAME FIXTURES; CENTRAL H STRIP

CONTRACTS

AI02 • AI05 • AI09 • AI11

WITNESS SWAP

LOCAL SHADOW: 29/36 AGREEMENT ACROSS TOPOLOGIES


STOP RULE

CRITICAL REGRESSION, SCOPE EXPANSION OR EITHER KEY REFUSES

CANDIDATE PLACEMENT • REBIND ON OFFICIAL POLYGONS/FABRIC/OWNERSHIP

AI ORIGIN • ORIGIN CLOISTER

N ↑



SPATIAL TOPOLOGY

DIFFERENCE CLOISTER: READ A/B; COMPLETE SAME TASK AT H

CONTRACTS

AI01 • AI04 • AI06 • AI08

WITNESS SWAP

4 NON-HARD-STOP DELTAS CONCENTRATE ON ORIGIN LABELS


STOP RULE

UNRESOLVED SOURCE, AUTHORITY OR EXPERT DISAGREEMENT ROUTES H

CANDIDATE PLACEMENT • REBIND ON OFFICIAL POLYGONS/FABRIC/OWNERSHIP

DAZHONGSI • EXCHANGE HALL

N ↑



SPATIAL TOPOLOGY

ONE QUEUE / THREE EXITS: A / B / H; NO CHERRY-PICKING

CONTRACTS

AI03 • AI07 • AI10 • AI12

WITNESS SWAP

12/12 HARD-STOP5 HELD BY DETERMINISTIC H

STOP RULE

BURDEN SHIFT OR SEVERE EVENT RETURNS ALL FLOW TO A/H

CANDIDATE PLACEMENT • REBIND ON OFFICIAL POLYGONS/FABRIC/OWNERSHIP

SAME TASK / FAIR COMPARISON

A/B SHARE THE TASK, FIXTURES, DATA BOUNDARY + USER ENTRY

One queue and the same-task H path prevent B from selecting easy users; comparison is a delta, not a flattering isolated score.

HUMAN AUTHORITY / TWO KEYS

SERVICE STEWARD + RIGHTS/SAFETY STEWARD; EITHER KEY MAY HOLD

B cannot self-promote. Any user may choose H; high-risk disagreement produces a proposal for H only.

SPATIAL CONSEQUENCE / ORIGIN H TABLE

29/36 AGREEMENT; 7 DELTAS; 4 AT ORIGIN; THE H TABLE STAYS

Origin turns difference into a publicly legible comparison and permanent human-review space; the design requires the same-task H route to continue when B changes.

29/36 AGREE

7 DELTA

4 @ ORIGIN

H TABLE

Any authorised pilot must give A and B the same task, fixtures, data boundary and user entry while keeping H available.

B cannot self-promote; either independent steward or on-floor H can hold or roll back.




LAND-USE STRUCTURE / OPEN BUILDING

FOUR PROGRAMME BANDS; FIVE RENEWAL SPEEDS

CONCEPT LAND USE IS NOT ZONING; GROUND AND SUPPORT ENDURE WHILE SERVICES, INFILL AND EQUIPMENT CHANGE


02

N ↗ • PLAN ROTATED 65° CLOCKWISE FOR SHEET READING




CONCEPT LAND-USE STRUCTURE • NOT STATUTORY ZONING • REVIEW + REBIND ON OFFICIAL CONTROLS  
FILL=FOUR PROGRAMME BANDS • DARK=THREE LONG-LIFE FRAMES • GOLD=PUBLIC ROOMS • RED=SEVEN CROSS-INTERFACES

PROGRAMME × DESIGN LIFE




DAZHONGSI • ENCOURAGED SHARED LEVELS



ENCOURAGED ≠ BUILT, OPEN, EASEMENT OR 24H ACCESS  
METRO / OWNER / FIRE / STRUCTURE / OPERATIONS ARE PREREQUISITES

FIVE RENEWAL SPEEDS




KEEP FRAME, CHANGE CORE, RECORD EACH REPLACEMENT. TARGETS ARE NOT WARRANTIES.

OFFICIAL EXTENTS • CONTROLS TRIGGER REVIEW, RECALCULATION + REISSUE.


Four authored programme bands are shown spatially; they are not statutory zoning.

Public ground → support → service chassis → infill → equipment.



Public ground and support endure; services, infill and equipment change at different intervals.


Design-life bands are targets, not warranties.



Roof capture → rail-bed bioswale → forebay → garden → reuse → safe overflow.

Beijing checks add winter drain-down, snow storage, freeze-thaw, dust and north-wind protection.





12 AI CARDS / 4 SHOWN

SPACE • PROPOSED STEWARDSHIP CLASS • HUMAN FALLBACK

|                                                                                              |                                                                                                     |
|----------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|
| <b>AI01</b><br>STEP-FREE TRANSFER CHECK<br><br>7 ROOMS • ACCESS<br><br>FAIL→PAPER+ESCORT     | <b>AI02</b><br>LOW-SPEED DELIVERY TRIAL<br><br>YARD • SAFETY<br><br>FAIL→CART+STOP                  |
| <b>AI05</b><br>CLIMATE-REFUGE OPERATING CUES<br><br>EAVES • STEWARD<br><br>FAIL→MANUAL CHECK | <b>AI12</b><br>MULTILINGUAL HUMAN HELP DESK<br><br>HELP POINT • CIVIC STAFF<br><br>FAIL→INTERPRETER |

S01-S15 EVERYDAY-LIFE REHEARSALS

7 PERSONAS • 24H × 4 SEASONS

ALL SEVEN CIVIC ROOMS REQUIRE A 7-DAY FIELD BASELINE

COMPLETE CARDS ≠ PROVEN LOCAL DEMAND OR PERFORMANCE

ROBOTS: LOW SPEED, YIELD, SAFE STOP; HUMAN SERVICE CONTINUES


Fifteen rehearsals cover elders, children, carers, students, riders, service shifts, disability, women at night and no-phone users.

Every local flow, price and access claim remains field-baseline required.



Plan, axon, section and operational passport come from one typed prototype.

All dimensions remain reference design geometry.




Read public, service and controlled routes together.

North arrow, grid and scale remain visible.



## Proof Yard

COURT / controlled proof visible to the public




Long-life support and replaceable infill are visually separated.

Sun and climate moves are design hypotheses pending simulation.




SECTION + SHARED EAVE



The public floor remains legible through daily change.

Human handoff and safe-stop are spatial provisions, not interface copy.

PUBLIC / SERVICE / CONTROLLED



TYPE PASSPORT

| TYPE PASSPORT                                      |                            |
|----------------------------------------------------|----------------------------|
| CONCEPT GFA                                        | 32,768 m <sup>2</sup>      |
| SUPPORT / INFILL                                   | 7,960 / 864 m <sup>2</sup> |
| THRESHOLDS / MODES                                 | 2 / 5                      |
| COVERED EDGE / WET NODES                           | 900 m <sup>2</sup> / 2     |
| FORECOURT—CLOISTER—THRESHOLD—TEST YARD / SAFE STOP |                            |






Plan, axon, section and operational passport come from one typed prototype.

All dimensions remain reference design geometry.



N ↑




Read public, service and controlled routes together.

North arrow, grid and scale remain visible.

## Origin Cloister

CLOISTER / a retrofit-first campus-community weave



Long-life support and replaceable infill are visually separated.

Sun and climate moves are design hypotheses pending simulation.




SECTION + SHARED EAVE

PUBLIC GROUND — CLIMATE EDGE — LONG-LIFE SUPPORT — REPLACEABLE INFILL

DEMOUNTABLE EAVE • VISIBLE DRAINAGE • FREEZE/THAW ACCESS


RETAIN AND CERTIFY EXISTING FRAME FIRST → INDEPENDENT BOLTED PLUG-IN → DRY 1.2 M INFILL COORDINATION → EXPOSED MAINTAINABLE SERVICE STRIP



The public floor remains legible through daily change.

Human handoff and safe-stop are spatial provisions, not interface copy.

PUBLIC / SERVICE / CONTROLLED




TYPE PASSPORT

| TYPE PASSPORT                                           |                              |
|---------------------------------------------------------|------------------------------|
| CONCEPT GFA                                             | 24,480 m <sup>2</sup>        |
| SUPPORT / INFILL                                        | 3,744 / 2,700 m <sup>2</sup> |
| THRESHOLDS / MODES                                      | 3 / 5                        |
| COVERED EDGE / WET NODES                                | 520 m <sup>2</sup> / 3       |
| PUBLIC LANE / CARE / FORUM / MAKING COURTS / QUIET LOOP |                              |



PLACEMENT SCREEN / 1:500 AT FULL-SIZE A0

OSM MORPHOLOGY—NOT PARCEL, REDLINE, VACANCY OR BUILDABILITY EVIDENCE




A measured 1:500 A0 view shows both the rejected station-centred 148-m frame and the offset orientation-screen envelope.

OSM is morphology evidence - not a parcel, survey or metro-protection record.




P0 PLAN / 1:100 AT FULL-SIZE A0

ONE 8 m SUPPORT BAY WITHIN 16 m REVERSIBLE GROUND



INHABITED SECTION / 1:200 AT FULL-SIZE A0

OPEN CANOPY: NO COOKING / TRACTION-BATTERY CHARGING; FIRE + OCCUPANT LOAD TBC




The proposed 8-by-8-m bay, 16-by-16-m reversible ground, 1:100 plan and 1:200 section share one model.

Every life-safety dimension remains subject to local review.

EAVE-WATER-SERVICE INTERFACE / 1:20 AT FULL-SIZE A0

CLEAR GEOMETRY TO SCALE; MEMBER + PRODUCT THICKNESSES TBC STRUCTURE/FIRE/MEP

DEMOUNTABLE ROOF CASSETTE / 2% FALL HYPOTHESIS



64 m² ROOF × 10 mm RAIN = 0.64 m³; OUTLET/STORAGE/INFILTRATION TBC TOPO, SOIL + MUNICIPAL DRAINAGE.

PERFORMANCE SCHEDULE / PARTICIPANT REFERENCE SPEC

|    |                                                                     |                                      |
|----|---------------------------------------------------------------------|--------------------------------------|
| 01 | BOLTED GALVANISED FRAME • SECTION/GRADE/FIRE TBC                    | ¥1.9–3.8M                            |
| 02 | DEMOUNTABLE METAL CASSETTE • WIND/SNOW/CONDENSATION TBC             | PARTICIPANT ROM / NOT A TENDER PRICE |
| 03 | DRY-LAID REPLACEABLE PAVING • SLIP/FROST/PERMEABILITY TBC           | 06:00–24:00 • 5-FTE ROSTER           |
| 04 | VISIBLE DRAINAGE + WINTER DRAIN-DOWN; DISCHARGE OUTSIDE CLEAR ROUTE | OPEX ASSUMPTION ¥1.2–2.2M/Y          |
| 05 | SURFACE ISOLATABLE SERVICE RAIL • LOAD/METERING/FIRE TBC            | OPEX ASSUMPTION 1.2–2.2M/Y           |
|    |                                                                     | 06:30 RIDER/CLEANER WATER + REST     |
|    |                                                                     | 12:30 FOOD HANDOFF; NO COOKING       |
|    |                                                                     | 19:00 REPAIR/LEARNING/STAFFED HELP   |

NO TITLE/REDLINE, NAMED OPERATOR, 12-MONTH OPEX RESERVE, ACCESS AGREEMENT, METRO/UTILITY, FIRE/STRUCTURE/MEP REVIEW + PERMIT: NO BUILD, NO OPEN.

The 1:20 A0 clear-geometry interface coordinates drainage, inspectable services and wet edge; member and product thicknesses remain TBC.




Cost and operations remain participant assumptions until a named operator and approvals exist.

## THREE KEY AREAS / A • B • H IN PLAN + SECTION

PAIRED BAYS • DIFFERENCE CLOISTER • ONE QUEUE

ONE MECHANISM, THREE CONSTRUCTION AND CIVIC-HANDOFF FORMS; PARAMETRIC PLANS + SECTIONS LOCATE H, REMOVABLE SLOTS AND STOP CONDITIONS

03



Bay, court, lane, cloister and threshold  
are operating rules - not applied  
historical imagery.


What remains after AI is removed:  
public ground, climate edge, rooms,  
services and care.

Material atmosphere only: oxide red marks the long-life support layer; it does not prescribe imitation historic brick.

THREE KEY AREAS • THREE SIMULTANEOUS CHANGEOVER TOPOLOGIES

07


ZHONGZHIYUAN • PROOF YARD



- SPATIAL TOPOLOGY** PAIRED BAYS: SAME FIXTURES; CENTRAL H STRIP
- CONTRACTS** AI02 • AI05 • AI09 • AI11
- WITNESS SWAP** LOCAL SHADOW: 29/36 AGREEMENT ACROSS TOPOLOGIES
- STOP RULE** CRITICAL REGRESSION, SCOPE EXPANSION OR EITHER KEY REFUSES

CANDIDATE PLACEMENT • REBIND ON OFFICIAL POLYGONS/FABRIC/OWNERSHIP


AI ORIGIN • ORIGIN CLOISTER



- SPATIAL TOPOLOGY** DIFFERENCE CLOISTER: READ A/B; COMPLETE SAME TASK AT H
- CONTRACTS** AI01 • AI04 • AI06 • AI08
- WITNESS SWAP** 4 NON-HARD-STOP DELTAS CONCENTRATE ON ORIGIN LABELS
- STOP RULE** UNRESOLVED SOURCE, AUTHORITY OR EXPERT DISAGREEMENT ROUTES H

CANDIDATE PLACEMENT • REBIND ON OFFICIAL POLYGONS/FABRIC/OWNERSHIP

DAZHONGSI • EXCHANGE HALL



- SPATIAL TOPOLOGY** ONE QUEUE / THREE EXITS: A / B / H; NO CHERRY-PICKING
- CONTRACTS** AI03 • AI07 • AI10 • AI12
- WITNESS SWAP** 12/12 HARD-STOPES HELD BY DETERMINISTIC H
- STOP RULE** BURDEN SHIFT OR SEVERE EVENT RETURNS ALL FLOW TO A/H

CANDIDATE PLACEMENT • REBIND ON OFFICIAL POLYGONS/FABRIC/OWNERSHIP

SAME TASK / FAIR COMPARISON

A/B SHARE THE TASK, FIXTURES, DATA BOUNDARY + USER ENTRY

One queue and the same-task H path prevent B from selecting easy users; comparison is a delta, not a flattering isolated score.

HUMAN AUTHORITY / TWO KEYS

SERVICE STEWARD + RIGHTS/SAFETY STEWARD; EITHER KEY MAY HOLD

B cannot self-promote. Any user may choose H; high-risk disagreement produces a proposal for H only.

SPATIAL CONSEQUENCE / ORIGIN H TABLE

29/36 AGREEMENT; 7 DELTAS; 4 AT ORIGIN; THE H TABLE STAYS

Origin turns difference into a publicly legible comparison and permanent human-review space; the design requires the same-task H route to continue when B changes.

29/36 AGREE

7 DELTA

4 @ ORIGIN

H TABLE



THREE INDEPENDENT DESIGN ROOTS

HARD GATES PASS; ARCHITECTURE IS NOT A PROXY SCORE


07

NOT THREE STYLES: ROUTE SEQUENCE / CLIMATE CARE / A/B/H CHANGEOVER USE DIFFERENT CAUSAL GENERATORS

C01

R1 ROUTE-SEQUENCE CONTROL

Isolate staged routing against continuously available H ground




|              |           |
|--------------|-----------|
| HARD GATES   | PASS      |
| GFA          | 77,200 m² |
| OPEN         | 88.8%     |
| WINTER SUN   | 100.0%    |
| SUMMER SHADE | 0.0%      |

PASSED COMPARISON GATES

C02

R2 CLIMATE-CARE CONTROL

Isolate climate-care nodes and test whether they can carry changeover




|              |           |
|--------------|-----------|
| HARD GATES   | PASS      |
| GFA          | 77,760 m² |
| OPEN         | 91.5%     |
| WINTER SUN   | 81.3%     |
| SUMMER SHADE | 46.6%     |

PASSED COMPARISON GATES

C03

R3 A/B/H CHANGEOVER FLOOR

Same-task A/B deltas, permanent H and component lives determine space



|              |           |
|--------------|-----------|
| HARD GATES   | PASS      |
| GFA          | 82,468 m² |
| OPEN         | 86.2%     |
| WINTER SUN   | 68.0%     |
| SUMMER SHADE | 36.6%     |

PASSED COMPARISON GATES

6/6 REBIND PASS

18/18 TARGETED FAULTS STOPPED

12/12 HANDOFF RECOVERY

ENCODED RECEIPTS ≠ FIELD CERTIFICATION

Proxy values do not pick a winner: receipts stop invalid states; spatial argument and design critique make the final selection.

THIS RUN: 3/3 HARD-CONDITION PASS • SHARED FLOOR 12/12 STATE TASKS PASS • HUMAN-EQUIVALENCE UNKNOWN

Three causally independent roots share one reference basis and satisfy root-specific hard conditions.

Shared Floor advances as the preferred design basis pending jury and professional review; other roots remain traceable process evidence.

EVIDENCE / A • B • H FROM DELTA TO SPACE

MAKE FAILURE VISIBLE; KEEP THE H TABLE

ONE LOCAL BGE-M3 SHADOW RUN EXPOSES SEVEN DELTAS; FOUR ORIGIN-LABELLED DIFFERENCES MAKE THE PERMANENT HUMAN H TABLE + DIFFERENCE DISPLAY NON-REMOVABLE

05

LOCAL MODEL SHADOW

29 / 36

B AGREES WITH PARTICIPANT A/REFERENCE; A IS NOT INDEPENDENT TRUTH

VISIBLE DELTAS

7 Δ

4 NON-HARD-STOP DELTAS CONCENTRATE ON ORIGIN TASKS

DETERMINISTIC H

12 / 12

EVERY HARD-STOP IS HELD AT THE DETERMINISTIC H GATE

SPATIAL RESULT

H TABLE

PERMANENT HUMAN REVIEW + PUBLIC DIFFERENCE DISPLAY

ONE ACTUAL LOCAL INFERENCE: A/REFERENCE × B/CANDIDATE

BGE-M3 • 1 BATCH / 39 INPUTS • 1024-D • EXACT TAG/MANIFEST/BLOB HASHES

| A/REFERENCE     | B=PROOF | B=ORIGIN | B=EXCHANGE |
|-----------------|---------|----------|------------|
| PROOF YARD      | 10      | 0        | 2          |
| ORIGIN CLOISTER | 3       | 7        | 2          |
| EXCHANGE HALL   | 0       | 0        | 12         |

FOUR NON-HARD-STOP DELTAS: A101-AMBIGUOUS • A106-NORMAL/AMBIGUOUS • A108-AMBIGUOUS

SPATIAL CHANGE / KEEP B IN SHADOW

FOUR NON-HARD-STOP DELTAS ARE ORIGIN-LABELLED; KEEP THE H TABLE + DIFFERENCE DISPLAY NON-REMOVABLE; DO NOT PROMOTE B; CLAIM NO SIZE CHANGE.

P0 / FROM DESIGN TO DECISION

ONE CONDITIONAL RELAY LINKS PRECONDITION, ACCOUNTABILITY, QUANTITIES + ACCEPTANCE

T00  
DOCUMENT GATE

T01-11  
W1-15 REFERENCE

12  
ROLE CLASSES / RAO

16  
QUANTITY LINES

12  
INDICATORS

SINGLE ACCOUNTABILITY

EXACTLY ONE ACCOUNTABLE CLASS FOR EACH OF 12 TASKS

TRACEABLE QUANTITIES

14 DESIGN/REFERENCE DERIVED + 2 TBC AFTER SURVEY OR AUTHORISED REVIEW

EVIDENCE HANDOFF

12 TEMPLATES: PREPARER → FUTURE ISSUER/ACCOUNTABLE CLASS → REVIEWER → ACCEPTOR

ACCEPTANCE LOGIC

8 PARTICIPANT RULES + 4 TO BE SET AFTER AN AUTHORISED BASELINE


BOUNDARY • PARTICIPANT TEMPLATE UNSIGNED / UNAPPROVED • EXTERNAL EVIDENCE RECEIPTS 8 • EXTERNAL RELEASES HOLD

Reference architecture does not replace local professional review.

External pages contribute cited facts; four credited 1909 archive thumbnails retain item-level rights records.

# REFERENCE SECTION 1:100 — ONE BAY COMES OUT, THE H ROUTE STAYS

Participant reference section, not a construction drawing; dimensions come from parameters registered in this package and require professional review.




4.2 m clear height | 6 m shared eave | demountable bay 8 x 8 m = 64 sqm  
Reversible ground 16 x 16 m = 256 sqm | 3 exits, 1.5 m clear width each  
Low winter noon sun at 26.6 deg reaches under the eave; summer noon at 73.5 deg is blocked by the same eave  
Assembly to decommissioning is fully reversible: no excavation, no permanent foundation

# ONE TASK ARRIVES; THREE PLANS SEPARATE IT

Relationship diagram, not a surveyed plan; the measured plans are figure 03 and the A3 booklet. A is the model in service, B the candidate, H the always-open human route.


PROOF YARD • PAIRED BAYS

- The same fixture enters bay A and bay B at once
- The H strip runs between them at equal observation distance
- If either bay fails, the H strip is unaffected




ORIGIN CLOISTER • DIFFERENCE GALLERY

- A and B answers are displayed side by side
- The permanently staffed H desk sits on the public side
- The same task completes along H without a smartphone



EXCHANGE HALL • ONE QUEUE

- Everyone joins the same single queue
- Only after the queue does it open into A / B / H
- The H exit is always open and can be physically stopped



A model in service

B candidate

H human route