

/*****[Information]*****/

Application: Alisha Paul - Assignment 2

Version: 1.0

Author: Alisha Paul / axp140030@utdallas.edu

Due Date: 10/12/2018

*****/

```
SET ThousandSep=',';
SET DecimalSep='.';
SET MoneyThousandSep=',';
SET MoneyDecimalSep='.';
SET MoneyFormat='$#,##0.00;($#,##0.00)';
SET TimeFormat='h:mm:ss TT';
SET DateFormat='M/D/YYYY';
SET TimestampFormat='M/D/YYYY h:mm:ss[.fff] TT';

SET MonthNames='Jan;Feb;Mar;Apr;May;Jun;Jul;Aug;Sep;Oct;Nov;Dec';
SET DayNames='Mon;Tue;Wed;Thu;Fri;Sat;Sun';
SET LongMonthNames='January;February;March;April;May;June;July;August;September;October;November;December';
SET LongDayNames='Monday;Tuesday;Wednesday;Thursday;Friday;Saturday;Sunday';

SET FirstWeekDay=6;
SET BrokenWeeks=1;
SET ReferenceDay=0;
SET FirstMonthOfYear=1;
SET CollationLocale='en-US';

ODBC CONNECT TO [SQLite3 Datasource];
```

```

LOAD ActivityCode,
      Age,
      AgeRecode12,
      AgeRecode27,
      AgeRecode52,
      AgeSubstitutionFlag,
      AgeType,
      Autopsy,
      BridgedRaceFlag,
      CurrentDataYear,
      CauseRecode358,
      CauseRecode113,
      CauseRecode39,
      DayOfWeekOfDeath,
      Education1989Revision,
      Education2003Revision,
      EducationReportingFlag,
      HispanicOrigin,
      HispanicOriginRaceRecode,
      Id,
      InfantAgeRecode22,
      InjuryAtWork,
      Icd10Code,
      InfantCauseRecode130,
      MaritalStatus,
      MannerOfDeath,
      MethodOfDisposition ,
      MonthOfDeath,
      Month(MakeDate(2014,MonthOfDeath)) as MonthName,
      NumberOfEntityAxisConditions,
      NumberOfRecordAxisConditions,
      PlaceOfDeathAndDecedentsStatus,
      PlaceOfInjury,
      ResidentStatus,
      Race,
      RaceImputationFlag,
      RaceRecode3,
      RaceRecode5,
      Sex;

SQL SELECT *
FROM DeathRecords;

```

Inner Join

```
LOAD Id as EntityId,
      DeathRecordId as Id,
      Part,
      Line,
      Sequence,
      Icd10Code;
SQL SELECT *
FROM EntityAxisConditions;
```

Inner Join

```
LOAD Id as RecordId,
      DeathRecordId as Id,
      Icd10Code;
SQL SELECT *
FROM RecordAxisConditions;
```

```
LOAD Code as Icd10Code,
      Description as Icd10CodeDescription;
SQL SELECT *
FROM Icd10Code;
```

```
LOAD Code as ActivityCode,
      Description as ActivityCode_Description;
SQL SELECT *
FROM ActivityCode;
```

```
LOAD Code as AgeRecodel2,
      Description as AgeRecodel2Description;
SQL SELECT *
FROM AgeRecodel2;
```

```
LOAD Code as AgeRecode27,
      Description as AgeRecode27Description;
SQL SELECT *
FROM AgeRecode27;
```

```
LOAD Code as AgeRecode52,
      Description as AgeRecode52Description;
SQL SELECT *
FROM AgeRecode52;
```

```
LOAD Code as AgeType,
      Description as AgeTypeDescription;
SQL SELECT *
FROM AgeType;
```

```
LOAD Code as BridgedRaceFlag,
      Description as BridgedRaceFlagDescription;
SQL SELECT *
FROM BridgedRaceFlag;
```

```
LOAD Code as DayOfWeekOfDeath,
      Description as DayOfWeekOfDeathDescription;
SQL SELECT *
FROM DayOfWeekOfDeath;
```

```
LOAD Code as Education1989Revision,
      Description as Education1989RevisionDescription;
SQL SELECT *
FROM Education1989Revision;
```

```
LOAD Code as Education2003Revision,
      Description as Education2003RevisionDescription;
SQL SELECT *
FROM Education2003Revision;
```

```
LOAD Code as EducationReportingFlag,
      Description as EducationReportingFlagDescription;
```

```

SQL SELECT *
FROM EducationReportingFlag;

LOAD Code as HispanicOrigin,
      Description as HispanicOriginDescription;
SQL SELECT *
FROM HispanicOrigin;

LOAD Code as HispanicOriginRaceRecode,
      Description as HispanicOriginRaceRecodeDescription;
SQL SELECT *
FROM HispanicOriginRaceRecode;

LOAD Code as InfantAgeRecode22,
      Description as InfantAgeRecode22Description;
SQL SELECT *
FROM InfantAgeRecode22;

LOAD Code as MannerOfDeath,
      Description as MannerOfDeathDescription;
SQL SELECT *
FROM MannerOfDeath;

LOAD Code as MaritalStatus,
      Description as MaritalStatusDescription;
SQL SELECT *
FROM MaritalStatus;

LOAD Code as MethodOfDisposition,
      Description as MethodOfDispositionDescription;
SQL SELECT *
FROM MethodOfDisposition;

LOAD Code as PlaceOfDeathAndDecedentsStatus,
      Description as PlaceOfDeathAndDecedentsStatusDescription;
SQL SELECT *
FROM PlaceOfDeathAndDecedentsStatus;

LOAD Code as PlaceOfInjury,
      Description as PlaceOfInjuryDescription;
SQL SELECT *
FROM PlaceOfInjury;

LOAD Code as Race,
      Description as RaceDescription;
SQL SELECT *
FROM Race;

LOAD Code as RaceImputationFlag,
      Description as RaceImputationFlagDescription;
SQL SELECT *
FROM RaceImputationFlag;

LOAD Code as RaceRecode5,
      Description as RaceRecode5Description;
SQL SELECT *
FROM RaceRecode5;

LOAD Code as RaceRecode3,
      Description as RaceRecode3description;
SQL SELECT *
FROM RaceRecode3;

LOAD Code as ResidentStatus,
      Description as ResidentStatusDescription;
SQL SELECT *
FROM ResidentStatus;

```