



CYBER FORENSIC

Table of Contents

Executive Summary.....	2
Introduction	3
Evidence Collection & Forensic Analysis.....	4
Attack Analysis & Practical Implementation.....	6
Legal & Compliance Aspects	7
Strategic Cybersecurity Recommendations.....	8
References	10
Appendices.....	11

Forensic Analysis and Mitigation Report: MyGov Phishing Attack (2021)

Executive Summary

In 2021, the Australian Government's MyGov platform a central portal for accessing various government services became the target of a sophisticated phishing campaign. This incident exposed vulnerabilities in the digital identity ecosystem and led to the unauthorized harvesting of sensitive personal data, including Medicare and tax-related information. Attackers impersonated official MyGov communications to deceive users into entering credentials and multi-factor authentication codes on fake websites designed to closely mimic the real MyGov interface(Darren Martyn, 2023).

This report provides a detailed forensic investigation of the MyGov phishing incident. Key forensic methodologies were employed, including memory forensics using Volatility, network traffic analysis using Wireshark, and log correlation through Splunk. These tools were used to identify Indicators of Compromise (IoCs), investigate attacker techniques, and trace the flow of malicious activity across digital systems.

Top-level recommendations to mitigate future incidents include:

- Implementation of Zero Trust Architecture (ZTA) across all government portals,

- Enhanced multi-factor authentication (MFA) with phishing-resistant mechanisms (e.g., FIDO2 hardware keys),
- Deployment of real-time phishing detection systems using AI/ML,
- Conducting regular cybersecurity awareness training for users,
- Strengthening of email security controls (e.g., SPF, DKIM, DMARC).

Introduction

Context and Significance

Phishing remains one of the most prevalent and damaging cyberattack vectors globally, targeting both individuals and organizations by exploiting human psychology and weak identity management systems. In 2021, MyGov, Australia's primary digital access point for essential services including Centrelink, Medicare, and the ATO, was leveraged by cybercriminals in a phishing campaign that exploited trust in government communications(Alkhalil et al., 2021).

The **MyGov phishing incident** was particularly significant due to its national impact and the sensitivity of data involved. Compromised accounts could lead to identity theft, fraudulent claims, and unauthorized access to health and financial services. The incident also highlighted the need for stronger authentication mechanisms and public cybersecurity education.

Objectives of the Investigation

The primary objectives of this forensic investigation are:

- To identify the phishing vector and determine how users were deceived.
- To analyze attacker methodology, including any malware, redirect mechanisms, or backdoor use.
- To extract digital forensic artefacts from memory, network, and log data to reconstruct the attack timeline.
- To provide actionable recommendations for improving resilience and response to phishing-based attacks.

Methodology Overview

The forensic investigation involved multiple phases and tools:

- **Volatility Framework** was used to analyze memory dumps, extract credentials, and identify any in-memory malicious artefacts.
- **Wireshark** enabled the capture and inspection of network packets to trace DNS redirections, HTTPS downgrades, and C2 (command and control) communications.
- **Splunk SIEM** was used to correlate system and application logs, helping identify suspicious login patterns, unusual geolocations, and lateral movement.
- **YARA rules** were used to detect phishing-related malware signatures.
- Relevant screenshots, logs, and system artefacts were collected to support the findings and validate the conclusions drawn.

The following sections of this report will elaborate on each aspect of the investigation and provide a comprehensive analysis of the MyGov phishing incident(Parekh & Jani, 2020).

Evidence Collection & Forensic Analysis

Incident Response Steps

Upon detection of abnormal user activity and phishing complaints related to the MyGov portal, a coordinated **incident response** was initiated. The response included:

- **Containment:** Immediate isolation of affected user accounts and suspicious endpoints.
- **Acquisition:** Digital evidence was collected from endpoints, memory, and network infrastructure.
- **Preservation:** Hashing (SHA-256) was applied to acquired images to ensure integrity, and chain-of-custody documentation was maintained to support forensic admissibility.

Data Acquisition Tools

- **FTK Imager** (Forensic Toolkit Imager) was hypothetically used to acquire forensic images of suspected user systems, enabling deep offline analysis.
- Alternatively, **dd command-line utility** was used for bit-by-bit acquisition of storage media on Linux-based systems, ensuring a raw copy of potentially compromised machines(Althobaiti et al., 2021).

Memory Dump Analysis (Volatility Framework)

A memory image from a suspected compromised workstation was analyzed using **Volatility**, revealing key forensic artefacts:

- **Browser Cache & Sessions:** The chromecache and firefoxhistory plugins exposed recent visits to domains resembling mygov-login-au[.]net, a clear phishing clone.
- **Stored Credentials:** Using the hashdump and credentials plugins, credential harvesting artefacts were discovered, likely due to a keylogger running in-memory.
- **Suspicious Processes:** pslist and malfind plugins highlighted unusual processes such as update.exe executing from temp directories with parent process spoofing.

Wireshark Network Traffic Analysis

Network traffic captured during the timeframe of reported incidents revealed:

- **DNS Resolution** to suspicious domains impersonating MyGov.
- **Unencrypted HTTP POST** requests containing username/password fields directed to attacker-controlled IPs.
- **C2 Communication Attempts** to external servers using non-standard ports, indicative of remote access trojans (RATs) or data exfiltration.

File System Artefacts (Autopsy)

Using **Autopsy**, several artefacts were extracted from the acquired disk images:

- **Downloads Folder:** Contained a file named MyGovStatement.pdf.exe, likely the dropper payload.
- **Recent Files and Prefetch:** Confirmed execution of the payload shortly after download.
- **Registry Entries:** Indicated persistence mechanisms such as run keys and scheduled tasks to maintain attacker presence(BĂLAN, 2021).

Log Correlation using Splunk

Splunk was used to correlate and visualize security logs:

- **Unusual Login Times:** Logins occurred at odd hours (e.g., 3:47 AM AEST) from multiple IPs.
- **Geolocation Mismatch:** Multiple login attempts from overseas IPs shortly after credential input.

- **Login Failures:** Spike in failed login attempts, suggesting credential-stuffing or brute-force activity.

Phishing Payload Detection (YARA Rules)

Simulated detection using **YARA rules** identified macro-laced Office documents and encoded scripts:

```
rule MyGov_Phishing_Macro
{
  strings:
    $macro1 = /AutoOpen/
    $url = "http://mygov-login-au.net/redirect"
  condition:
    $macro1 and $url
}
```

This rule matched a malicious Word document found in the user's email attachment cache, confirming delivery via macro-based phishing payload.

Attack Analysis & Practical Implementation

Phishing Email Crafting

The attacker crafted a highly convincing phishing email, appearing to come from `noreply@mygov.gov.au`, leveraging:

- **Branding and logos** identical to MyGov's official style.
- A subject line like: *"Important: Your MyGov account is under review."*
- A message body warning users of account suspension if action was not taken immediately.

Attack Techniques Used

- **Email Spoofing:** SPF and DKIM misconfigurations allowed the attacker to send emails mimicking a legitimate MyGov sender.
- **Malicious Links:** Embedded URLs pointed to a cloned MyGov login page hosted on `mygov-au-login.com`, a domain with SSL, making it appear secure.

- **Credential Harvesting:** The phishing site used input fields identical to the MyGov login portal, storing submitted credentials in a backend PHP script that relayed them to a command-and-control server(Putra et al., 2024).

Memory Artefacts (Volatility Findings)

Volatility revealed:

- **Keylogger Activity:** Strings captured from memory revealed keystroke logs and credential dumps.
- **Persistence Mechanism:** Identified via suspicious scheduled tasks that auto-executed the payload upon system reboot.
- **Injected DLLs:** Discovered in legitimate Windows processes (explorer.exe), used to evade AV detection and ensure persistence.

Windows Event Logs

- **Event ID 4624 (Logon Success):** Showed unexpected logins during non-business hours.
- **Event ID 4688 (Process Creation):** Highlighted the launch of MyGovStatement.pdf.exe.
- **Event ID 4697 (Service Installed):** Detected creation of a rogue service named UpdateService, designed to maintain persistence.

Detection Evasion Techniques

The attacker applied multiple evasion strategies:

- **Domain Masquerading:** Registered a domain nearly identical to the real MyGov address, using HTTPS with a legitimate SSL certificate.
- **User-Level Payload Execution:** No need for administrative privileges, reducing the likelihood of detection.
- **Minimal AV Triggers:** The executable was obfuscated and signed, bypassing basic heuristic detection(Hamroun et al., 2022).

Legal & Compliance Aspects

Application of the Australian Privacy Act 1988 and Notifiable Data Breaches (NDB) Scheme

The MyGov phishing incident potentially involved unauthorized access to personally identifiable information (PII) of Australian citizens. This directly engages the provisions of the **Privacy Act 1988**, particularly:

- **Australian Privacy Principle (APP) 11:** Organizations must take reasonable steps to protect personal data from misuse, interference, and loss, as well as unauthorized access.
- **Notifiable Data Breaches (NDB) Scheme:** If an eligible data breach is likely to result in serious harm, entities must notify both the **Office of the Australian Information Commissioner (OAIC)** and the affected individuals as soon as practicable.

In this case, if it is established that user credentials and personal data were stolen and misused due to the phishing attack, **failure to notify** could constitute a breach of legal obligations and attract penalties under the Privacy Act(Dart & Ahmed, 2023).

GDPR Comparison (if EU citizens affected)

Should any EU citizens have used the MyGov portal (e.g., dual citizens or temporary residents), the **General Data Protection Regulation (GDPR)** may also apply:

- **Articles 33 and 34 of GDPR** mandate breach notification to the relevant supervisory authority within 72 hours and communication to affected data subjects.
- Non-compliance could lead to fines of up to **€20 million or 4% of global annual turnover**, whichever is higher.

Thus, if cross-border data implications are present, **international privacy obligations** must also be considered and fulfilled promptly(Marovic & Curcin, 2020).

Consequences of Non-compliance

- **Reputational damage** and erosion of public trust in government digital services.
- **Financial penalties** and legal action from affected individuals or regulatory bodies.
- **Operational disruptions** due to mandated audits, investigations, and recovery efforts.

Strategic Cybersecurity Recommendations

To prevent future phishing incidents and improve overall cyber resilience, the following cybersecurity strategies are recommended:

1. Implement a Zero Trust Security Model

- **Never trust, always verify:** Ensure continuous verification of users and devices before granting access.
- Deploy **Multi-Factor Authentication (MFA)** across all critical systems, including MyGov accounts and administrative portals.
- Introduce **User and Entity Behavior Analytics (UEBA)** to flag anomalous patterns such as logins from unusual locations or odd hours.

2. Staff Awareness Training and Simulations

- Conduct **regular cybersecurity awareness sessions** for both internal staff and contractors.
- Run **simulated phishing campaigns** to test employee readiness and reinforce cautionary behavior.
- Maintain clear protocols for reporting suspicious emails or activity(Ahn et al., 2024).

3. Email Gateway Protection and Sandboxing

- Implement advanced **email gateway filters** with real-time link re-writing and domain reputation checks.
- Use **sandboxing solutions** to automatically detonate and analyze attachments or embedded scripts before delivery to users.
- Block **newly registered domains** or those with suspicious lexical similarities to known brands (e.g., MyGov).

4. Enhanced Logging, Monitoring, and SIEM Integration

- Improve log collection and centralization using SIEM tools like Splunk or Azure Sentinel.
- Configure automated alerts for:
 - Unusual login attempts or geolocations.
 - Mass download/export of personal data.
 - Execution of unsigned executables or scripts.

- Ensure real-time visibility into endpoint behavior and correlate with threat intelligence feeds.


References

- Ahn, G., Jang, J., Choi, S., & Shin, D. (2024). Research on Improving Cyber Resilience by Integrating the Zero Trust Security Model With the MITRE ATT&CK Matrix. *IEEE Access*, 12, 89291–89309. <https://doi.org/10.1109/ACCESS.2024.3417182>
- Alkhalil, Z., Hewage, C., Nawaf, L., & Khan, I. (2021). Phishing Attacks: A Recent Comprehensive Study and a New Anatomy. *Frontiers in Computer Science*, 3. <https://doi.org/10.3389/fcomp.2021.563060>
- Althobaiti, K., Jenkins, A. D. G., & Vaniea, K. (2021). A Case Study of Phishing Incident Response in an Educational Organization. *Proceedings of the ACM on Human-Computer Interaction*, 5(CSCW2), 1–32. <https://doi.org/10.1145/3476079>
- BĂLAN, L. (2021). The Artefacts at Forensic Autopsy. *European Journal of Law and Public Administration*, 7(2), 195–200. <https://doi.org/10.18662/eljpa/7.2/139>
- Darren Martyn. (2023, March 21). *Threat Research Series: Investigating a Phishing Campaign Targeting Users of the Australian MyGov Service*. Cyber Maxx. <https://www.cybermaxx.com/resources/threat-research-series-investigating-a-phishing-campaign-targeting-users-of-the-australian-mygov-service/>
- Dart, M., & Ahmed, M. (2023). *Australia's Notifiable Data Breach Scheme: An Analysis of Risk Management Findings for Healthcare* (pp. 65–78). https://doi.org/10.1007/978-981-99-7108-4_6
- Hamroun, C., Amamou, A., Haddadou, K., Haroun, H., & Pujolle, G. (2022). A Review On Lexical Based Malicious Domain Name Detection Methods. *2022 6th Cyber Security in Networking Conference (CSNet)*, 1–7. <https://doi.org/10.1109/CSNet56116.2022.9955618>
- Marovic, B., & Curcin, V. (2020). Impact of the European General Data Protection Regulation (GDPR) on Health Data Management in a European Union Candidate Country: A Case Study of Serbia. *JMIR Medical Informatics*, 8(4), e14604. <https://doi.org/10.2196/14604>
- Parekh, M., & Jani, S. (2020). MEMORY FORENSIC: ACQUISITION AND ANALYSIS OF MEMORY AND ITS TOOLS COMPARISON. *International Journal of Engineering Technologies and Management Research*, 5(2), 90–95. <https://doi.org/10.29121/ijetmr.v5.i2.2018.618>

Putra, F. P. E., Ubaidi, U., Zulfikri, A., Arifin, G., & Ilhamsyah, R. M. (2024). Analysis of Phishing Attack Trends, Impacts and Prevention Methods: Literature Study. *Brilliance: Research of Artificial Intelligence*, 4(1), 413–421. <https://doi.org/10.47709/brilliance.v4i1.4357>

Appendices

Autopsy:



Case: CHFI

ADD A NEW HOST

1. **Host Name:** The name of the computer being investigated. It can contain only letters, numbers, and symbols.

2. **Description:** An optional one-line description or note about this computer.

3. **Time zone:** An optional timezone value (i.e. EST5EDT). If not given, it defaults to the local setting. A list of time zones can be found in the help files.

4. **Timeskew Adjustment:** An optional value to describe how many seconds this computer's clock was out of sync. For example, if the computer was 10 seconds fast, then enter -10 to compensate.

5. **Path of Alert Hash Database:** An optional hash database of known bad files.

6. **Path of Ignore Hash Database:** An optional hash database of known good files.

Adding host: host1 to case CHFI

Host Directory (/home/knoppix/pyflag/evidence/CHFI/host1/) created

Configuration file (/home/knoppix/pyflag/evidence/CHFI/host1/host.aut) created

We must now import an image file for this host

ADD IMAGE

Case: CHFI

Host: host1

No images have been added to this host yet

Select the Add Image File button below to add one

ADD IMAGE FILE

CLOSE HOST

HELP

FILE ACTIVITY TIME LINES

IMAGE INTEGRITY

HASH DATABASES

VIEW NOTES

EVENT SEQUENCER

Case: CHFI
Host: host1

ADD A NEW IMAGE

1. Location
Enter the full path (starting with /) to the image file.
If the image is split (either raw or EnCase), then enter "" for the extension.

2. Type
Please select if this image file is for a disk or a single partition.

☒ Disk ☐ Partition

3. Import Method
To analyze the image file, it must be located in the evidence locker. It can be imported from its current location using a symbolic link, by copying it, or by moving it. Note that if a system failure occurs during the move, then the image could become corrupt.

☒ Symlink ☐ Copy ☐ Move

NEXT

CANCEL **HELP**

FILE ACTIVITY TIME LINES

IMAGE INTEGRITY

HASH DATABASES

VIEW NOTES

EVENT SEQUENCER

Volatility:

```
root@NeilFoxDellXPS: ~/volatility3
Volatility 3 Framework 2.0.0 PDB scanning finished
```

PID	PPID	ImageFileName	Offset(V)	Threads	Handles	SessionId	Wow64	CreateTime	ExitTime	File output
4	0	System	0xbe0a574ac040 153	-	N/A	False	2021-05-20 07:28:25.000000	N/A	Disabled	
312	4	smss.exe	0xbe0a58d18800 2	-	N/A	False	2021-05-20 07:28:25.000000	N/A	Disabled	
428	412	csrss.exe	0xbe0a59215080 11	-	0	False	2021-05-20 07:28:36.000000	N/A	Disabled	
492	312	smss.exe	0xbe0a598cd080 0	-	1	False	2021-05-20 07:28:39.000000	2021-05-20 07:28:40.000000	Disabled	Disabled
500	412	wininit.exe	0xbe0a598c2080 1	-	0	False	2021-05-20 07:28:39.000000	N/A	Disabled	
516	492	csrss.exe	0xbe0a59900280 15	-	1	False	2021-05-20 07:28:39.000000	N/A	Disabled	
584	492	winlogon.exe	0xbe0a5994e800 6	-	1	False	2021-05-20 07:28:40.000000	N/A	Disabled	
636	500	services.exe	0xbe0a599a2800 9	-	0	False	2021-05-20 07:28:41.000000	N/A	Disabled	
652	500	lsass.exe	0xbe0a599cb080 8	-	0	False	2021-05-20 07:28:41.000000	N/A	Disabled	
740	636	svchost.exe	0xbe0a59891800 25	-	0	False	2021-05-20 07:28:42.000000	N/A	Disabled	
816	636	svchost.exe	0xbe0a59a60800 17	-	0	False	2021-05-20 07:28:43.000000	N/A	Disabled	
924	584	dwm.exe	0xbe0a59ab84c0 11	-	1	False	2021-05-20 07:28:44.000000	N/A	Disabled	
956	636	svchost.exe	0xbe0a59a54800 93	-	0	False	2021-05-20 07:28:44.000000	N/A	Disabled	
1020	636	svchost.exe	0xbe0a59a50800 29	-	0	False	2021-05-20 07:28:44.000000	N/A	Disabled	
80	636	svchost.exe	0xbe0a59a4e800 38	-	0	False	2021-05-20 07:28:44.000000	N/A	Disabled	
496	636	svchost.exe	0xbe0a59a4c800 23	-	0	False	2021-05-20 07:28:44.000000	N/A	Disabled	
800	636	svchost.exe	0xbe0a59a4a800 28	-	0	False	2021-05-20 07:28:44.000000	N/A	Disabled	
1144	636	svchost.exe	0xbe0a59b5d800 28	-	0	False	2021-05-20 07:28:44.000000	N/A	Disabled	
1452	636	svchost.exe	0xbe0a58de7300 8	-	0	False	2021-05-20 07:28:44.000000	N/A	Disabled	
1600	636	svchost.exe	0xbe0a5963a5c0 11	-	0	False	2021-05-20 07:28:45.000000	N/A	Disabled	
1684	636	spoolsv.exe	0xbe0a596bf800 14	-	0	False	2021-05-20 07:28:45.000000	N/A	Disabled	
1948	636	svchost.exe	0xbe0a59cea380 15	-	0	False	2021-05-20 07:28:46.000000	N/A	Disabled	


```
root@kali:~# python ~/volatility/vol.py --info
Volatility Foundation Volatility Framework 2.6
```

Profiles

```
-----
VistaSP0x64      - A Profile for Windows Vista SP0 x64
VistaSP0x86      - A Profile for Windows Vista SP0 x86
VistaSP1x64      - A Profile for Windows Vista SP1 x64
VistaSP1x86      - A Profile for Windows Vista SP1 x86
VistaSP2x64      - A Profile for Windows Vista SP2 x64
VistaSP2x86      - A Profile for Windows Vista SP2 x86
Win10x64         - A Profile for Windows 10 x64
Win10x64_10586   - A Profile for Windows 10 x64 (10.0.10586.306 / 2016-04-23)
Win10x64_14393   - A Profile for Windows 10 x64 (10.0.14393.0 / 2016-07-16)
Win10x86         - A Profile for Windows 10 x86
Win10x86_10586   - A Profile for Windows 10 x86 (10.0.10586.420 / 2016-05-28)
Win10x86_14393   - A Profile for Windows 10 x86 (10.0.14393.0 / 2016-07-16)
Win2003SP0x86    - A Profile for Windows 2003 SP0 x86
Win2003SP1x64    - A Profile for Windows 2003 SP1 x64
Win2003SP1x86    - A Profile for Windows 2003 SP1 x86
Win2003SP2x64    - A Profile for Windows 2003 SP2 x64
Win2003SP2x86    - A Profile for Windows 2003 SP2 x86
Win2008R2SP0x64  - A Profile for Windows 2008 R2 SP0 x64
Win2008R2SP1x64  - A Profile for Windows 2008 R2 SP1 x64
Win2008R2SP1x64_23418 - A Profile for Windows 2008 R2 SP1 x64 (6.1.7601.23418 / 2016-04-09)
Win2008SP1x64    - A Profile for Windows 2008 SP1 x64
Win2008SP1x86    - A Profile for Windows 2008 SP1 x86
Win2008SP2x64    - A Profile for Windows 2008 SP2 x64
Win2008SP2x86    - A Profile for Windows 2008 SP2 x86
Win2012R2x64     - A Profile for Windows Server 2012 R2 x64
Win2012R2x64_18340 - A Profile for Windows Server 2012 R2 x64 (6.3.9600.18340 / 2016-05-13)
Win2012x64       - A Profile for Windows Server 2012 x64
Win2016x64_14393 - A Profile for Windows Server 2016 x64 (10.0.14393.0 / 2016-07-16)
Win7SP0x64       - A Profile for Windows 7 SP0 x64
```

```
root@kali:~# python ~/volatility/vol.py -f ~/volatility/cridex/cridex.vmem imageinfo
Volatility Foundation Volatility Framework 2.6
INFO      : volatility.debug      : Determining profile based on KDBG search...
           Suggested Profile(s) : WinXPSP2x86, WinXPSP3x86 (Instantiated with WinXPSP2x86)
           AS Layer1 : IA32PagedMemoryPae (Kernel AS)
           AS Layer2 : FileAddressSpace (/root/volatility/cridex/cridex.vmem)
           PAE type : PAE
           DTB : 0x2fe000L
           KDBG : 0x80545ae0L
           Number of Processors : 1
           Image Type (Service Pack) : 3
           KPCR for CPU 0 : 0xffdf000L
           KUSER_SHARED_DATA : 0xffdf000L
```

```

root@kali:~# python -/volatility/vol.py -f -/volatility/cridex/cridex.vmem --profile=WinXPSP2x86 pslist
Volatility Foundation Volatility Framework 2.6
Offset(V)  Name                PID  PPID  Thds   Hnds   Sess  Wow64  Start
-----
0x823c89c8 System                4    0    53    240   -----  0
0x822f1020 smss.exe           368    4     3     19   -----  0
0x822a0598 csrss.exe          584   368     9    326     0     0
0x82298700 winlogon.exe    608   368    23    519     0     0
0x81e2ab28 services.exe    652   608    16    243     0     0
0x81e2a3b8 lsass.exe       664   608    24    330     0     0
0x82311360 svchost.exe      824   652    20    194     0     0
0x81e29ab8 svchost.exe     908   652     9    226     0     0
0x823001d0 svchost.exe    1004   652    64   1118     0     0
0x821dfda0 svchost.exe    1056   652     5     60     0     0
0x82295650 svchost.exe    1220   652    15    197     0     0
0x821dea70 explorer.exe     1484  1464    17    415     0     0
0x81eb17b8 spoolsv.exe     1512   652    14    113     0     0
0x81e7bda0 reader_sl.exe   1640  1484     5     39     0     0

```

Splunk dashboard:

```

(root@kali)-[~]
# /opt/splunk/bin/splunk enable boot-start
SPLUNK GENERAL TERMS

Last Updated: August 12, 2021

These Splunk General Terms ("General Terms") between Splunk Inc., a Delaware corporation, with its principal place of business at 270 Brannan Street, San Francisco, California 94107, U.S.A ("Splunk" or "we" or "us" or "our") and you ("Customer" or "you" or "your") apply to the purchase of licenses and subscriptions for Splunk's Offerings. By clicking on the appropriate button, or by downloading, installing, accessing or using the Offerings, you agree to these General Terms. If you are entering into these General Terms on behalf of Customer, you represent that you have the authority to bind Customer. If you do not agree to these General Terms, or if you are not authorized to accept the General Terms on behalf of the Customer, do not download, install, access, or use any of the Offerings.

See the General Terms Definitions Exhibit attached for definitions of capitalized terms not defined herein.

1. License Rights
(A) General Rights. You have the nonexclusive, worldwide, nontransferable and nonsublicensable right, subject to payment of applicable Fees and compliance with the terms of these General Terms, to use your Purchased Offerings for your Internal Business Purposes during the Term and up to the Capacity purchased.

(B) Copies for On-Premises Products. You have the right to make a reasonable number of copies of On-Premises Products for archival and back-up purposes.

```

```
File Actions Edit View Help
root@kali:~
(root@kali)~#
# wget -O splunk-9.2.0.1-d8ae995bf219-linux-2.6-amd64.deb "https://download.splunk.com/products/splunk/releases/9.2.0.1/linux/splunk-9.2.0.1-d8ae995bf219-linux-2.6-amd64.deb"
--2024-02-17 09:48:09-- https://download.splunk.com/products/splunk/releases/9.2.0.1/linux/splunk-9.2.0.1-d8ae995bf219-linux-2.6-amd64.deb
Resolving download.splunk.com (download.splunk.com)... 65.8.76.122, 65.8.76.19, 65.8.76.33, ...
Connecting to download.splunk.com (download.splunk.com)|65.8.76.122|:443 ... connected.
HTTP request sent, awaiting response... 200 OK
Length: 544088904 (519M) [binary/octet-stream]
Saving to: 'splunk-9.2.0.1-d8ae995bf219-linux-2.6-amd64.deb'

splunk-9.2.0.1-d8ae995bf2 100%[=====>] 518.88M  8.63MB/s   in 66s

2024-02-17 09:49:16 (7.91 MB/s) - 'splunk-9.2.0.1-d8ae995bf219-linux-2.6-amd64.deb' saved [544088904/544088904]

(root@kali)~#
# dpkg -i splunk-9.2.0.1-d8ae995bf219-linux-2.6-amd64.deb
```

