


SQL ASSIGNMENT-2

Section A: Basic SELECT Statements

Q1. Write a query to display all information about pizzas.

```
SELECT * FROM pizzas;
```



The screenshot shows a database interface with a 'Result Grid' tab. The grid displays all columns for the 'pizzas' table. The columns are: pizza_id, pizza_name, size, crust_type, price, calories, category, and is_vegetarian. The data is as follows:

pizza_id	pizza_name	size	crust_type	price	calories	category	is_vegetarian
1	Margherita	Medium	Thin Crust	12.99	280	Classic	1
2	Pepperoni Supreme	Large	Hand Tossed	18.99	350	Meat	0
3	Hawaiian Paradise	Medium	Stuffed Crust	15.99	320	Specialty	0
4	Veggie Delight	Small	Thin Crust	10.99	220	Vegetarian	1
5	Meat Lovers	Extra Large	Thick Crust	22.99	450	Meat	0
6	BBQ Chicken	Large	Hand Tossed	19.99	380	Specialty	0
7	Mushroom Magic	Medium	Thin Crust	13.99	260	Vegetarian	1
8	Spicy Italian	Large	Stuffed Crust	20.99	400	Specialty	0
9	Four Cheese	Small	Hand Tossed	11.99	310	Classic	1
10	Buffalo Chicken	Medium	Thick Crust	16.99	340	Specialty	0
11	Garden Fresh	Large	Thin Crust	17.99	290	Vegetarian	1
12	Supreme Deluxe	Extra Large	Hand Tossed	24.99	420	Specialty	0
NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL

Q2. Display only the pizza_name, size, and price from the pizzas table.

```
SELECT pizza_name, size, price FROM pizzas;
```



The screenshot shows a database interface with a 'Result Grid' tab. The grid displays only the columns specified in the query: pizza_name, size, and price. The data is as follows:

pizza_name	size	price
Margherita	Medium	12.99
Pepperoni Supreme	Large	18.99
Hawaiian Paradise	Medium	15.99
Veggie Delight	Small	10.99
Meat Lovers	Extra Large	22.99
BBQ Chicken	Large	19.99
Mushroom Magic	Medium	13.99
Spicy Italian	Large	20.99
Four Cheese	Small	11.99
Buffalo Chicken	Medium	16.99
Garden Fresh	Large	17.99
Supreme Deluxe	Extra Large	24.99

Q3. Show all customer information from the customer's table.

```
SELECT * FROM customers;
```

Result Grid									
Filter Rows:									
	customer_id	first_name	last_name	phone	email	city	join_date	loyalty_points	status
▶	201	Tony	Soprano	555-0101	tony.soprano@email.com	Newark	2023-01-15	450	VIP
	202	Maria	Rossi	555-0102	maria.rossi@email.com	Brooklyn	2023-02-20	280	Regular
	203	Giuseppe	Bianchi	555-0103	giuseppe.b@email.com	Manhattan	2022-11-10	750	Gold
	204	Isabella	Ferrari	555-0104	isabella.f@email.com	Queens	2023-03-05	120	Regular
	205	Marco	Lombardi	555-0105	marco.lombardi@email.com	Bronx	2022-08-18	890	Gold
	206	Sofia	Romano	555-0106	sofia.romano@email.com	Brooklyn	2023-04-12	65	Regular
	207	Antonio	Conti	555-0107	antonio.conti@email.com	Staten Island	2022-12-03	340	VIP
	208	Francesca	Moretti	555-0108	francesca.m@email.com	Manhattan	2023-01-28	180	Regular
	209	Luca	Esposito	555-0109	luca.esposito@email.com	Queens	2022-09-15	520	VIP
	210	Giulia	Ricci	555-0110	giulia.ricci@email.com	Bronx	2023-05-22	15	Inactive
		NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL

Q4. Display only the first_name, last_name, and city of all customers

SELECT first_name, last_name, city FROM customers;

Result Grid			
Filter Rows:			
	first_name	last_name	city
▶	Tony	Soprano	Newark
	Maria	Rossi	Brooklyn
	Giuseppe	Bianchi	Manhattan
	Isabella	Ferrari	Queens
	Marco	Lombardi	Bronx
	Sofia	Romano	Brooklyn
	Antonio	Conti	Staten Island
	Francesca	Moretti	Manhattan
	Luca	Esposito	Queens
	Giulia	Ricci	Bronx

Section B: WHERE Clause

Q5. Find all pizzas that are 'Large' size.

SELECT * FROM pizzas

WHERE size="Large";

	pizza_id	pizza_name	size	crust_type	price	calories	category	is_vegetarian
▶	2	Pepperoni Supreme	Large	Hand Tossed	18.99	350	Meat	0
	6	BBQ Chicken	Large	Hand Tossed	19.99	380	Specialty	0
	8	Spicy Italian	Large	Stuffed Crust	20.99	400	Specialty	0
	11	Garden Fresh	Large	Thin Crust	17.99	290	Vegetarian	1
*	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL

Q6. Display all customers from 'Brooklyn'.

SELECT * FROM customers

WHERE city="Brooklyn";

	customer_id	first_name	last_name	phone	email	city	join_date	loyalty_points	status
▶	202	Maria	Rossi	555-0102	maria.rossi@email.com	Brooklyn	2023-02-20	280	Regular
	206	Sofia	Romano	555-0106	sofia.romano@email.com	Brooklyn	2023-04-12	65	Regular
*	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL

Q7. Show all orders with total_amount greater than \$40.

SELECT * FROM orders

WHERE total_amount>40;

	order_id	customer_id	order_date	delivery_time	total_amount	delivery_type	order_status	special_instructions
▶	301	201	2024-01-15	18:30:00	45.97	Delivery	Delivered	Extra cheese on all pizzas
	303	203	2024-01-16	19:45:00	67.95	Dine-in	Delivered	NULL
	307	207	2024-01-18	19:00:00	41.97	Dine-in	Cancelled	Table for 4
	309	209	2024-01-19	21:30:00	52.96	Delivery	Delivered	Ring doorbell twice
*	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL

Q8. Find all vegetarian pizzas (is_vegetarian = TRUE).

SELECT * FROM pizzas

WHERE is_vegetarian=1;

127 WHERE order_date="2024-01-17";

128

129 #Q11

Result Grid

	pizza_id	pizza_name	size	crust_type	price	calories	category	is_vegetarian
▶	1	Margherita	Medium	Thin Crust	12.99	280	Classic	1
	4	Veggie Delight	Small	Thin Crust	10.99	220	Vegetarian	1
	7	Mushroom Magic	Medium	Thin Crust	13.99	260	Vegetarian	1
	9	Four Cheese	Small	Hand Tossed	11.99	310	Classic	1
	11	Garden Fresh	Large	Thin Crust	17.99	290	Vegetarian	1
*	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL

Q9. Display all customers with 'VIP' status.

SELECT * FROM customers

WHERE status="VIP";

128

129 #Q11

Result Grid

	customer_id	first_name	last_name	phone	email	city	join_date	loyalty_points	status
▶	201	Tony	Soprano	555-0101	tony.soprano@email.com	Newark	2023-01-15	450	VIP
	207	Antonio	Conti	555-0107	antonio.conti@email.com	Staten Island	2022-12-03	340	VIP
	209	Luca	Esposito	555-0109	luca.esposito@email.com	Queens	2022-09-15	520	VIP
*	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL

Q10. Show all orders placed on '2024-01-17'

SELECT * FROM orders

WHERE order_date="2024-01-17";

Result Grid

	order_id	customer_id	order_date	delivery_time	total_amount	delivery_type	order_status	special_instructions
▶	304	204	2024-01-17	20:00:00	32.99	Delivery	Preparing	Call before delivery
	305	205	2024-01-17	13:30:00	18.99	Pickup	Ready	Extra spicy
*	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL

Section C: LIKE Operator

Q11. Find all pizzas whose name starts with 'M'.


```
SELECT * FROM pizzas
WHERE pizza_name LIKE "M%";
```

	pizza_id	pizza_name	size	crust_type	price	calories	category	is_vegetarian
▶	1	Margherita	Medium	Thin Crust	12.99	280	Classic	1
	5	Meat Lovers	Extra Large	Thick Crust	22.99	450	Meat	0
	7	Mushroom Magic	Medium	Thin Crust	13.99	260	Vegetarian	1
•	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL

Q12. Display all customers whose first name ends with 'a'.

```
SELECT * FROM customers
WHERE first_name LIKE "%a";
```

	customer_id	first_name	last_name	phone	email	city	join_date	loyalty_points	status
▶	202	Maria	Rossi	555-0102	maria.rossi@email.com	Brooklyn	2023-02-20	280	Regular
	204	Isabella	Ferrari	555-0104	isabella.f@email.com	Queens	2023-03-05	120	Regular
	206	Sofia	Romano	555-0106	sofia.romano@email.com	Brooklyn	2023-04-12	65	Regular
	208	Francesca	Moretti	555-0108	francesca.m@email.com	Manhattan	2023-01-28	180	Regular
	209	Luca	Esposito	555-0109	luca.esposito@email.com	Queens	2022-09-15	520	VIP
	210	Giulia	Ricci	555-0110	giulia.ricci@email.com	Bronx	2023-05-22	15	Inactive
•	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL

Q13. Show all pizzas that contain the word 'Chicken' in their name.

```
SELECT * FROM pizzas
WHERE pizza_name LIKE "%Chicken%";
```

	pizza_id	pizza_name	size	crust_type	price	calories	category	is_vegetarian
▶	6	BBQ Chicken	Large	Hand Tossed	19.99	380	Specialty	0
	10	Buffalo Chicken	Medium	Thick Crust	16.99	340	Specialty	0
•	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL

Q14. Find all customers whose email contains 'gmail' (Note: modify some emails if needed for practice).


```
SELECT * FROM customers
WHERE email LIKE "%gmail%";
```

	customer_id	first_name	last_name	phone	email	city	join_date	loyalty_points	status
•	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL

Q15. Display all pizzas whose name contains 'Supreme'.

```
SELECT * FROM pizzas
```

WHERE pizza_name LIKE "%Supreme%";



The screenshot shows a database interface with a 'Result Grid' tab. The grid displays the results of a query filtering pizzas by name. The columns are: pizza_id, pizza_name, size, crust_type, price, calories, category, and is_vegetarian. Two rows are visible: one for 'Pepperoni Supreme' (pizza_id 2) and one for 'Supreme Deluxe' (pizza_id 12). Both rows show a price of 18.99 and 24.99 respectively, and are categorized as 'Meat' and 'Specialty' respectively. The 'is_vegetarian' column shows 0 for both.


	pizza_id	pizza_name	size	crust_type	price	calories	category	is_vegetarian
▶	2	Pepperoni Supreme	Large	Hand Tossed	18.99	350	Meat	0
	12	Supreme Deluxe	Extra Large	Hand Tossed	24.99	420	Specialty	0
*	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL

Section D: Comparison Operators

Q16. Find all pizzas with price between \$15 and \$20.

SELECT * FROM pizzas

WHERE price BETWEEN 15 AND 20;




The screenshot shows a database interface with a 'Result Grid' tab. The grid displays the results of a query filtering pizzas by price. The columns are: pizza_id, pizza_name, size, crust_type, price, calories, category, and is_vegetarian. Five rows are visible: 'Pepperoni Supreme' (pizza_id 2), 'Hawaiian Paradise' (pizza_id 3), 'BBQ Chicken' (pizza_id 6), 'Buffalo Chicken' (pizza_id 10), and 'Garden Fresh' (pizza_id 11). The prices are 18.99, 15.99, 19.99, 16.99, and 17.99 respectively. The 'is_vegetarian' column shows 0 for the first four and 1 for the last one.

	pizza_id	pizza_name	size	crust_type	price	calories	category	is_vegetarian
▶	2	Pepperoni Supreme	Large	Hand Tossed	18.99	350	Meat	0
	3	Hawaiian Paradise	Medium	Stuffed Crust	15.99	320	Specialty	0
	6	BBQ Chicken	Large	Hand Tossed	19.99	380	Specialty	0
	10	Buffalo Chicken	Medium	Thick Crust	16.99	340	Specialty	0
	11	Garden Fresh	Large	Thin Crust	17.99	290	Vegetarian	1
*	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL

Q17. Display customers with loyalty points greater than or equal to 500.

SELECT * FROM customers

WHERE loyalty_points >= 500;



The screenshot shows a database interface with a 'Result Grid' tab. The grid displays the results of a query filtering customers by loyalty points. The columns are: customer_id, first_name, last_name, phone, email, city, join_date, loyalty_points, and status. Three rows are visible: 'Giuseppe Bianchi' (customer_id 203), 'Marco Lombardi' (customer_id 205), and 'Luca Esposito' (customer_id 209). Their loyalty points are 750, 890, and 520 respectively. The status column shows 'Gold', 'Gold', and 'VIP' respectively.

	customer_id	first_name	last_name	phone	email	city	join_date	loyalty_points	status
▶	203	Giuseppe	Bianchi	555-0103	giuseppe.b@email.com	Manhattan	2022-11-10	750	Gold
	205	Marco	Lombardi	555-0105	marco.lombardi@email.com	Bronx	2022-08-18	890	Gold
	209	Luca	Esposito	555-0109	luca.esposito@email.com	Queens	2022-09-15	520	VIP
*	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL

Q18. Show all pizzas with calories less than 300.

SELECT * FROM pizzas

WHERE calories < 300;

165 • SELECT * FROM pizzas

	pizza_id	pizza_name	size	crust_type	price	calories	category	is_vegetarian
▶	1	Margherita	Medium	Thin Crust	12.99	280	Classic	1
	4	Veggie Delight	Small	Thin Crust	10.99	220	Vegetarian	1
	7	Mushroom Magic	Medium	Thin Crust	13.99	260	Vegetarian	1
	11	Garden Fresh	Large	Thin Crust	17.99	290	Vegetarian	1
*	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL

Q19. Find orders with total_amount less than or equal to \$25.

```
SELECT * FROM orders
WHERE total_amount <= 25;
```

	order_id	customer_id	order_date	delivery_time	total_amount	delivery_type	order_status	special_instructions
▶	302	202	2024-01-16	12:15:00	23.98	Pickup	Ready	No onions please
	305	205	2024-01-17	13:30:00	18.99	Pickup	Ready	Extra spicy
	308	208	2024-01-19	14:45:00	15.99	Pickup	Delivered	Light sauce
	310	210	2024-01-20	16:20:00	12.99	Pickup	Pending	NULL
*	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL

Q20. Display all customers who joined before '2023-01-01'

```
SELECT * FROM customers
WHERE join_date < "2023-01-01";
```

165 • SELECT * FROM pizzas

	customer_id	first_name	last_name	phone	email	city	join_date	loyalty_points	status
▶	203	Giuseppe	Bianchi	555-0103	giuseppe.b@email.com	Manhattan	2022-11-10	750	Gold
	205	Marco	Lombardi	555-0105	marco.lombardi@email.com	Bronx	2022-08-18	890	Gold
	207	Antonio	Conti	555-0107	antonio.conti@email.com	Staten Island	2022-12-03	340	VIP
	209	Luca	Esposito	555-0109	luca.esposito@email.com	Queens	2022-09-15	520	VIP
*	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL

Section E: ORDER BY

Q21. Display all pizzas ordered by price in descending order

```
SELECT * FROM pizzas
ORDER BY price DESC;
```

103 ORDER BY loyalty_points DESC;
186

	pizza_id	pizza_name	size	crust_type	price	calories	category	is_vegetarian
	5	Meat Lovers	Extra Large	Thick Crust	22.99	450	Meat	0
	8	Spicy Italian	Large	Stuffed Crust	20.99	400	Specialty	0
	6	BBQ Chicken	Large	Hand Tossed	19.99	380	Specialty	0
	2	Pepperoni Supreme	Large	Hand Tossed	18.99	350	Meat	0
	11	Garden Fresh	Large	Thin Crust	17.99	290	Vegetarian	1
	10	Buffalo Chicken	Medium	Thick Crust	16.99	340	Specialty	0
	3	Hawaiian Paradise	Medium	Stuffed Crust	15.99	320	Specialty	0
	7	Mushroom Magic	Medium	Thin Crust	13.99	260	Vegetarian	1

Q22:Show all customers ordered by their loyalty points (highest first).

#Q22

SELECT * FROM customers

ORDER BY loyalty_points DESC;

	customer_id	first_name	last_name	phone	email	city	join_date	loyalty_points	status
▶	205	Marco	Lombardi	555-0105	marco.lombardi@email.com	Bronx	2022-08-18	890	Gold
	203	Giuseppe	Bianchi	555-0103	giuseppe.b@email.com	Manhattan	2022-11-10	750	Gold
	209	Luca	Esposito	555-0109	luca.esposito@email.com	Queens	2022-09-15	520	VIP
	201	Tony	Soprano	555-0101	tony.soprano@email.com	Newark	2023-01-15	450	VIP
	207	Antonio	Conti	555-0107	antonio.conti@email.com	Staten Island	2022-12-03	340	VIP
	202	Maria	Rossi	555-0102	maria.rossi@email.com	Brooklyn	2023-02-20	280	Regular
	208	Francesca	Moretti	555-0108	francesca.m@email.com	Manhattan	2023-01-28	180	Regular
	204	Isabella	Ferrari	555-0104	isabella.f@email.com	Queens	2023-03-05	120	Regular
	206	Sofia	Romano	555-0106	sofia.romano@email.com	Brooklyn	2023-04-12	65	Regular

pizzas 17 customers 18 pizzas 19 orders 20 customers 21 pizzas 22 customers 23 x pizzas 24

q23:Display pizzas ordered by calories in ascending order.

SELECT * FROM pizzas

ORDER BY calories;

	pizza_id	pizza_name	size	crust_type	price	calories	category	is_vegetarian
▶	4	Veggie Delight	Small	Thin Crust	10.99	220	Vegetarian	1
	7	Mushroom Magic	Medium	Thin Crust	13.99	260	Vegetarian	1
	1	Margherita	Medium	Thin Crust	12.99	280	Classic	1
	11	Garden Fresh	Large	Thin Crust	17.99	290	Vegetarian	1
	9	Four Cheese	Small	Hand Tossed	11.99	310	Classic	1
	3	Hawaiian Paradise	Medium	Stuffed Crust	15.99	320	Specialty	0
	10	Buffalo Chicken	Medium	Thick Crust	16.99	340	Specialty	0
	2	Pepperoni Supreme	Large	Hand Tossed	18.99	350	Meat	0
	6	BBQ Chicken	Large	Hand Tossed	19.99	380	Specialty	0

Q24. Show customers ordered by city name alphabetically, then by last Name.

```
SELECT * FROM customers
ORDER BY city, last_name;
```

customer_id	first_name	last_name	phone	email	city	join_date	loyalty_points	status
205	Marco	Lombardi	555-0105	marco.lombardi@email.com	Bronx	2022-08-18	890	Gold
210	Giulia	Ricci	555-0110	giulia.ricci@email.com	Bronx	2023-05-22	15	Inactive
206	Sofia	Romano	555-0106	sofia.romano@email.com	Brooklyn	2023-04-12	65	Regular
202	Maria	Rossi	555-0102	maria.rossi@email.com	Brooklyn	2023-02-20	280	Regular
203	Giuseppe	Bianchi	555-0103	giuseppe.b@email.com	Manhattan	2022-11-10	750	Gold
208	Francesca	Moretti	555-0108	francesca.m@email.com	Manhattan	2023-01-28	180	Regular
201	Tony	Soprano	555-0101	tony.soprano@email.com	Newark	2023-01-15	450	VIP
209	Luca	Esposito	555-0109	luca.esposito@email.com	Queens	2022-09-15	520	VIP
204	Isabella	Ferrari	555-0104	isabella.f@email.com	Queens	2023-03-05	120	Regular

Q25. Display orders ordered by order_date (newest first), then by total_amount (highest first).

#Q25

```
SELECT * FROM orders
ORDER BY order_date, total_amount DESC;
```

order_id	customer_id	order_date	delivery_time	total_amount	delivery_type	order_status	special_instructions
301	201	2024-01-15	18:30:00	45.97	Delivery	Delivered	Extra cheese on all pizzas
303	203	2024-01-16	19:45:00	67.95	Dine-in	Delivered	NULL
302	202	2024-01-16	12:15:00	23.98	Pickup	Ready	No onions please
304	204	2024-01-17	20:00:00	32.99	Delivery	Preparing	Call before delivery
305	205	2024-01-17	13:30:00	18.99	Pickup	Ready	Extra spicy
307	207	2024-01-18	19:00:00	41.97	Dine-in	Cancelled	Table for 4
306	206	2024-01-18	17:15:00	28.98	Delivery	Delivered	NULL
309	209	2024-01-19	21:30:00	52.96	Delivery	Delivered	Ring doorbell twice

Section F: LIMIT and OFFSET

Q26. Show the top 3 most expensive pizzas.

```
SELECT price, pizza_name FROM pizzas
ORDER BY price DESC
LIMIT 3;
```

	price	pizza_name
▶	24.99	Supreme Deluxe
	22.99	Meat Lovers
	20.99	Spicy Italian

Q27. Display the 5 customers with the most loyalty points.

```
SELECT first_name, last_name FROM customers
ORDER BY loyalty_points DESC
LIMIT 5;
```

Result Grid			 Filter Rows:
	first_name	last_name	
▶	Marco	Lombardi	
	Giuseppe	Bianchi	
	Luca	Esposito	
	Tony	Soprano	
	Antonio	Conti	

Q28. Show pizzas ranked 4-6 when ordered by price (use OFFSET).

```
SELECT price, pizza_name FROM pizzas
ORDER BY price DESC
LIMIT 3
OFFSET 3;
```

Result Grid

Filter Rows:

	price	pizza_name
▶	19.99	BBQ Chicken
	18.99	Pepperoni Supreme
	17.99	Garden Fresh

Q29. Display the 3 most recent orders.

```
SELECT * FROM orders
ORDER BY order_date DESC
limit 3;
```

order_id	customer_id	order_date	delivery_time	total_amount	delivery_type	order_status	special_instructions
310	210	2024-01-20	16:20:00	12.99	Pickup	Pending	
308	208	2024-01-19	14:45:00	15.99	Pickup	Delivered	Light sauce
309	209	2024-01-19	21:30:00	52.96	Delivery	Delivered	Ring doorbell twice

Q30. Show customers 3-5 when ordered by join date

```
SELECT * FROM customers
ORDER BY join_date
LIMIT 3
OFFSET 2;
```

customer_id	first_name	last_name	phone	email	city	join_date	loyalty_points	status
203	Giuseppe	Bianchi	555-0103	giuseppe.b@email.com	Manhattan	2022-11-10	750	Gold
207	Antonio	Conti	555-0107	antonio.conti@email.com	Staten Island	2022-12-03	340	VIP
201	Tony	Soprano	555-0101	tony.soprano@email.com	Newark	2023-01-15	450	VIP

Section G: Aliases


Q31. Display pizza information with aliases: pizza_name as 'Pizza', size as 'Size', price as 'Cost'.

```
SELECT pizza_name AS Pizza, size AS Size, price AS Cost FROM
pizzas;
```

Pizza	Size	Cost
Margherita	Medium	12.99
Pepperoni Supreme	Large	18.99
Hawaiian Paradise	Medium	15.99
Veggie Delight	Small	10.99
Meat Lovers	Extra Large	22.99

Q32. Show customer names with aliases: first_name as 'First Name', last_name as 'Last Name', loyalty_points as 'Points'.

```
SELECT first_name AS 'FIRST NAME', last_name AS 'Last Name', loyalty_points AS Points
FROM customers;
```



The screenshot shows a 'Result Grid' with columns: FIRST NAME, Last Name, and Points. The data rows are:


FIRST NAME	Last Name	Points
Tony	Soprano	450
Maria	Rossi	280
Giuseppe	Bianchi	750
Isabella	Ferrari	120

Q33. Create a query showing customer's full name (concatenated) as 'Full Name' and their status as 'Membership Level'.

```
SELECT first_name+last_name AS 'Full Name', status FROM customers;
```


Q34. Display order information with aliases: order_id as 'Order #', total_amount as 'Total (\$)', delivery_type as 'Service Type'.

```
SELECT order_id AS 'Order #', total_amount as 'Total ($)', delivery_type as 'Service Type' FROM orders;
```



The screenshot shows a 'Result Grid' with columns: Full Name and status. The data rows are:

Full Name	status
0	VIP
0	Regular
0	Gold
0	Regular



The screenshot shows a 'Result Grid' with columns: Order #, Total (\$), and Service Type. The data rows are:

Order #	Total (\$)	Service Type
301	45.97	Delivery
302	23.98	Pickup
303	67.95	Dine-in
304	32.99	Delivery

Section H: Combined Operations

Q35. Find the top 3 most expensive vegetarian pizzas.

```
SELECT price, pizza_name FROM pizzas
WHERE is_vegetarian=1
ORDER BY price DESC
LIMIT 3;
```




The screenshot shows a 'Result Grid' with two columns: 'price' and 'pizza_name'. The results are ordered by price in descending order. The first row is 'Garden Fresh' at 17.99, the second is 'Mushroom Magic' at 13.99, and the third is 'Margherita' at 12.99.

price	pizza_name
17.99	Garden Fresh
13.99	Mushroom Magic
12.99	Margherita

Q36. Display the first 5 VIP customers ordered by loyalty points (highest first).

```
SELECT first_name, last_name FROM customers
ORDER BY loyalty_points DESC
LIMIT 5;
```




The screenshot shows a 'Result Grid' with two columns: 'first_name' and 'last_name'. The results are ordered by loyalty points in descending order. The first row is 'Marco Lombardi', the second is 'Giuseppe Bianchi', the third is 'Luca Esposito', the fourth is 'Tony Soprano', and the fifth is 'Antonio Conti'.

first_name	last_name
Marco	Lombardi
Giuseppe	Bianchi
Luca	Esposito
Tony	Soprano
Antonio	Conti

Q37. Show Large pizzas under \$20, ordered by calories, limit to 3 results.

```
SELECT pizza_name FROM pizzas
WHERE size="Large" AND price<20.00
ORDER BY calories
LIMIT 3;
```



The screenshot shows a 'Result Grid' with one column: 'pizza_name'. The results are ordered by calories. The first row is 'Garden Fresh', the second is 'Pepperoni Supreme', and the third is 'BBO Chicken'.

pizza_name
Garden Fresh
Pepperoni Supreme
BBO Chicken

Q38. Find customers from Brooklyn or Queens with more than 200 loyalty points, ordered by points.

```
SELECT first_name, last_name FROM customers
WHERE (city="Brooklyn" OR city="Queens") AND loyalty_points>200
ORDER BY loyalty_points;
```



The screenshot shows a database interface with a 'Result Grid' tab. It displays a table with two columns: 'first_name' and 'last_name'. There are two rows of data: 'Maria Rossi' and 'Luca Esposito'. The second row is highlighted. To the left of the table is a vertical sidebar with icons for 'In' and 'Fo'. Above the table, there are icons for a grid, a refresh, and a 'Filter Rows' input field.

	first_name	last_name
▶	Maria	Rossi
	Luca	Esposito

Q39. Display the 2nd and 3rd cheapest pizzas in the 'Specialty' category.

```
SELECT pizza_name FROM pizzas
WHERE category="Specialty"
ORDER BY price
LIMIT 2
OFFSET 1;
```



The screenshot shows a database interface with a 'Result Grid' tab. It displays a table with one column: 'pizza_name'. There are two rows of data: 'Buffalo Chicken' and 'BBQ Chicken'. The second row is highlighted. To the left of the table is a vertical sidebar with icons for 'In' and 'Fo'. Above the table, there are icons for a grid, a refresh, and a 'Filter Rows' input field.

	pizza_name
▶	Buffalo Chicken
	BBQ Chicken

Q40. Show orders from January 17-19, 2024, with delivery type 'Delivery', ordered by total amount.

```
SELECT * FROM orders
WHERE order_date BETWEEN "2024-01-17" AND "2024-01-19"
AND delivery_type="Delivery"
ORDER BY total_amount;
```

Result Grid								
Filter Rows:								
Edit:								
Export/Import:								
Wrap Cell Content:								
	order_id	customer_id	order_date	delivery_time	total_amount	delivery_type	order_status	special_instructions
▶	306	206	2024-01-18	17:15:00	28.98	Delivery	Delivered	NULL
	304	204	2024-01-17	20:00:00	32.99	Delivery	Preparing	Call before delivery
	309	209	2024-01-19	21:30:00	52.96	Delivery	Delivered	Ring doorbell twice