1. TPT pharmacokinetics










2. Calcitriol
Calcitriol amount (treated)
Kidney
Blood
Liver
Gut
mg
0.0005
0.0004
0.0003
0.0002
0.0001
0.0000
0
200
400
600
800
1000
1200
1400
Time (min)
Blood calcitriol
treated
control
basal level
pg/mL
60
50
40
30
20
0
200
400
600
800
1000
1200
1400
Time (min)
Calcitriol effect on gut absorption (1 = basal)
treated
control
Multiplier (k)
2.0
1.8
1.6
1.4
1.2
1.0
0
200
400
600
800
1000
1200
1400
Time (min)

3. Calcium (daily dosing; bone panel shows all days)










4. Bone repair vs resorption (day 1; net bone Ca over all days)
ALP rise driven by elevated blood Ca (max 78%)
ALP increase (%)
blood Ca rise
ALP increase vs baseline (%)
Blood Ca rise (mg/dL)
Time (h)
Bone calcium fluxes
formation (repair), treated
formation, control
release (resorption), treated
release, control
mg Ca per hour
Time (h)
Running totals of TPT effect on bone (treated - control)
extra formation (repair)
extra release (resorption), shown negative
net change in bone Ca
mg
Time (h)
Net bone calcium change (treated - control)
mg
Time (h)