GroundCheck QE

Free Offline Lab | Setup and User Manual | Windows | 11 October 2026

What it does: GroundCheck QE checks saved AI answers against rules you choose. It shows possible evidence problems and compares new results with an earlier reference.

A simple example

Your refund policy says: "Refunds are available within 30 days of purchase." An AI answer says: "Refunds are available within 90 days of purchase." You add a rule that the answer must contain "30 days". The app marks that rule as FAIL and flags 90 because that number is missing from the policy. If the earlier answer passed, the new failure is called a regression.

When can you use it?

1. Check sample chatbot answers about refund policies, opening hours, products or frequently asked questions.

2. Compare saved answers from different AI or prompt versions using the same questions, source information and rules.

3. Show your testing skills in a Generative AI Quality Engineering portfolio: test design, evidence review, reference results and reports.

What this version does not do

This is a local offline prototype. It does not generate AI answers or send prompts to a model. You paste or import answers that already exist. It does not need an AWS account, an API key, a subscription or a paid model call.

PASS means the answer passed your text rules. It does not prove that the answer is fully correct, safe or free of invented facts. The evidence checks use text matching; a person still needs to review meaning and accuracy.

How to use this guide

Page 2: set up on another computer. Page 3: create your first test. Page 4: compare results. Page 5: understand and export reports. Page 6: optional command-line use. Page 7: solve common problems and check the setup.

1. Set up on another PC

Recommended method: use the browser app. No Command Prompt or installation is needed.

What you need

A Windows computer, Chrome or Microsoft Edge, and GroundCheck-QE-Offline.zip. If the browser is already installed, the app can work without internet. Browser mode does not require Node.js, Python, Git, Docker, AWS or administrator access.

1. Copy the ZIP to the other computer using a USB drive or your preferred file-transfer method. The supplied ZIP contains sample data, not your personal datasets or reports.

2. In File Explorer, right-click the ZIP and choose **Extract All...**. Choose a normal folder where you can save files, such as a folder inside Documents. Do not open the app from inside the ZIP.

3. Open the extracted **GroundCheck-QE-Offline** folder. Check that index.html, app.js, engine.js, editor.js and style.css are together.

4. Double-click **index.html**. If it opens in a text editor, right-click it and choose Open with, then Chrome or Microsoft Edge.

5. Look for the GroundCheck QE title, Load demo button, test-case editor and results. The default demo has two cases: one passes and one fails.

6. Click Load demo, then Run checks. You should see both result cards and the summary counts. This confirms that the basic page is working on that computer.

Open it on your current computer

```
C:\GenAI-Projects\GenAI-Quality-Engineering\offline-lab
```

Open this folder in File Explorer and double-click index.html. Start-GroundCheck.cmd is an alternative launcher. You do not need to open a terminal for browser mode.

Moving the app

Copy the whole app folder, not only index.html. The browser app loads its scripts and styles from files beside it. It is designed to work from another folder without changing the code.

Cost: the app does not call paid services. Your usual computer and electricity costs still apply. Do not create a cloud account to use this offline version.

2. Create your first test

Use the form editor. You do not need to write JSON by hand.

1. Click New case. To change an existing case, choose its ID from the Select a case list.

2. Enter a unique Case ID, such as **refund-test**. You cannot use the same ID for two cases.

3. In Prompt, enter: "What is the refund period?" This records the question. The app does not send it to an AI model.

4. In Source context, enter: "Refunds are available within 30 days of purchase." This is the information you want the answer to follow.

5. In Saved answer, enter: "Refunds are available within 30 days of purchase." You can paste an existing AI answer or write an example for testing.

6. In Required phrases, enter **30 days**. Put each additional phrase on a separate line. You can enter **guaranteed** under Forbidden phrases if that word should not appear.

7. Leave Check exact expected answer off unless you need a strict match. If you turn it on, enter the complete expected answer. A correct answer written in different words may fail this check.

8. Click Save case and run checks. Read the result card. The checks pass when the required phrase is present, the forbidden phrase is absent and any other rules also pass.

What each field means

Prompt: the recorded question or instruction. **Saved answer:** the response to test. **Source context:** the reference information. **Required phrases:** text that must appear. **Forbidden phrases:** text that must not appear. **Expected answer:** an optional answer for strict comparison.

Save your work before closing the page

Save case updates the data in the current browser session. To keep it on disk, click **Export dataset**. To keep the results as well, click Export JSON report. Refreshing or closing the page clears changes and reference results that you have not exported.

Remove selected case removes it from the current dataset in memory. At least one case must remain. If that ID exists in your earlier reference results, the comparison shows it as a removed case.

3. Compare with a baseline

A baseline is your approved reference. A regression is a test that passed before but fails now.

1. Load your approved saved answers and click Run checks. Review any failures. The app does not decide which answers you should approve.

2. Click **Set current results as baseline**. You can now compare changes during the same browser session.

3. Click **Export JSON report**. Save it with a clear name, such as approved-baseline.json. You can also export the dataset.

4. Change the saved answer for refund-test from 30 days to 90 days. Keep the prompt, source context and required phrase unchanged. Save the case and run the checks.

5. The required 30 days phrase now fails. Because the earlier result passed, the app shows Regression. It also shows the previous saved answer.

6. In a later session, load your current data with Import dataset. Use **Import baseline report** to load approved-baseline.json. Run the checks to compare the two sets of answers.

Comparison labels

Regression: the same test passed before and fails now. **Improved:** it failed before and passes now. **Unchanged:** the overall pass/fail result is the same. The answer itself may still have changed.

Changed test: you changed the prompt, context, expected answer or rule definitions. The app does not treat this as an equivalent before-and-after test. **New case:** the ID was not in the baseline. **Removed case:** the ID is no longer in the current dataset.

Compare prompt versions fairly

To compare saved outputs from different prompt versions, keep the benchmark question, source information and checks stable. Put each version's output in Saved answer. If you change the Prompt field itself, the app marks the case as Changed test. Automatic prompt execution and prompt-version management are not included in this version.

When you import a baseline, the app calculates its checks again from the stored dataset. It does not trust pass/fail values written in the imported report. Supported baseline reports use GroundCheck QE schema version 2.

4. Read and export results

Understand what the checks can tell you, and where human review is still needed.

PASS and FAIL

The app checks that the answer is not empty, contains required phrases, avoids forbidden phrases and matches the optional expected answer. It ignores letter case and normalizes punctuation. It matches whole normalized phrases: 130 days does not satisfy a required 30 days rule.

Evidence review clues

Evidence token coverage: the share of selected English answer words also found in the source text. A high score does not prove that the meaning is supported. A correct answer written in different words may have a low score.

Words absent from context: answer words that were not found in the source. Treat them as items to review, not proof of a false claim.

Numbers absent from context: answer numbers that were not found in the source. For example, 90 in an answer is flagged when the policy only says 30 days.

No context: no source information was supplied. **Manual review needed:** a person should check the answer, even if all text rules pass.

An important limit

Source: "Refunds are available." Answer: "Refunds are not available." The words overlap, but the meaning is opposite. The current text-based checks do not reliably detect this kind of contradiction. Review factual accuracy and safety yourself. English text checks are supported; semantic evaluation of Hindi-script text is not supported.

Filters and report files

Use Show cases to display all cases, assertion failures, regressions, missing numbers or changed tests. Search uses the case ID and prompt. Summary counts always cover the full dataset; filters only change the visible cards.

Export dataset: saves editable inputs. **Export JSON report:** saves all results and comparisons and can be reused as a baseline. **Print / Save PDF:** prints the visible cards, filter description and full-dataset summary. For a complete PDF, select All cases and clear the search first. In the browser print dialog, choose Save as PDF.

Reports include the source context and saved answers. The app does not upload them automatically. If you share a report yourself, you also share those contents.

5. Optional batch runner

Advanced option only. You can skip this page if you use the browser app.

The batch runner evaluates saved-answer datasets from files and writes reports to disk. It needs Node.js LTS, but the browser app does not. Checks on this computer passed with Node v24.19.0. Running on another computer has not yet been tested.

1. If needed, install Node.js LTS for Windows from the official download page. This app does not need extra build tools or package installation. After installation, the runner works offline.

Official download: https://nodejs.org/en/download

2. Open PowerShell and go to the extracted app folder. Replace the example path below with your actual folder path.

```
cd "C:\Tools\GroundCheck-QE-Offline"
node --version
```

3. Run the approved sample dataset. This creates a new report folder; it does not overwrite existing folders.

```
node run.cjs --dataset samples/baseline.json --out reports/base
```

Expected result: PASS, 3 cases, 0 failed. Two files are created: reports/base/report.json and reports/base/report.html.

4. Run the intentionally faulty sample and compare it with the approved baseline. Paste the following as one command line.

```
node run.cjs --dataset samples/candidate.json --baseline reports/base/report.json --out reports/current
```

Expected result: FAIL, 3 cases, 2 failed, 2 regressions. This is an intentional test failure, not a setup error. Open reports/current/report.html in your browser. JSON reports from the runner can also be imported into the browser app.

Quality gate and exit codes

A quality gate is the runner's overall pass/fail decision. **0:** the rules pass and there are no baseline regressions or changed/removed tests. **1:** the quality gate failed. **2:** input or execution error. Changed and removed tests fail the gate so they are not silently ignored. New cases must pass their rules.

Run-Free-Demo.ps1 runs the sample steps automatically. If your computer blocks PowerShell scripts, use the direct node commands or the browser app. You do not need to change security settings.

If a report folder already exists, choose a new name in --out. A passing gate is not proof that an answer is factually correct or free of invented facts.

6. Fix common problems

Use this checklist when opening the app on a different computer.

Troubleshooting

Launcher is not recognized: the terminal is in the wrong folder. Avoid the terminal: open the app folder in File Explorer and double-click index.html. If you use the launcher, use its full path.

Blank page or missing styles: extract the ZIP first. Keep app.js, editor.js, engine.js and style.css beside index.html. Reopen the page in Chrome or Edge and reload it.

Invalid JSON or duplicate ID: the dataset must be a non-empty JSON array. IDs must be unique strings. Prompt, response and context must be text. Required/forbidden fields must be arrays of non-empty phrase strings. The form editor is the easier option.

Baseline import fails: use a GroundCheck QE schema v2 JSON report for Import baseline report. Use Import dataset for raw inputs. Regenerate older unsupported reports with the current app.

Edits disappeared: refreshing or closing the browser clears session data. Export your dataset and JSON report before closing. Look in Downloads for exported files.

No regressions appear: check that a baseline is set or imported and that case IDs match. Changes to the question, context or rules appear as Changed test. Select All cases and clear the search.

node is not recognized: install Node.js for the optional runner and reopen the terminal. Browser mode can still work without Node.js. If the output folder exists, choose a new folder name.

New-computer checklist

1. Extract the ZIP. Check that the five browser files are together and index.html opens in Chrome or Edge.

2. Check that the demo shows two cases. Add a case in the editor and check that duplicate IDs are rejected.

3. Set a baseline. Change a passing answer so it fails. Check for a Regression label.

4. Export and reload a dataset and a baseline report. Inspect the print view with All cases selected.

Package contents and verification

The ZIP includes the offline app, samples, tests, this manual and copies of the original LICENSE, NOTICE and THIRD_PARTY files. It excludes user reports, credentials, Git history, cloud deployment files and installed runtimes. Keep the original notices with the package.

18 engine checks, simulated interface checks and batch integration tests passed. Actual browser rendering, print-to-PDF and setup on a second computer have not been independently verified. Use the checklist above to check them on your own computer.