Common/rare choice bias relative to non-naive neutral trials — Exact session ISI extremes
All subjects — pooled — all blocks
All subjects — pooled — short block
All subjects — pooled — long block
All subjects — grand average — all blocks
All subjects — grand average — short block
All subjects — grand average — long block
MC06 — pooled — all blocks
MC06 — pooled — short block
MC06 — pooled — long block
MC06 — grand average — all blocks
MC06 — grand average — short block
MC06 — grand average — long block
Choice bias: ΔP(Choose Long-Associated Response)
(block − matched neutral)
○ mean ± SEM
ns
**
*
Common easy
Common difficult
Rare easy
Rare difficult
13 sess 509 trials
13 sess 528 trials
13 sess 133 trials
13 sess 133 trials
13 sess 241 trials
13 sess 267 trials
13 sess 70 trials
13 sess 62 trials
13 sess 268 trials
13 sess 261 trials
13 sess 63 trials
13 sess 71 trials

Block versus matched non-naive neutral P(Choose Long-Associated Response) — Exact session ISI extremes
Pooled: Fisher exact; grand average: paired Wilcoxon

All subjects — pooled — all blocks
All subjects — pooled — short block
All subjects — pooled — long block
All subjects — grand average — all blocks
All subjects — grand average — short block
All subjects — grand average — long block
MC06 — pooled — all blocks
MC06 — pooled — short block
MC06 — pooled — long block
MC06 — grand average — all blocks
MC06 — grand average — short block
MC06 — grand average — long block
P(Choose Long-Associated Response)
Matched neutral
Block
Common easy
Common difficult
Rare easy
Rare difficult
13 sess
ns
**
*

Bias distributions — Exact session ISI extremes: median + IQR and two-sided tests versus zero
All visual summaries use median + IQR; Shapiro $p < 0.01$ selects Wilcoxon, otherwise one-sample t-test

All subjects — pooled — all blocks

All subjects — pooled — short block

All subjects — pooled — long block

All subjects — grand average — all blocks

All subjects — grand average — short block

All subjects — grand average — long block

MC06 — pooled — all blocks

MC06 — pooled — short block

MC06 — pooled — long block

MC06 — grand average — all blocks

MC06 — grand average — short block

MC06 — grand average — long block

Common/rare choice bias relative to non-naive neutral trials — Four psychometric bins (outer bins define easy/hard)

All subjects — pooled — all blocks

All subjects — pooled — short block

All subjects — pooled — long block

All subjects — grand average — all blocks

All subjects — grand average — short block

All subjects — grand average — long block

MC06 — pooled — all blocks

MC06 — pooled — short block

MC06 — pooled — long block

MC06 — grand average — all blocks

MC06 — grand average — short block

MC06 — grand average — long block

Block versus matched non-naive neutral P(Choose Long-Associated Response) — Four psychometric bins (outer bins define easy/hard)
Pooled: Fisher exact; grand average: paired Wilcoxon

All subjects — pooled — all blocks
P(Choose Long-Associated Response)
0.45
0.50
0.55
0.60
0.65
0.70
ns
ns
ns
ns
● Matched neutral
● Block
Common easy
Common difficult
Rare easy
Rare difficult
13 sess
13 sess
13 sess
13 sess
All subjects — pooled — short block
0.0
0.2
0.4
0.6
0.8
1.0
**
ns
ns
ns
All subjects — pooled — long block
ns
**
ns
ns
All subjects — grand average — all blocks
ns
ns
ns
ns
All subjects — grand average — short block
ns
ns
ns
ns
All subjects — grand average — long block
*
ns
ns
ns
MC06 — pooled — all blocks
ns
ns
ns
ns
MC06 — pooled — short block
**
ns
ns
ns
MC06 — pooled — long block
ns
**
ns
ns
MC06 — grand average — all blocks
ns
ns
ns
ns
MC06 — grand average — short block
ns
ns
ns
ns
MC06 — grand average — long block
*
ns
ns
ns

Bias distributions — Four psychometric bins (outer bins define easy/hard): median + IQR and two-sided tests versus zero
All visual summaries use median + IQR; Shapiro p < 0.01 selects Wilcoxon, otherwise one-sample t-test

All subjects — pooled — all blocks

All subjects — pooled — short block

All subjects — pooled — long block

All subjects — grand average — all blocks

All subjects — grand average — short block

All subjects — grand average — long block

MC06 — pooled — all blocks

MC06 — pooled — short block

MC06 — pooled — long block

MC06 — grand average — all blocks

MC06 — grand average — short block

MC06 — grand average — long block

Bin-resolved psychometric choice bias: block minus matched non-naive neutral

All subjects — pooled — all blocks
All subjects — pooled — short block
All subjects — pooled — long block
All subjects — grand average — all blocks
All subjects — grand average — short block
All subjects — grand average — long block
MC06 — pooled — all blocks
MC06 — pooled — short block
MC06 — pooled — long block
MC06 — grand average — all blocks
MC06 — grand average — short block
MC06 — grand average — long block
Choice bias: ΔP(Long-associated response) (block − matched neutral)
ISI (s)
Common — Short ISI
Common — Long ISI
Rare — Short ISI
Rare — Long ISI