





Common/rare choice bias relative to non-naive neutral trials — Exact session ISI extremes
All subjects — pooled — all blocks
All subjects — pooled — short block
All subjects — pooled — long block
All subjects — grand average — all blocks
All subjects — grand average — short block
All subjects — grand average — long block
MC06 — pooled — all blocks
MC06 — pooled — short block
MC06 — pooled — long block
MC06 — grand average — all blocks
MC06 — grand average — short block
MC06 — grand average — long block
Choice bias: ΔP(Choose Long-Associated Response) (block − matched neutral)
○ mean ± SEM
Common easy
Common difficult
Rare easy
Rare difficult
4 sess
163 trials
4 sess
161 trials
4 sess
47 trials
4 sess
47 trials
4 sess
79 trials
4 sess
89 trials
4 sess
19 trials
4 sess
28 trials
4 sess
84 trials
4 sess
72 trials
4 sess
28 trials
4 sess
19 trials
*
**
ns


Block versus matched non-naive neutral P(Choose Long-Associated Response) — Exact session ISI extremes
Pooled: Fisher exact; grand average: paired Wilcoxon






































Bias distributions — Exact session ISI extremes: median + IQR and two-sided tests versus zero
All visual summaries use median + IQR; Shapiro p < 0.01 selects Wilcoxon, otherwise one-sample t-test
All subjects — pooled — all blocks
All subjects — pooled — short block
All subjects — pooled — long block
All subjects — grand average — all blocks
All subjects — grand average — short block
All subjects — grand average — long block
MC06 — pooled — all blocks
MC06 — pooled — short block
MC06 — pooled — long block
MC06 — grand average — all blocks
MC06 — grand average — short block
MC06 — grand average — long block
Bias distribution
ΔPL(Long-associated response)
Common easy
Common difficult
Rare easy
Rare difficult
n=8 one-sample t
n=8 Wilcoxon
n=4 one-sample t
ns
**
*


Common/rare choice bias relative to non-naive neutral trials — Four psychometric bins (outer bins define easy/hard)





































Block versus matched non-naive neutral P(Choose Long-Associated Response) — Four psychometric bins (outer bins define easy/hard)
Pooled: Fisher exact; grand average: paired Wilcoxon

































Bias distributions — Four psychometric bins (outer bins define easy/hard): median + IQR and two-sided tests versus zero
All visual summaries use median + IQR; Shapiro p < 0.01 selects Wilcoxon, otherwise one-sample t-test



Bin-resolved psychometric choice bias: block minus matched non-naive neutral

