





Trial-to-criterion vs. session — window=3 trials, criterion=0.7
All subjects — Short→Long, Long trials
n=2 (insufficient for trend)
MC06
All subjects — Short→Long, Short trials
n=2 (insufficient for trend)
MC06
All subjects — Long→Short, Long trials
n=1 (insufficient for trend)
MC06
All subjects — Long→Short, Short trials
n=2 (insufficient for trend)
MC06
MC06 — Short→Long, Long trials
n=2 (insufficient for trend)
MC06 — Short→Long, Short trials
n=2 (insufficient for trend)
MC06 — Long→Short, Long trials
n=1 (insufficient for trend)
MC06 — Long→Short, Short trials
n=2 (insufficient for trend)
Occurrences to criterion (P≥0.7, window=3)
Session (chronological order)


Trial-to-criterion vs. session — window=2 trials, criterion=0.7 (robustness)


























Exponential adaptation time constant τ vs. session (fits with R²≥0.15 only)
All subjects — Short→Long, Long trials
All subjects — Short→Long, Short trials
All subjects — Long→Short, Long trials
All subjects — Long→Short, Short trials
MC06 — Short→Long, Long trials
MC06 — Short→Long, Short trials
MC06 — Long→Short, Long trials
MC06 — Long→Short, Short trials
n=1 (insufficient for trend)
MC06
Exponential time constant τ (occurrences)
Session (chronological order)


Early / Middle / Late training-session tertiles — trial-to-criterion (window=3, criterion=0.7)
Bracket: Early vs Late (paired Wilcoxon across subjects / Mann-Whitney within subject)
All subjects — Short→Long, Long trials
All subjects — Short→Long, Short trials
All subjects — Long→Short, Long trials
All subjects — Long→Short, Short trials
MC06 — Short→Long, Long trials
MC06 — Short→Long, Short trials
MC06 — Long→Short, Long trials
MC06 — Long→Short, Short trials
Occurrences to criterion
0.04
0.02
0.00
−0.02
−0.04
Early
(n=0)
Middle
(n=0)
Late
(n=0)


Early / Middle / Late training-session tertiles — exponential τ (fits with R²≥0.15 only)
Bracket: Early vs Late (paired Wilcoxon across subjects / Mann-Whitney within subject)
All subjects — Short→Long, Long trials
All subjects — Short→Long, Short trials
All subjects — Long→Short, Long trials
All subjects — Long→Short, Short trials
MC06 — Short→Long, Long trials
MC06 — Short→Long, Short trials
MC06 — Long→Short, Long trials
MC06 — Long→Short, Short trials
Exponential τ (occurrences)
0.04
0.02
0.00
−0.02
−0.04
Early
(n=0)
Middle
(n=0)
Late
(n=0)


Trial-to-criterion robustness: rolling window (2 vs 3 trials) × criterion threshold, pooled across sessions
window=2 trials — Short→Long, Long trials
window=2 trials — Short→Long, Short trials
window=2 trials — Long→Short, Long trials
window=2 trials — Long→Short, Short trials
window=3 trials — Short→Long, Long trials
window=3 trials — Short→Long, Short trials
window=3 trials — Long→Short, Long trials
window=3 trials — Long→Short, Short trials
Mean occurrences to criterion
Criterion threshold
0.60
0.70
0.75
0.80
100% reached
78% reached
67% reached
90% reached
56% reached
11% reached
80% reached


Occurrence-indexed accuracy curves: Early vs Late training-session tertile
All subjects — Short→Long, Long trials
All subjects — Short→Long, Short trials
All subjects — Long→Short, Long trials
All subjects — Long→Short, Short trials
MC06 — Short→Long, Long trials
MC06 — Short→Long, Short trials
MC06 — Long→Short, Long trials
MC06 — Long→Short, Short trials
P(correct)
Occurrence of this trial type since transition
0.0
0.2
0.4
0.6
0.8
1.0