




Context benefit and cost across four-bin ISI psychometrics
Benefit = P(correct | common) − P(correct | neutral); Cost = P(correct | rare) − P(correct | neutral)
Pooled trials versus equal-session-weighted grand averages



























































































ORDER: benefit/cost calculated at each exact ISI FIRST, then the calculated contrasts are grouped into four ISI bins
Benefit = P(correct | common) − P(correct | neutral); Cost = P(correct | rare) − P(correct | neutral)
Pooled: trial-count-weighted exact-ISI contrasts; grand average: equal-session-weighted contrasts
























































































PAGE 3 SUMMARY OF BOTH METHODS — Bin first: trials binned before contrasts; Effect first: exact-ISI contrasts calculated before binning
DEFINITIONS: Benefit = P(correct | common) − P(correct | neutral); Cost = P(correct | rare) − P(correct | neutral)
PREDICTIONS: Benefit_hard > Benefit_easy; Cost_hard < Cost_easy
STATISTICS: pooled = one-sided z-test; grand average = paired one-sided Wilcoxon test across sessions


All subjects, all sessions — pooled — all




All subjects, all sessions — pooled — short block




All subjects, all sessions — pooled — long block




All subjects, all sessions — grand average — all




All subjects, all sessions — grand average — short block




All subjects, all sessions — grand average — long block




YH24LG — pooled — all




YH24LG — pooled — short block




YH24LG — pooled — long block




YH24LG — grand average — all




YH24LG — grand average — short block




YH24LG — grand average — long block




MC06 — pooled — all




MC06 — pooled — short block




MC06 — pooled — long block




MC06 — grand average — all




MC06 — grand average — short block




MC06 — grand average — long block




MC07 — pooled — all




MC07 — pooled — short block




MC07 — pooled — long block




MC07 — grand average — all




MC07 — grand average — short block




MC07 — grand average — long block




MC08 — pooled — all




MC08 — pooled — short block




MC08 — pooled — long block




MC08 — grand average — all




MC08 — grand average — short block




MC08 — grand average — long block




PAGE 4: All qualifying rare anchors — adjacent common–easy/hard rare–common sequences
Points are mean ± SEM; no fixed y limits. Tests: pooled binary performance = two-sided Fisher exact; pooled differences = two-sided Mann–Whitney U; grand average = paired two-sided Wilcoxon across sessions.




PAGE 5: Rewarded rare anchors only — adjacent common–easy/hard rare–common sequences
Points are mean ± SEM; no fixed y limits. Tests: pooled binary performance = two-sided Fisher exact; pooled differences = two-sided Mann–Whitney U; grand average = paired two-sided Wilcoxon across sessions.




PAGE 6: Punished rare anchors only — adjacent common–easy/hard rare–common sequences
Points are mean ± SEM; no fixed y limits. Tests: pooled binary performance = two-sided Fisher exact; pooled differences = two-sided Mann–Whitney U; grand average = paired two-sided Wilcoxon across sessions.





PAGE 7: All qualifying common anchors — adjacent common–easy/hard common–common sequences
Points are mean ± SEM; no fixed y limits. Tests: pooled binary performance = two-sided Fisher exact; pooled differences = two-sided Mann–Whitney U; grand average = paired two-sided Wilcoxon across sessions.





PAGE 8: Rewarded common anchors only — adjacent common–easy/hard common–common sequences
Points are mean ± SEM; no fixed y limits. Tests: pooled binary performance = two-sided Fisher exact; pooled differences = two-sided Mann–Whitney U; grand average = paired two-sided Wilcoxon across sessions.













All subjects, all sessions — pooled — all
All subjects, all sessions — pooled — short block
All subjects, all sessions — pooled — long block
All subjects, all sessions — grand average — all
All subjects, all sessions — grand average — short block
All subjects, all sessions — grand average — long block
YH24LG — pooled — all
YH24LG — pooled — short block
YH24LG — pooled — long block
YH24LG — grand average — all
YH24LG — grand average — short block
YH24LG — grand average — long block
MC06 — pooled — all
MC06 — pooled — short block
MC06 — pooled — long block
MC06 — grand average — all
MC06 — grand average — short block
MC06 — grand average — long block
MC07 — pooled — all
MC07 — pooled — short block
MC07 — pooled — long block
MC07 — grand average — all
MC07 — grand average — short block
MC07 — grand average — long block
MC08 — pooled — all
MC08 — pooled — short block
MC08 — pooled — long block
MC08 — grand average — all
MC08 — grand average — short block
MC08 — grand average — long block
Easy-anchor sequence
Hard-anchor sequence
Performance (mean ± SEM)
Performance difference
Common-easy common-common
Common-hard common-common
Pre: easy vs hard
Common: easy vs hard
Post: easy vs hard
Pre − common
Post − common