




Common/rare choice bias relative to non-naive neutral trials — Exact session ISI extremes





































Block versus matched non-naive neutral P(Choose Long-Associated Response) — Exact session ISI extremes
Pooled: Fisher exact; grand average: paired Wilcoxon




































Bias distributions — Exact session ISI extremes: median + IQR and two-sided tests versus zero
All visual summaries use median + IQR; Shapiro p < 0.01 selects Wilcoxon, otherwise one-sample t-test





Common/rare choice bias relative to non-naive neutral trials — Four psychometric bins (outer bins define easy/hard)





































Block versus matched non-naive neutral P(Choose Long-Associated Response) — Four psychometric bins (outer bins define easy/hard)
Pooled: Fisher exact; grand average: paired Wilcoxon


































Bias distributions — Four psychometric bins (outer bins define easy/hard): median + IQR and two-sided tests versus zero
All visual summaries use median + IQR; Shapiro p < 0.01 selects Wilcoxon, otherwise one-sample t-test
All subjects — pooled — all blocks
All subjects — pooled — short block
All subjects — pooled — long block
All subjects — grand average — all blocks
All subjects — grand average — short block
All subjects — grand average — long block
MC06 — pooled — all blocks
MC06 — pooled — short block
MC06 — pooled — long block
MC06 — grand average — all blocks
MC06 — grand average — short block
MC06 — grand average — long block
Bias distribution
ΔP(Long-associated response)
Common easy
Common difficult
Rare easy
Rare difficult
ns
n=13 one-sample t
n=7 Wilcoxon
n=7 one-sample t
n=6 one-sample t

Bin-resolved psychometric choice bias: block minus matched non-naive neutral

