Name \_\_\_\_\_\_Period \_\_\_\_\_

```
Skill 23.2: Exercise 1
```

```
Refer to the code below to answer the following,
   public class TvShow
      public String actor1 = "Don Knots";
      public static String actor2 = "Homer Simpson";
      public static int numShows = 0;
      public static int x = 59;
      public int y = 1059;
      public String showName;
      public TvShow(String nm)
            numShows++;
            showName = nm
      }
      public static int numberOfShows()
            return numShows;
      public static void setActor1(String act1)
            actor1 = act1
      }
   }
```

- (a) Write code that will print the data member actor1. Do this without instantiating any objects.
- (b)(i) Create an instance of TvShow called walkingDead (pass in the String "Walking Dead")
  - (ii) Create an instance of TvShow called gameOfThrowns (pass in the String "Game of Thrones"
- (c) Write code that will print the class variable numShows. How many shows will be printed?

```
Skill 23.2: Exercise 2
Refer to the code below to answer the following,
public class Dweeb{
  public Dweeb(){
    //Constructor
public static int x;
}
For each of the following indicate what is printed:
  (a) Dweeb.x = 55;
      System.out.println(Dweeb.x);
  (b) Dweeb twerp1 = new Dweeb();
      System.out.println(Dweeb.x);
  (c) twerp1.x = 99;
      System.out.println(Dweeb.x);
  (d) Dweeb twerp2 = new Dweeb();
      System.out.println(twerp2.x);
```

```
public static void main(String[]
args)
{
   double yz = methodF();
}
public static double methodF()
{
   double d = 3.14;
```

public static double sv = 99;

Skill 23.3: Exercise 1 public class Main

return d;

public int i = 7;

Consider the following calls in the main method. For each of the following indicate whether the statement is legal or illegal

- (a) double yz = sv;
- (b) int xyz = i
- (c) System.out.println(method()/sv);
- (d) System.out.println(yz/i);