

streaming-file-server (4.3.2)

Maksim Kostromin

Version 4.3.2, 2018-06-10 17:36:58 EEST

Table of Contents

| | |
|--|---|
| 1. Introduction | 2 |
| 2. Installation | 3 |
| 2.1. download files | 3 |
| 3. Run | 4 |
| 3.1. postgres database | 4 |
| 3.2. in-memory h2 database | 4 |
| 3.3. take advantages of spring-boot executable jar | 4 |
| 4. Usage scripts | 5 |
| 4.1. simplicity bootstrap with automation shell-script | 5 |
| 4.1.1. unix (bash) | 5 |
| 5. Create new release | 7 |

Travis CI status:

PDF:

Chapter 1. Introduction

[Streaming file server](#) — java based project on top of spring-boot. This is a simple file-server which is allowed upload and download files with no memory limitation. It uses file multipart protocol

Chapter 2. Installation

2.1. download files

if you have docker installed and wanna use postgres, then [download docker-compose.yml file](#)

```
wget https://github.com/daggerok/streaming-file-server/releases/download/4.3.2/docker-compose.yml
```

[file items service](#)

```
wget https://github.com/daggerok/streaming-file-server/releases/download/4.3.2/file-items-service-4.3.2.jar
```

[file server](#)

```
wget https://github.com/daggerok/streaming-file-server/releases/download/4.3.2/file-server-4.3.2.jar
```

Chapter 3. Run

3.1. postgres database

install using postgres in docker

```
# docker compose file for postgres database
docker-compose up -d

# file-items data service
java -jar file-items-service-4.3.2.jar --spring.profiles.active=db-pg

# file server
java -jar file-server-4.3.2.jar --app.upload.path=./path/to/file-storage

# cleanup
docker-compose down -v
```

3.2. in-memory h2 database

if you do not have docker — feel free to use h2 in memory database for [file items service](#):

```
java file-items-service-4.3.2.jar
# or
java file-items-service.jar --spring.profiles.active=db-h2
```

1. and then run [file server](#):

```
java file-items-service-{project-version}.jar --spring.profiles.active=db-h2
```

3.3. take advantages of spring-boot executable jar

if you are using bash — run even simply

```
wget https://github.com/daggerok/streaming-file-server/releases/download/4.3.2/file-
items-service-4.3.2.jar
bash file-items-service-4.3.2.jar

wget https://github.com/daggerok/streaming-file-server/releases/download/4.3.2/file-
server-4.3.2.jar
bash file-server-4.3.2.jar --app.upload.path=./path/to/file-storage
```

Chapter 4. Usage scripts

4.1. simplicity bootstrap with automation shell-script

4.1.1. unix (bash)

postgres in docker

```
# get
wget https://github.com/daggerok/streaming-file-
server/releases/download/4.3.2/application.bash

# start
bash application.bash start ./path/to/file-storage

# stop
bash application.bash stop

# cleanup
bash application.bash clean ./path/to/file-storage
```

download: [application.bash](#)

h2 in-memory database

```
# fetch
wget https://github.com/daggerok/streaming-file-
server/releases/download/4.3.2/application-h2.bash

# start
bash application-h2.bash start ./path/to/file-storage

# stop
bash application-h2.bash stop

# cleanup
bash application-h2.bash clean ./path/to/file-storage
```

download: [application-h2.bash](#)

*note: binaries wget, docker-compose and of course jre (binaries: java and jps) are required ===
windows (batch cmd) .postgres in docker*

```
@rem start
application.cmd start path\to\file-storage

@rem stop
application.cmd stop

@rem cleanup
application.cmd clean path\to\file-storage
```

download: [application.cmd](#)

h2 in-memory database

```
@rem start
application-h2.cmd start path\to\file-storage

@rem stop
application-h2.cmd stop

@rem cleanup
application-h2.cmd clean path\to\file-storage
```

download: [application-h2.cmd](#)

note: binaries `wget`, `docker-compose` and of course `jre` (binaries: `java` and `jps`) are required

Chapter 5. Create new release

to create new release do next

1. bump version in:
 - a. build.gradle
 - b. README.md
 - c. scripts/application.cmd
 - d. scripts/application.bash
 - e. scripts/application-h2.cmd
 - f. scripts/application-h2.bash
2. comment scripts tests in .travis.yml
3. commit, push and check CI if builds was successfully passed
4. create release on github, put:
 - a. modules/apps/*/build/libs/*
 - b. scripts/*
 - c. modules/docker/postgres/docker-compose.yml
5. uncomment .travis.yml
6. commit, push and check CI again to verify if scripts tests was successfully passed

download all files [here](#)

links:

- [fix](#) [issue:](#) [SQLFeatureNotSupportedException: Method org.postgresql.jdbc.PgConnection.createClob\(\) is not yet implemented.](#)
- [spring-mvc](#)
- [spring](#)
- [mustache template engine](#)
- [apache fileUpload](#)
- [lombok](#)
- [vavr](#)
- [bootstrap](#)
- [bootstrap fileinput](#)
- [jgiven](#)
- [powermock](#)
- [mockito](#)

- [h2](#)
 - [postgres](#)
 - [docker](#)
 - [gradle](#)
 - [travis CI](#)
-

Enjoy :)