Module Interface Specification for 2D Localizer

Aliyah Jimoh

 $March\ 13,\ 2025$

1 Revision History

Date	Version	Notes
2025/03/19	1.0	Initial Draft

2 Symbols, Abbreviations and Acronyms

See SRS Documentation at https://github.com/Aliyah Jimoh/2D-Localizer/blob/main/docs/SRS/SRS.pdf

[Also add any additional symbols, abbreviations or acronyms —SS]

Contents

1	Rev	ision l	History		
2	Syn	nbols,	Abbreviations and Acronyms		
3	Inti	roducti	zion		
4	Not	ation			
5	Mo	dule D	Decomposition		
6	MIS	S of Co	ontrol Module		
	6.1	Modu	ıle		
	6.2				
	6.3		uX		
		6.3.1	Exported Constants		
		6.3.2	Exported Access Programs		
	6.4	Semar	ntics		
		6.4.1	State Variables		
		6.4.2	Environment Variables		
		6.4.3	Assumptions		
		6.4.4	Access Routine Semantics		
		6.4.5	Local Functions		
7	MIS	S of In	nput Format Module		
	7.1	Modu	ile		•
	7.2	Uses			•
	7.3		NX		
		7.3.1	Exported Constants		
		7.3.2	Exported Access Programs		
	7.4	Semar	ntics		
		7.4.1	State Variables		
		7.4.2	Environment Variables		
		7.4.3	Assumptions		
		7.4.4	Access Routine Semantics		
		7.4.5	Local Functions		
8	MIS	S of Se	ensor Fusion Module		
	8.1	Modu	ıle		
	8.2	Uses			
	8.3		uX		
		8.3.1	Exported Constants		
		8.3.2	Exported Access Programs		

	8.4	Seman	atics	7
		8.4.1	State Variables	7
		8.4.2	Environment Variables	7
		8.4.3	Assumptions	7
		8.4.4	Access Routine Semantics	7
		8.4.5	Local Functions	8
9	MIS	of Lo	ocalization Module	9
	9.1	Modul	le	9
	9.2			9
	9.3	Syntax	X	9
		9.3.1	Exported Constants	9
		9.3.2	Exported Access Programs	9
	9.4	Seman	atics	9
		9.4.1	State Variables	9
		9.4.2	Environment Variables	9
		9.4.3	Assumptions	9
		9.4.4	Access Routine Semantics	9
		9.4.5	Local Functions	10
10	NATO	l of A a	ccuracy Evaluation Module	11
10				11
				11
			· · · · · · · · · · · · · · · · · · ·	11
	10.5		Exported Constants	11
			Exported Access Programs	11
	10.4		atics	11
	10.4		State Variables	11
			Environment Variables	11
				11
			Assumptions	
			Access Routine Semantics	11 12
		10.4.5	Local Functions	12
11			itput Format Module	13
			le	13
				13
	11.3		K	13
			Exported Constants	13
			Exported Access Programs	13
	11.4		atics	13
		11.4.1	State Variables	13
			Environment Variables	13
		11 / 2	Assumptions	19

2 MIS	S of Plotting Module	15
12.1	Module	15
12.2	Uses	15
12.3	Syntax	15
	12.3.1 Exported Constants	15
	12.3.2 Exported Access Programs	15
12.4	Semantics	15
	12.4.1 State Variables	15
	12.4.2 Environment Variables	15
	12.4.3 Assumptions	15
	12.4.4 Access Routine Semantics	15
	12.4.5 Local Functions	16

3 Introduction

The following document details the Module Interface Specifications for [Fill in your project name and description—SS]

Complementary documents include the System Requirement Specifications and Module Guide. The full documentation and implementation can be found at https://github.com/AliyahJimoh/2D-Localizer.

4 Notation

[You should describe your notation. You can use what is below as a starting point. —SS]

The structure of the MIS for modules comes from Hoffman and Strooper (1995), with the addition that template modules have been adapted from Ghezzi et al. (2003). The mathematical notation comes from Chapter 3 of Hoffman and Strooper (1995). For instance, the symbol := is used for a multiple assignment statement and conditional rules follow the form $(c_1 \Rightarrow r_1 | c_2 \Rightarrow r_2 | ... | c_n \Rightarrow r_n)$.

The following table summarizes the primitive data types used by 2D Localizer.

Data Type	Notation	Description
character	char	a single symbol or digit
integer	\mathbb{Z}	a number without a fractional component in $(-\infty, \infty)$
natural number	N	a number without a fractional component in $[1, \infty)$
real	\mathbb{R}	any number in $(-\infty, \infty)$

The specification of 2D Localizer uses some derived data types: sequences, strings, and tuples. Sequences are lists filled with elements of the same data type. Strings are sequences of characters. Tuples contain a list of values, potentially of different types. In addition, 2D Localizer uses functions, which are defined by the data types of their inputs and outputs. Local functions are described by giving their type signature followed by their specification.

5 Module Decomposition

The following table is taken directly from the Module Guide document for this project.

Level 1	Level 2
Hardware-Hiding Module	
Behaviour-Hiding Module	Input Format Module Output Format Module Sensor Fusion Module Localization Module Control Module
Software Decision Module	FIM Module CRLB Module Plotting Module

Table 1: Module Hierarchy

6 MIS of Control Module

[Use labels for cross-referencing —SS]
[You can reference SRS labels, such as R2. —SS]
[It is also possible to use LATEX for hypperlinks to external documents. —SS]

6.1 Module

[Short name for the module —SS]

- 6.2 Uses
- 6.3 Syntax
- 6.3.1 Exported Constants
- 6.3.2 Exported Access Programs

Name	In	Out	Exceptions
[accessProg	-	-	_
SS			

6.4 Semantics

6.4.1 State Variables

[Not all modules will have state variables. State variables give the module a memory. —SS]

6.4.2 Environment Variables

[This section is not necessary for all modules. Its purpose is to capture when the module has external interaction with the environment, such as for a device driver, screen interface, keyboard, file, etc. —SS]

6.4.3 Assumptions

[Try to minimize assumptions and anticipate programmer errors via exceptions, but for practical purposes assumptions are sometimes appropriate. —SS]

6.4.4 Access Routine Semantics

[accessProg -SS]():

- transition: [if appropriate —SS]
- output: [if appropriate —SS]

[A module without environment variables or state variables is unlikely to have a state transition. In this case a state transition can only occur if the module is changing the state of another module. —SS]

[Modules rarely have both a transition and an output. In most cases you will have one or the other. —SS]

6.4.5 Local Functions

7 MIS of Input Format Module

[Use labels for cross-referencing —SS]
[You can reference SRS labels, such as R2. —SS]
[It is also possible to use LATEX for hypperlinks to external documents. —SS]

7.1 Module

[Short name for the module —SS]

7.2 Uses

7.3 Syntax

7.3.1 Exported Constants

7.3.2 Exported Access Programs

Name	In	Out	Exceptions
[accessProg	-	-	-
SS			

7.4 Semantics

7.4.1 State Variables

Not all modules will have state variables. State variables give the module a memory. —SS

7.4.2 Environment Variables

[This section is not necessary for all modules. Its purpose is to capture when the module has external interaction with the environment, such as for a device driver, screen interface, keyboard, file, etc. —SS]

7.4.3 Assumptions

[Try to minimize assumptions and anticipate programmer errors via exceptions, but for practical purposes assumptions are sometimes appropriate. —SS]

7.4.4 Access Routine Semantics

[accessProg —SS]():

- transition: [if appropriate —SS]
- output: [if appropriate —SS]

[A module without environment variables or state variables is unlikely to have a state transition. In this case a state transition can only occur if the module is changing the state of another module. —SS]

[Modules rarely have both a transition and an output. In most cases you will have one or the other. —SS]

7.4.5 Local Functions

8 MIS of Sensor Fusion Module

[Use labels for cross-referencing —SS]
[You can reference SRS labels, such as R2. —SS]
[It is also possible to use LATEX for hypperlinks to external documents. —SS]

8.1 Module

[Short name for the module —SS]

8.2 Uses

8.3 Syntax

8.3.1 Exported Constants

8.3.2 Exported Access Programs

Name	In	Out	Exceptions
[accessProg	-	-	-
SS			

8.4 Semantics

8.4.1 State Variables

[Not all modules will have state variables. State variables give the module a memory. —SS]

8.4.2 Environment Variables

[This section is not necessary for all modules. Its purpose is to capture when the module has external interaction with the environment, such as for a device driver, screen interface, keyboard, file, etc. —SS]

8.4.3 Assumptions

[Try to minimize assumptions and anticipate programmer errors via exceptions, but for practical purposes assumptions are sometimes appropriate. —SS]

8.4.4 Access Routine Semantics

[accessProg —SS]():

- transition: [if appropriate —SS]
- output: [if appropriate —SS]

[A module without environment variables or state variables is unlikely to have a state transition. In this case a state transition can only occur if the module is changing the state of another module. —SS]

[Modules rarely have both a transition and an output. In most cases you will have one or the other. —SS]

8.4.5 Local Functions

9 MIS of Localization Module

[Use labels for cross-referencing —SS]
[You can reference SRS labels, such as R2. —SS]
[It is also possible to use LATEX for hypperlinks to external documents. —SS]

9.1 Module

[Short name for the module —SS]

9.2 Uses

9.3 Syntax

9.3.1 Exported Constants

9.3.2 Exported Access Programs

Name	In	Out	Exceptions
[accessProg	-	-	-
SS			

9.4 Semantics

9.4.1 State Variables

[Not all modules will have state variables. State variables give the module a memory. —SS]

9.4.2 Environment Variables

[This section is not necessary for all modules. Its purpose is to capture when the module has external interaction with the environment, such as for a device driver, screen interface, keyboard, file, etc. —SS]

9.4.3 Assumptions

[Try to minimize assumptions and anticipate programmer errors via exceptions, but for practical purposes assumptions are sometimes appropriate. —SS]

9.4.4 Access Routine Semantics

[accessProg -SS]():

- transition: [if appropriate —SS]
- output: [if appropriate —SS]

[A module without environment variables or state variables is unlikely to have a state transition. In this case a state transition can only occur if the module is changing the state of another module. —SS]

[Modules rarely have both a transition and an output. In most cases you will have one or the other. —SS]

9.4.5 Local Functions

10 MIS of Accuracy Evaluation Module

[Use labels for cross-referencing —SS]
[You can reference SRS labels, such as R2. —SS]
[It is also possible to use LATEX for hypperlinks to external documents. —SS]

10.1 Module

[Short name for the module —SS]

- 10.2 Uses
- 10.3 Syntax
- 10.3.1 Exported Constants
- 10.3.2 Exported Access Programs

Name	In	Out	Exceptions
[accessProg	-	-	-
SS			

10.4 Semantics

10.4.1 State Variables

[Not all modules will have state variables. State variables give the module a memory. —SS]

10.4.2 Environment Variables

[This section is not necessary for all modules. Its purpose is to capture when the module has external interaction with the environment, such as for a device driver, screen interface, keyboard, file, etc. —SS]

10.4.3 Assumptions

[Try to minimize assumptions and anticipate programmer errors via exceptions, but for practical purposes assumptions are sometimes appropriate. —SS]

10.4.4 Access Routine Semantics

[accessProg —SS]():

- transition: [if appropriate —SS]
- output: [if appropriate —SS]

[A module without environment variables or state variables is unlikely to have a state transition. In this case a state transition can only occur if the module is changing the state of another module. —SS]

[Modules rarely have both a transition and an output. In most cases you will have one or the other. —SS]

10.4.5 Local Functions

11 MIS of Output Format Module

[Use labels for cross-referencing —SS]
[You can reference SRS labels, such as R2. —SS]
[It is also possible to use LATEX for hypperlinks to external documents. —SS]

11.1 Module

[Short name for the module —SS]

11.2 Uses

11.3 Syntax

11.3.1 Exported Constants

11.3.2 Exported Access Programs

Name	In	Out	Exceptions
[accessProg	-	-	-
SS			

11.4 Semantics

11.4.1 State Variables

[Not all modules will have state variables. State variables give the module a memory. —SS]

11.4.2 Environment Variables

[This section is not necessary for all modules. Its purpose is to capture when the module has external interaction with the environment, such as for a device driver, screen interface, keyboard, file, etc. —SS]

11.4.3 Assumptions

[Try to minimize assumptions and anticipate programmer errors via exceptions, but for practical purposes assumptions are sometimes appropriate. —SS]

11.4.4 Access Routine Semantics

[accessProg —SS]():

- transition: [if appropriate —SS]
- output: [if appropriate —SS]

[A module without environment variables or state variables is unlikely to have a state transition. In this case a state transition can only occur if the module is changing the state of another module. —SS]

[Modules rarely have both a transition and an output. In most cases you will have one or the other. --SS]

11.4.5 Local Functions

12 MIS of Plotting Module

[Use labels for cross-referencing —SS]
[You can reference SRS labels, such as R2. —SS]
[It is also possible to use LATEX for hypperlinks to external documents. —SS]

12.1 Module

[Short name for the module —SS]

12.2 Uses

12.3 Syntax

12.3.1 Exported Constants

12.3.2 Exported Access Programs

Name	In	Out	Exceptions
[accessProg	-	-	-
—SS]			

12.4 Semantics

12.4.1 State Variables

[Not all modules will have state variables. State variables give the module a memory. —SS]

12.4.2 Environment Variables

[This section is not necessary for all modules. Its purpose is to capture when the module has external interaction with the environment, such as for a device driver, screen interface, keyboard, file, etc. —SS]

12.4.3 Assumptions

[Try to minimize assumptions and anticipate programmer errors via exceptions, but for practical purposes assumptions are sometimes appropriate. —SS]

12.4.4 Access Routine Semantics

[accessProg -SS]():

- transition: [if appropriate —SS]
- output: [if appropriate —SS]

[A module without environment variables or state variables is unlikely to have a state transition. In this case a state transition can only occur if the module is changing the state of another module. —SS]

[Modules rarely have both a transition and an output. In most cases you will have one or the other. --SS]

12.4.5 Local Functions

References

Carlo Ghezzi, Mehdi Jazayeri, and Dino Mandrioli. Fundamentals of Software Engineering. Prentice Hall, Upper Saddle River, NJ, USA, 2nd edition, 2003.

Daniel M. Hoffman and Paul A. Strooper. Software Design, Automated Testing, and Maintenance: A Practical Approach. International Thomson Computer Press, New York, NY, USA, 1995. URL http://citeseer.ist.psu.edu/428727.html.

13 Appendix

 $[{\bf Extra~information~if~required~-\!SS}]$