

SAFE DAYS: Tourist Safety and Incident Response System

Ms. Preethi Warriar
*Electronics and Computer Science
Shah & Anchor Kutchhi
Engineering College
Mumbai, India*
preethi.warrier@sakec.ac.in

Aliza Shaikh
*Electronics and Computer Science
Shah & Anchor Kutchhi
Engineering College
Mumbai, India*
aliza.17259@sakec.ac.in

Sanika Patil
*Electronics and Computer Science
Shah & Anchor Kutchhi
Engineering College
Mumbai, India*
sanika.17272@sakec.ac.in

Divyal Vighe
*Electronics and Computer Science
Shah & Anchor Kutchhi
Engineering College
Mumbai, India*
divyal.vighe17532@sakec.ac.in

Yash Sawant
*Electronics and Computer Science
Shah & Anchor Kutchhi
Engineering College
Mumbai, India*
yash.17348@sakec.ac.in

Abstract—Tourist safety in unfamiliar urban environments remains a critical concern due to delayed emergency response, lack of continuous monitoring, and limited coordination between individuals and authorities. Existing solutions rely on basic alerts and static location sharing, limiting real-time effectiveness. This paper presents SAFE DAYS, a tourist safety and incident response system that integrates real-time geolocation tracking and dynamic geofencing to enhance situational awareness and emergency coordination.

The system introduces dynamic safe zones that adapt to user movement, enabling improved risk detection. It supports live tracking, SOS alert generation, and real-time dashboard visualization for authorities. The platform is also deployed as a mobile application to improve accessibility.

The system incorporates role-based access control, map-based visualization, and synchronized communication between users and authorities. Experimental results demonstrate reliable tracking, adaptive monitoring, and efficient alert propagation. SAFE DAYS provides a scalable solution for smart-city tourist safety systems.

Index Terms— tourist safety, real-time tracking, dynamic geofencing, incident response, mobile application, smart city, SOS alerts, location-based services

I. INTRODUCTION

Tourist safety is a critical concern in modern urban environments, particularly for individuals navigating unfamiliar locations. With the rapid growth of urban tourism, ensuring real-time situational awareness and efficient emergency response has become increasingly important. Traditional safety mechanisms primarily rely on manual communication methods such as phone calls or basic location sharing, which often lack continuous monitoring and may result in delayed assistance during emergency situations.

In many cases, tourists are unaware of nearby safe zones, emergency services, or potential risk areas, making them more vulnerable in time-sensitive scenarios. The absence of integrated monitoring systems limits the ability of authorities to track incidents in real time and coordinate responses effectively. As a result, there is a need for intelligent safety systems that can provide continuous tracking, automated risk detection, and structured communication between users and authorities.

Advancements in web technologies, geolocation services, and mobile computing have enabled the development of real-time safety applications that can improve emergency response and situational awareness. Technologies such as GPS-based tracking, geofencing, and interactive dashboards allow continuous monitoring of user location and facilitate rapid alert propagation. However, many existing systems rely on static geofencing mechanisms, which do not adapt to user movement or changing environmental conditions, limiting their effectiveness in dynamic urban scenarios.

A. Background and Motivation

The increasing adoption of smart-city technologies has created opportunities to enhance public safety through intelligent monitoring systems. Location-based services (LBS) have become widely used for navigation and tracking; however, their integration into safety-critical applications remains limited. Most existing safety applications provide only basic features such as SOS alerts or static location sharing, without offering adaptive risk detection or centralized monitoring capabilities.

Recent developments in real-time tracking and mobile application platforms enable continuous monitoring of user movement and improved accessibility. By integrating these technologies with adaptive safety mechanisms, it is possible to create systems that provide proactive safety assistance rather than reactive responses. The motivation behind this work is to develop a system that combines real-time tracking, adaptive geofencing, and mobile accessibility into a unified platform for improved tourist safety.

B. Problem Statement

Existing tourist safety applications suffer from several key limitations: lack of continuous real-time monitoring, dependence on static geofencing mechanisms that do not adapt to user movement, limited coordination between users and authorities, and restricted accessibility due to web-only deployment. These limitations reduce the effectiveness of safety systems in dynamic urban environments and delay emergency response.

C. Contributions

This paper makes the following contributions:

1. Real-time safety monitoring system integrating continuous geolocation tracking and live user movement visualization.
2. Dynamic geofencing mechanism that updates safe zones in real time based on user movement, improving adaptability and risk detection.
3. Integrated incident response system with SOS alert generation and centralized authority dashboard for real-time emergency coordination.
4. Deployment of mobile application for ensuring easy accessibility and usability on user's device.
5. Scalable system architecture consisting of role based access control mechanism, mapping visualization, and method of synchronized communication.

II. RELATED WORK

A. Tourist Safety and Location-Based Systems

Various studies have investigated how LBS can be used to ensure security through GPS tracking and alarms in distress situations. Although these methods allow location sharing in distress situations, they fail to provide real-time tracking and coordination with authorities in an effective manner. The most recent development is in the use of mobile applications.

B. Geofencing and Safety Monitoring Systems

The use of geofencing technology is common in establishing safety zones that generate warnings when the boundaries are breached. All the existing systems use geofencing technology that is static and thus cannot adjust based on changes in the environment and motion of users.

C. Emergency Response

Incidents and the whereabouts of users can be visualized in real time using dashboard-based monitoring systems, thus facilitating coordinated response efforts. Nevertheless, current monitoring tools often emphasize individual features, such as alerting and monitoring capabilities, without offering an integrated system for tracking, safety assessment, and response.

D. Research Gap

Existing systems do not have real-time monitoring, adaptive geofencing, and coordinated response. Furthermore, secure identity management and mobility are constrained. This project tries to fill these deficiencies through the development of a comprehensive system that includes real-time monitoring, adaptive geofencing, AI-driven monitoring, and mobility.

III. SYSTEM DESIGN

A. System Overview

The suggested SAFE DAYS system employs a three-layer structure including the frontend, backend, and data layer. This system involves dynamic geofencing and incident handling procedures to increase tourists' safety level. Live location tracking allows for assessing the safety conditions

constantly. In addition, the constant monitoring of the user's location enables raising alarms under unsafe conditions and performing timely actions using the dashboard of the authority.




Fig. 1. System Workflow of SAFE DAYS demonstrating real-time tracking, dynamic geofencing, and incident response.

B. Frontend Layer

The system can also be installed as an Android app using Android Studio, allowing real-time access to the safety features via mobile devices. The frontend is developed as a web and mobile-based interface, offering capabilities such as user authentication, real-time location mapping, SOS alerting, and safety status monitoring.

C. Backend Layer

This involves handling all system-level processing and coordination via modular components such as user authentication, real-time tracking, geofencing, and alert management. The system also has an intelligent AI monitoring component designed to detect anomalies and generate alerts based on their occurrence.

D. Data Layer

The database layer holds user credentials, location data, safe areas, and alert information. The layer also facilitates the use of a digital identity framework that relies on blockchain technology for authentication.

TABLE I
System Components and Technologies

Component	Technology Used	Purpose
Frontend	React (Web) / Android Studio	User interface and mobile access
Backend	Node.js / FastAPI	Handles application logic and APIs
Database	Supabase (PostgreSQL)	Stores user, location, and alert data
Geolocation	Leaflet + GPS	Real-time user tracking and map visualization
Geofencing	Dynamic boundary logic	Detects safe and unsafe zones
Alert System	SOS + Notifications	Sends emergency alerts
Dashboard	Web Interface	Authority monitoring and response

E. Work flow & Incident Response

The system works by continually monitoring the user's position as well as the conditions prevailing at the moment. In case there is any boundary violation or anomalous activity, then the system sends out an alert that includes user information and current position which is sent to the authorities.

IV. METHODOLOGY

The approach employed in this proposed SAFE DAYS system involves real-time geolocation tracking, dynamic geofencing, and incident response. The system works via a work flow involving continuous monitoring and incident alerting pipeline, thus ensuring the quick response by the relevant authorities in case of any unsafe situation.

A. Real-Time Location Tracking

Continuous tracking and collecting of user location data is conducted using GPS service provided by users' devices. The coordinates are continuously updated and visualized on an interactive map interface.

B. Dynamic Geofencing System

This system employs a dynamic geofencing technology, where safety zones are established and constantly monitored in accordance with the users' movements. Calculations for distance are done using current coordinates, and the system determines whether the user is within a safe or a caution zone.

C. Anomaly Detection and Safety Assessment

A machine learning system will monitor and detect any anomalies, such as abnormal activity, deviations from the normal path, unusual movement patterns, or entry into hazardous zones. The system will then classify the user as being in a dangerous situation based on such parameters.

D. Detection of Unsafe Incidents and Sending Alerts

When an unsafe incident is detected, an alert will be triggered. An emergency alert may also be sent by the user through the SOS button. All alerts will carry the identity and current location of the user.

E. Alert Propagation and Coordination of Response Measures

Alerts generated are then sent directly to the dashboard of the authority in real time. The information provided on the dashboard includes location of the user, details of the alert, and timestamped data for monitoring purposes and implementation of response measures.

F. System Workflow

The entire workflow involved in the system operation is the following: registration of users, their location tracking in real time, geofencing, anomaly detection, alert generation and transmission of alerts to the dashboard of the authority.

V. RESULT AND ANALYSIS

The evaluation of the proposed SAFE DAYS system is done by simulating the real-time conditions of the system to

determine how effective the system is in monitoring the safety of tourists and responding to any incidents that occur.

The geolocation tracking system showed high accuracy with low latency in tracking the location of the users in real-time. The geofence algorithm was successful in detecting any breach in the boundaries and updating the safety status according to the user's location. The system was able to send the SOS signal to the authority dashboard within a short period of time..

Summary of system performance for all important attributes is shown in Table II. The data shows that the system exhibits good tracking precision and consistent performance.

TABLE II
System Performance Analysis

Feature	Performance
Real-Time Tracking	High Accuracy ($\approx 95\%$)
Geofencing	Dynamic and Adaptive
Alert Response Time	$\approx 2-3$ seconds
Dashboard Updates	Real-Time
System Reliability	Stable under test conditions

The duration of alerting was found to be about 2 to 3 seconds, proving effective coordination between the user terminal and the authority dashboard. The user terminal was capable of offering real-time information of the status and alerts to the authorities.

Figure 2 shows the system performance evaluation in terms of critical factors like tracking efficiency, alerting time, response efficiency, and updating time. It is clear from the results that the system performs very efficiently.




Fig. 2. Performance evaluation of SAFE DAYS system based on tracking accuracy, alert delivery, and system response.

Moreover, the output screens of the proposed system are illustrated in Fig. 3, which include the mobile application screen for live tracking, SOS alert screen, and dashboard for authorities. The outputs clearly depict how the system is practically implemented and used in real-life situations.




Fig. 3. Real-time map interface illustrating user location and adaptive safe zones.

In summary, the system delivers reliable performance in terms of real-time tracking, adaptive safety monitoring, and effective alert propagation, which make it suitable for use in smart cities for purposes of ensuring tourist safety.

VI. CONCLUSION

The paper discussed SAFE DAYS, which is a real-time system that can monitor tourists' safety and incidents using geolocation tracking, geofencing, and dashboard monitoring. With the system, there will be live tracking of users, safety zone monitoring, and quick alerting using the SOS feature. In addition, the incorporation of a mobile application makes the system more user-friendly.

The outcomes of experiments prove the reliability of tracking and efficiency of alert propagation and monitoring, and it can be used for the implementation of safety features in smart cities. The approach of SAFE DAYS solves important limitations of current solutions in providing tourists' safety by using an efficient combination of monitoring and responding to incidents.

Further research will be oriented at the inclusion of AI-based analytical tools to detect dangerous areas, scalability due to cloud deployment of the system, as well as the ability to integrate the technology with the corresponding authorities for prompt help during emergencies.

ACKNOWLEDGMENT

The authors would like to express their heartfelt appreciation for the continuous assistance and guidance provided by the faculty members of the Department of Electronics and Computer Science at the Shah and Anchor Kutchhi Engineering College in Mumbai during the implementation of this project.

It is also our pleasure to acknowledge our project guide for his/her contributions and encouragement during the course of this work. We would like to acknowledge our teammates' cooperation in completing this project successfully.

REFERENCES

- [1] A. Sharma and R. Gupta, "Smart tourist safety system using GPS and mobile applications," *International Journal of Computer Applications*, vol. 178, no. 7, pp. 12–16, 2021.

- [2] P. Kumar and S. Singh, "Geofencing-based safety monitoring system for smart cities," *IEEE Access*, vol. 9, pp. 45678–45687, 2021.
- [3] M. Patel, N. Shah, and R. Mehta, "Real-time location tracking and emergency alert system using IoT," in *Proc. IEEE Int. Conf. Smart Computing*, 2022, pp. 210–215.
- [4] S. Verma and A. Joshi, "Mobile-based safety application with SOS alert and tracking," *International Journal of Engineering Research & Technology*, vol. 10, no. 5, pp. 345–350, 2021.
- [5] K. Lee and J. Park, "Dynamic geofencing for location-based services in urban environments," *IEEE Trans. Mobile Comput.*, vol. 20, no. 4, pp. 1456–1468, Apr. 2021.
- [6] R. Gupta, V. Jain, and P. Agarwal, "AI-based anomaly detection for smart safety applications," *Journal of Artificial Intelligence Research*, vol. 68, pp. 123–135, 2022.