Section 8 - Build Images - The Dockerfile Basics 3 Extend Official Images

docker build example - extend nginx image (1)

• In the following example we are going to use the files that are available in the resources/dockerfile-sample-3 directory to build a custom Docker image.

```
cd resources/dockerfile-sample-3
# ls
Dockerfile
index.html
```

There are 2 files available:

- The Dockerfile which contains the instructions on how to build our custom image.
- THe index.html file that will be copied in the custom image.



docker build example - extend nginx image (2)

The **Dockerfile** of this example



docker build example - extend nginx image (3a)


• Lets see the default nginx index.html page before we build our own custom nginx image:

```
# docker container run -p 80:80 --rm nginx
```

Note that we have used the --rm option that will delete the container automatically once it is stopped.



docker build example - extend nginx image (3b)



docker build example - extend nginx image (3)

Execute the docker build command to build out custom nginx Docker image:

```
# docker build -t nginx-with-custom-html .
Sending build context to Docker daemon 3.584kB
Step 1/3 : FROM nginx:latest
---> 27a188018e18
Step 2/3 : WORKDIR /usr/share/nginx/html
---> Using cache
---> ac75a6485581
Step 3/3 : COPY index.html index.html
---> 617ee5012490
```



docker build example - extend nginx image (4)

• Execute the docker container run command to create a container from our custom image:

docker container run -p 80:80 --rm nginx-with-custom-html 192.168.99.102 192.168.99.102 ① Not secure My First custom Docker image

docker build example - extend nginx image (5)

• Execute the docker image ls command to view the custom image that we have just created:

```
# docker image ls
REPOSITORY
                             TAG
                                                   IMAGE ID
                                                                        CREA
nginx-with-custom-html
                             latest
                                                   617ee5012490
                                                                        5 mi
gerassimos/private-repo1
                                                                        12 c
                             test2
                                                   27a188018e18
nginx
                             1.15
                                                   27a188018e18
                                                                        12 c
                                                                        12 c
                             1,15,12
nginx
                                                   27a188018e18
                             latest
nginx
                                                   27a188018e18
                                                                        12 c
```



docker build example - extend nginx image (5)

Finally upload the custom image to the Docker Hub registry:

```
# docker image tag nginx-with-custom-html:latest gerassimos/nginx-with-cus
# docker image ls
REPOSITORY
                               TAG
                                                 IMAGE ID
gerassimos/nginx-with-custom-html
                               latest
                                                 617ee5012490
nginx-with-custom-html
                               latest
                                                 617ee5012490
# docker push gerassimos/nginx-with-custom-html:latest
7f31d0f5f5ee: Pushing [==========] 4.096kB
912ed487215b: Preparing
5dacd731af1b: Preparing
```



LAB

- Ref
- D_S8_L3_Extend_Official_Images_lab.md