

项目总结报告

目录

- 1 项目属性
 - 1.1 坐标系统
 - 1.2 解算数据
- 2 观测文件
- 3 基线解算
 - 3.1 基线成果
 - 3.2 重复基线检查
 - 3.3 同步环检查
 - 3.4 异步环检查
- 4 平差结果
 - 4.1 WGS84 自由网平差结果
- 5 基线网型图

1 项目属性

项目名称:	2025-08-02
项目单位:	
责任人:	
开始日期:	
结束日期:	
描述:	
时区	UTC+08:00
软件版本:	HGO V2.0.5

1.1 坐标系统

坐标系名称:	default1
椭球:	北京 54
椭球长半轴:	6378245
椭球扁率倒数:	298.3
格网文件:	
投影方法:	Guass 3:
中央经线:	114:00:00.00000E
平均纬度:	000:00:00.00000N
比例系数:	1
投影面高程(m):	0
北向加常数(m):	0
东向加常数(m):	500000

1.2 解算数据

观测文件总数:	36		
站点个数:	30		
形成基线总条数:	45		
形成重复条数:	4	合格: 2	不合格: 2
形成同步环个数:	10	合格: 0	不合格: 10
形成异步环个数:	17	合格: 1	不合格: 16

2 观测文件

观测文件	采样间隔(s)	开始时间：	结束时间：	观测时长	站点名	天线高(m)	接收机编号：
00012141.GNS	10	2025/8/2 7:13:20	2025/8/2 8:0:20	00:47:00	0001	1.2775	10020548
00022141.GNS	10	2025/8/2 7:15:30	2025/8/2 8:0:20	00:44:50	0002	1.5518	10020439
00032141.GNS	10	2025/8/2 7:12:50	2025/8/2 8:1:0	00:48:10	0003	1.3378	10020442
00042141.GNS	10	2025/8/2 7:13:20	2025/8/2 8:59:30	01:46:10	0004	1.5508	10020466
00052141.GNS	10	2025/8/2 7:6:0	2025/8/2 8:58:30	01:52:30	0005	0.0896	10020332
00062142.GNS	10	2025/8/2 8:16:0	2025/8/2 10:2:40	01:46:40	0006	1.5227	10020548
00072142.GNS	10	2025/8/2 8:16:0	2025/8/2 8:58:30	00:42:30	0007	1.5589	10020439
00082142.GNS	10	2025/8/2 8:16:30	2025/8/2 8:59:10	00:42:40	0008	1.3419	10020442
00082146.GNS	10	2025/8/2 15:26:20	2025/8/2 16:9:0	00:42:40	0008	1.3670	10020442
00092146.GNS	10	2025/8/2 15:18:10	2025/8/2 16:8:30	00:50:20	0009	1.5679	10020439
00102143.GNS	10	2025/8/2 9:12:10	2025/8/2 11:9:30	01:57:20	0010	1.5819	10020439
00112143.GNS	10	2025/8/2 9:11:10	2025/8/2 10:2:30	00:51:20	0011	1.4996	10020332
00122146.GNS	10	2025/8/2 15:21:10	2025/8/2 16:8:20	00:47:10	0012	1.5318	10020466
00132143.GNS	10	2025/8/2 9:17:20	2025/8/2 10:2:50	00:45:30	0013	1.5769	10020466
00132145.GNS	10	2025/8/2 16:27:10	2025/8/2 17:9:10	00:42:00	0013	1.5167	10020466
00142146.GNS	10	2025/8/2 15:21:40	2025/8/2 17:8:40	01:47:00	0014	1.5769	10020332
00152147.GNS	10	2025/8/2 14:18:0	2025/8/2 16:8:40	01:50:40	0015	1.4946	10020548
00162147.GNS	10	2025/8/2 14:18:0	2025/8/2 15:6:30	00:48:30	0016	1.5619	10020439
00172147.GNS	10	2025/8/2 14:24:30	2025/8/2 15:6:40	00:42:10	0017	1.5689	10020466
00182143.GNS	10	2025/8/2 9:20:30	2025/8/2 11:10:20	01:49:50	0018	1.3238	10020442
00182145.GNS	10	2025/8/2 16:25:40	2025/8/2 17:10:30	00:44:50	0018	1.3680	10020442
00192144.GNS	10	2025/8/2 10:13:10	2025/8/2 13:4:50	02:51:40	0019	1.5066	10020548
00192145.GNS	10	2025/8/2 16:23:0	2025/8/2 17:9:40	00:46:40	0019	1.5227	10020439
00202145.GNS	10	2025/8/2 16:19:40	2025/8/2 17:8:40	00:49:00	0020	1.5016	10020548
00202148.GNS	10	2025/8/2 13:25:10	2025/8/2 14:6:50	00:41:40	0020	1.5548	10020466
00202149.GNS	10	2025/8/2 12:22:20	2025/8/2 13:20:0	00:57:40	0020	1.5548	10020466
00212148.GNS	10	2025/8/2 13:25:0	2025/8/2 15:6:40	01:41:40	0021	1.3037	10020442
00222147.GNS	10	2025/8/2 14:23:50	2025/8/2 15:6:40	00:42:50	0022	1.5589	10020332
00232144.GNS	10	2025/8/2 10:13:50	2025/8/2 12:2:40	01:48:50	0023	1.5297	10020466
00242144.GNS	10	2025/8/2 10:25:0	2025/8/2 12:2:30	01:37:30	0024	1.4273	10020332
00252140.GNS	10	2025/8/2 11:19:50	2025/8/2 12:2:30	00:42:40	0025	1.6080	10020439
00262140.GNS	10	2025/8/2 11:21:20	2025/8/2 13:5:10	01:43:50	0026	1.3449	10020442
00272149.GNS	10	2025/8/2 12:14:20	2025/8/2 13:4:40	00:50:20	0027	1.5388	10020439
00282149.GNS	10	2025/8/2 12:14:20	2025/8/2 14:5:50	01:51:30	0028	1.4193	10020332



项目总结报告

00292148.GNS	10	2025/8/2	13:22:10	2025/8/2	14:6:40	00:44:30	0029	1.4966	10020548
00302148.GNS	10	2025/8/2	13:21:30	2025/8/2	14:6:30	00:45:00	0030	1.5779	10020439

3 基线解算

3.1 基线成果

00012141.zsd-00022141.zsd	Ratio	DX(m)	DY(m)	DZ(m)	长度(m)	RMS(mm)	平面精度 高程精度(mm)	基线方位角(dms)
L1 三差解		37.3813	79.4362	-51.0565	101.5590	7.7		221°15'21.0413"
L1 浮动解		37.3881	79.3464	-51.0791	101.5027	9.3		221°15'14.4030"
L1 固定解	8.1	37.3774	79.2943	-51.0695	101.4532	11.0	1.1 1.6	221°15'11.0679"
00012141.zsd-00032141.zsd	Ratio	DX(m)	DY(m)	DZ(m)	长度(m)	RMS(mm)	平面精度 高程精度(mm)	基线方位角(dms)
L1 三差解		-80.8047	8.2083	-57.8564	99.7203	6.4		134°34'10.6397"
L1 浮动解		-80.8177	8.0155	-57.8778	99.7276	10.2		134°29'09.8785"
L1 固定解	6.8	-80.8399	7.9155	-57.8558	99.7248	12.1	2.0 3.4	134°25'48.5421"
00022141.zsd-00042141.zsd	Ratio	DX(m)	DY(m)	DZ(m)	长度(m)	RMS(mm)	平面精度 高程精度(mm)	基线方位角(dms)
L1 三差解		-17.9446	39.5517	-46.2470	63.4439	10.0		179°51'11.5837"
L1 浮动解		-17.5807	38.6494	-46.5200	62.9838	31.8		179°43'14.2274"
L1 固定解	9.8	-17.5857	38.5987	-46.5243	62.9574	32.5	6.7 11.0	179°41'37.8969"
00032141.zsd-00052141.zsd	Ratio	DX(m)	DY(m)	DZ(m)	长度(m)	RMS(mm)	平面精度 高程精度(mm)	基线方位角(dms)
L1 三差解		-12.7228	35.8606	-39.2059	54.6348	10.3		183°19'06.7855"
L1 浮动解		-12.5690	36.4122	-39.1812	54.9454	18.3		183°43'21.6802"
L1 固定解	3.6	-12.5533	36.4964	-39.1967	55.0086	25.7	2.9 2.5	183°46'26.9160"
00042141.zsd-00052141.zsd	Ratio	DX(m)	DY(m)	DZ(m)	长度(m)	RMS(mm)	平面精度 高程精度(mm)	基线方位角(dms)
L1 三差解		-113.5949	-75.3017	1.5560	136.2959	8.2		083°07'32.0365"
L1 浮动解		-112.9314	-73.9975	1.0475	135.0193	17.4		083°29'08.0520"
L1 固定解	4.3	-112.8875	-73.9717	1.0430	134.9685	19.6	2.0 3.3	083°29'10.1760"
00042141.zsd-00062142.zsd	Ratio	DX(m)	DY(m)	DZ(m)	长度(m)	RMS(mm)	平面精度 高程精度(mm)	基线方位角(dms)
L1 三差解		-33.9316	60.0355	-76.3618	102.8918	7.4		176°20'12.0521"
L1 浮动解		-33.7224	56.5201	-76.3144	100.7751	31.7		175°23'25.0867"
L1 固定解	2.8	-33.5901	56.0761	-76.4057	100.5518	20.2	3.9 19.6	175°19'03.8872"
00052141.zsd-00082142.zsd	Ratio	DX(m)	DY(m)	DZ(m)	长度(m)	RMS(mm)	平面精度 高程精度(mm)	基线方位角(dms)
L1 三差解		-70.1548	31.4297	-75.1331	107.4918	9.1		151°07'40.2747"
L1 浮动解		-70.3732	30.7731	-74.6380	107.0990	20.4		150°43'29.0803"
L1 固定解	2.5	-70.5747	30.7308	-74.5292	107.1436	23.6	1.7 3.9	150°37'26.6446"
00062142.zsd-00072142.zsd	Ratio	DX(m)	DY(m)	DZ(m)	长度(m)	RMS(mm)	平面精度 高程精度(mm)	基线方位角(dms)

项目总结报告

L1 三差解		-103.3443	-64.4903	-4.3064	121.8917	7.3		086°10'20.7046"
L1 浮动解		-103.3482	-64.0098	-4.1209	121.6351	16.4		086°14'20.3527"
L1 固定解	2.7	-103.4839	-63.9245	-4.0819	121.7042	18.5	1.9 5.8	086°16'10.7925"
00062142.zsd-00102143.zsd	Ratio	DX(m)	DY(m)	DZ(m)	长度(m)	RMS(mm)	平面精度 高程精度(mm)	基线方位角(dms)
L1 三差解		86.0210	120.2728	-56.5224	158.3034	9.6		234°23'35.3188"
L1 浮动解		88.8557	121.6073	-57.1238	161.0801	22.5		234°53'10.5871"
L1 固定解	26.3	88.9538	121.5922	-57.1409	161.1289	20.1	10.3 11.1	234°54'31.4540"
00062142.zsd-00112143.zsd	Ratio	DX(m)	DY(m)	DZ(m)	长度(m)	RMS(mm)	平面精度 高程精度(mm)	基线方位角(dms)
L1 三差解		-97.7805	3.5737	-62.9053	116.3223	9.1		130°28'54.9713"
L1 浮动解		-96.8691	4.7479	-62.9230	115.6091	30.8		131°06'10.2991"
L1 固定解	3.9	-97.0375	4.6124	-62.8772	115.7199	31.8	7.1 28.4	131°00'30.3409"
00072142.zsd-00082142.zsd	Ratio	DX(m)	DY(m)	DZ(m)	长度(m)	RMS(mm)	平面精度 高程精度(mm)	基线方位角(dms)
L1 三差解		-45.9141	-38.1585	7.1204	60.1238	7.6		074°25'39.3973"
L1 浮动解		-45.9346	-38.4162	7.1372	60.3053	12.3		074°18'46.2048"
L1 固定解	2.5	-46.0024	-38.3759	7.1966	60.3384	15.2	0.6 1.3	074°19'15.4226"
00082146.zsd-00092146.zsd	Ratio	DX(m)	DY(m)	DZ(m)	长度(m)	RMS(mm)	平面精度 高程精度(mm)	基线方位角(dms)
L1 三差解		-45.3873	8.8038	-34.4241	57.6414	9.7		138°43'07.5673"
L1 浮动解		-44.8867	8.8235	-35.3697	57.8246	11.5		139°22'09.7954"
L1 固定解	5.3	-44.8777	8.7128	-35.5032	57.8827	17.5	1.6 2.0	139°20'42.3285"
00082146.zsd-00142146.zsd	Ratio	DX(m)	DY(m)	DZ(m)	长度(m)	RMS(mm)	平面精度 高程精度(mm)	基线方位角(dms)
L1 三差解		-36.6513	70.2418	-88.4896	118.7755	7.3		177°36'07.8152"
L1 浮动解		-36.6263	70.2612	-88.4668	118.7623	8.8		177°37'04.4140"
L1 固定解	9.6	-36.6922	70.2248	-88.4743	118.7668	10.9	0.6 1.3	177°34'53.2072"
00092146.zsd-00122146.zsd	Ratio	DX(m)	DY(m)	DZ(m)	长度(m)	RMS(mm)	平面精度 高程精度(mm)	基线方位角(dms)
L1 三差解		-73.2953	-60.4893	12.4431	95.8435	8.7		074°04'15.1176"
L1 浮动解		-74.1077	-60.1698	11.9231	96.2005	18.9		074°37'40.5908"
L1 固定解	4.7	-74.1470	-60.0513	11.8998	96.1538	21.3	3.6 11.5	074°40'56.6147"
00102143.zsd-00182143.zsd	Ratio	DX(m)	DY(m)	DZ(m)	长度(m)	RMS(mm)	平面精度 高程精度(mm)	基线方位角(dms)
L1 三差解		-31.4502	38.7295	-59.4856	77.6378	9.3		170°03'34.1421"
L1 浮动解		-31.6944	39.7497	-59.4876	78.2518	14.7		170°21'06.0743"
L1 固定解	28.8	-31.7205	39.6757	-59.4896	78.2264	15.1	2.2 3.9	170°18'16.9014"
00102143.zsd-00242144.zsd	Ratio	DX(m)	DY(m)	DZ(m)	长度(m)	RMS(mm)	平面精度 高程精度(mm)	基线方位角(dms)
L1 三差解		-17.4852	142.3160	-138.7518	199.5286	8.8		192°20'29.2168"
L1 浮动解		-13.7789	137.0941	-140.1145	196.5114	16.0		192°42'15.6277"
L1 固定解	2.5	-13.6856	136.9536	-140.0869	196.3872	17.2	4.7 16.5	192°43'01.6282"
00112143.zsd-00132143.zsd	Ratio	DX(m)	DY(m)	DZ(m)	长度(m)	RMS(mm)	平面精度 高程精度(mm)	基线方位角(dms)
L1 三差解		86.3580	61.6485	-3.5557	106.1644	5.3		260°51'44.4219"

项目总结报告

L1 浮动解		86.3341	61.6445	-3.5682	106.1431	6.0		260°51'11.3518"
L1 固定解	3.8	86.3365	61.6949	-3.5764	106.1746	13.6	3.3 3.5	260°50'09.7031"
00122146.zsd-00152147.zsd	Ratio	DX(m)	DY(m)	DZ(m)	长度(m)	RMS(mm)	平面精度 高程精度(mm)	基线方位角(dms)
L1 三差解		-28.3638	62.3573	-76.4588	102.6591	9.1		179°39'36.2392"
L1 浮动解		-28.9185	61.9704	-75.9677	102.2140	15.4		179°18'18.5294"
L1 固定解	10.9	-28.9171	61.9636	-75.9579	102.2022	14.5	1.1 1.4	179°18'15.6120"
00132145.zsd-00142146.zsd	Ratio	DX(m)	DY(m)	DZ(m)	长度(m)	RMS(mm)	平面精度 高程精度(mm)	基线方位角(dms)
L1 三差解		-176.3437	-98.4994	-18.2470	202.8107	7.7		090°21'35.8118"
L1 浮动解		-176.2237	-98.5486	-18.2953	202.7346	13.8		090°21'08.7117"
L1 固定解	3.2	-176.2529	-98.5150	-18.2841	202.7427	18.3	0.9 2.0	090°21'29.2697"
00132143.zsd-00182143.zsd	Ratio	DX(m)	DY(m)	DZ(m)	长度(m)	RMS(mm)	平面精度 高程精度(mm)	基线方位角(dms)
L1 三差解		67.0287	96.0324	-49.3018	127.0659	7.5		232°37'33.3857"
L1 浮动解		67.1263	96.0181	-49.3877	127.1399	8.1		232°38'06.7928"
L1 固定解	99.0	67.1438	96.0087	-49.3982	127.1461	8.4	0.7 0.8	232°38'19.9380"
00132145.zsd-00182145.zsd	Ratio	DX(m)	DY(m)	DZ(m)	长度(m)	RMS(mm)	平面精度 高程精度(mm)	基线方位角(dms)
L1 三差解		67.1724	96.1434	-49.4903	127.2988	8.2		232°36'37.1764"
L1 浮动解		67.1084	95.9470	-49.4430	127.0983	14.0		232°37'09.9830"
L1 固定解	2.0	67.1578	96.0011	-49.3985	127.1479	13.8	0.8 1.2	232°38'38.8764"
00142146.zsd-00152147.zsd	Ratio	DX(m)	DY(m)	DZ(m)	长度(m)	RMS(mm)	平面精度 高程精度(mm)	基线方位角(dms)
L1 三差解		-112.8352	-61.0873	-11.8032	128.8517	8.4		090°55'59.0474"
L1 浮动解		-112.2833	-60.9442	-11.9311	128.3125	12.7		090°57'04.6092"
L1 固定解	4.9	-112.2853	-60.9038	-11.8877	128.2910	14.7	0.7 1.1	090°56'53.9673"
00142146.zsd-00202145.zsd	Ratio	DX(m)	DY(m)	DZ(m)	长度(m)	RMS(mm)	平面精度 高程精度(mm)	基线方位角(dms)
L1 三差解		-11.6291	72.6746	-75.1916	105.2170	8.6		190°26'33.3446"
L1 浮动解		-11.5233	72.7758	-75.1294	105.2309	17.3		190°31'20.0229"
L1 固定解	2.0	-11.4890	72.8228	-75.1172	105.2509	24.9	0.8 1.8	190°32'59.7507"
00152147.zsd-00162147.zsd	Ratio	DX(m)	DY(m)	DZ(m)	长度(m)	RMS(mm)	平面精度 高程精度(mm)	基线方位角(dms)
L1 三差解		-74.2184	-50.0265	1.1375	89.5115	8.1		082°46'35.6290"
L1 浮动解		-74.4914	-50.3852	1.3760	89.9418	10.3		082°36'15.7501"
L1 固定解	10.6	-74.4603	-50.3012	1.3874	89.8692	10.3	0.4 0.7	082°37'13.9333"
00152147.zsd-00212148.zsd	Ratio	DX(m)	DY(m)	DZ(m)	长度(m)	RMS(mm)	平面精度 高程精度(mm)	基线方位角(dms)
L1 三差解		-38.4226	39.8654	-61.2353	82.5549	7.7		166°39'26.9354"
L1 浮动解		-38.6537	40.0335	-60.9531	82.5353	12.2		166°35'08.2043"
L1 固定解	3.1	-38.6369	40.0899	-60.9550	82.5561	16.1	0.5 0.8	166°37'08.3376"
00162147.zsd-00172147.zsd	Ratio	DX(m)	DY(m)	DZ(m)	长度(m)	RMS(mm)	平面精度 高程精度(mm)	基线方位角(dms)
L1 三差解		-101.1761	-44.7969	-20.7056	112.5704	8.6		097°54'57.2573"
L1 浮动解		-101.2273	-44.4399	-20.6752	112.4693	8.2		098°01'52.5435"

项目总结报告

L1 固定解	81.6	-101.2468	-44.4584	-20.6719	112.4935	8.6	0.4 0.6	098°01'30.5731"
00172147.zsd-00222147.zsd	Ratio	DX(m)	DY(m)	DZ(m)	长度(m)	RMS(mm)	平面精度 高程精度(mm)	基线方位角(dms)
L1 三差解		46.0874	58.5660	-26.3207	79.0368	8.7		237°10'44.9430"
L1 浮动解		45.4392	58.8042	-25.7760	78.6578	11.5		237°04'09.7992"
L1 固定解	2.2	45.4808	58.7777	-25.7973	78.6691	8.0	0.5 0.8	237°05'06.5237"
00182143.zsd-00192144.zsd	Ratio	DX(m)	DY(m)	DZ(m)	长度(m)	RMS(mm)	平面精度 高程精度(mm)	基线方位角(dms)
L1 三差解		-112.4429	-21.5545	-50.0348	124.9459	7.1		115°53'52.4965"
L1 浮动解		-112.5146	-21.5673	-49.9256	124.9690	13.1		115°51'26.5906"
L1 固定解	2.3	-112.6746	-21.6452	-49.8500	125.0964	20.0	1.0 3.2	115°47'54.4422"
00182145.zsd-00192145.zsd	Ratio	DX(m)	DY(m)	DZ(m)	长度(m)	RMS(mm)	平面精度 高程精度(mm)	基线方位角(dms)
L1 三差解		-112.4798	-21.5806	-49.8227	124.8989	8.2		115°49'30.1641"
L1 浮动解		-112.6905	-21.6428	-49.8465	125.1089	10.1		115°47'50.4506"
L1 固定解	92.5	-112.6875	-21.6437	-49.8620	125.1125	10.3	1.0 1.7	115°48'06.0759"
00192145.zsd-00202145.zsd	Ratio	DX(m)	DY(m)	DZ(m)	长度(m)	RMS(mm)	平面精度 高程精度(mm)	基线方位角(dms)
L1 三差解		-141.6067	-99.9110	5.4760	173.3916	9.2		081°09'19.0305"
L1 浮动解		-142.0990	-100.0468	5.8795	173.8852	12.7		081°05'52.4016"
L1 固定解	44.8	-142.0863	-100.0443	5.8882	173.8736	12.8	1.8 5.6	081°05'40.2281"
00192144.zsd-00202149.zsd	Ratio	DX(m)	DY(m)	DZ(m)	长度(m)	RMS(mm)	平面精度 高程精度(mm)	基线方位角(dms)
L1 三差解		-142.4096	-99.8672	5.6554	174.0286	9.0		081°13'32.0668"
L1 浮动解		-141.4022	-101.8225	6.4820	174.3687	17.4		080°32'53.9623"
L1 固定解	23.9	-141.4052	-101.8993	6.4985	174.4165	21.0	2.1 3.6	080°31'53.1509"
00192144.zsd-00232144.zsd	Ratio	DX(m)	DY(m)	DZ(m)	长度(m)	RMS(mm)	平面精度 高程精度(mm)	基线方位角(dms)
L1 三差解		125.8915	63.2959	19.0375	142.1881	9.6		273°54'01.0700"
L1 浮动解		125.9153	63.1707	19.0064	142.1494	25.0		273°55'32.5572"
L1 固定解	2.9	125.9270	63.2485	19.0155	142.1955	28.9	0.8 1.6	273°54'33.0263"
00192144.zsd-00262140.zsd	Ratio	DX(m)	DY(m)	DZ(m)	长度(m)	RMS(mm)	平面精度 高程精度(mm)	基线方位角(dms)
L1 三差解		-21.6950	60.5034	-68.3675	93.8374	9.7		183°01'34.5378"
L1 浮动解		-21.4452	59.9963	-68.9514	93.8815	32.8		182°58'39.1255"
L1 固定解	7.9	-21.5208	59.9165	-68.9333	93.8346	35.9	3.2 5.3	182°54'57.4808"
00202148.zsd-00212148.zsd	Ratio	DX(m)	DY(m)	DZ(m)	长度(m)	RMS(mm)	平面精度 高程精度(mm)	基线方位角(dms)
L1 三差解		-139.3680	-93.4908	2.2612	167.8365	6.4		082°49'43.3730"
L1 浮动解		-139.5105	-93.6345	2.2716	168.0349	7.9		082°49'03.6532"
L1 固定解	4.7	-139.4369	-93.6155	2.2787	167.9634	10.2	0.6 1.2	082°48'35.6210"
00202148.zsd-00282149.zsd	Ratio	DX(m)	DY(m)	DZ(m)	长度(m)	RMS(mm)	平面精度 高程精度(mm)	基线方位角(dms)
L1 三差解		-8.8548	108.7484	-106.2301	152.2809	7.9		193°51'47.2649"
L1 浮动解		-8.4782	108.3673	-106.3512	152.0721	10.4		193°56'01.6477"
L1 固定解	39.4	-8.6475	108.4014	-106.3428	152.1001	10.6	1.0 2.5	193°52'50.6539"

项目总结报告

00202149.zsd-00282149.zsd	Ratio	DX(m)	DY(m)	DZ(m)	长度(m)	RMS(mm)	平面精度 高程精度(mm)	基线方位角(dms)
L1 三差解		-8.0621	108.4742	-105.5480	151.5652	11.9		194°10'06.2117"
L1 浮动解		-8.3821	108.0855	-106.2076	151.7656	20.9		193°56'46.6620"
L1 固定解	13.2	-8.4188	108.0396	-106.2348	151.7539	20.9	3.1 3.1	193°55'31.5126"
00212148.zsd-00222147.zsd	Ratio	DX(m)	DY(m)	DZ(m)	长度(m)	RMS(mm)	平面精度 高程精度(mm)	基线方位角(dms)
L1 三差解		-91.1772	-75.8934	15.8178	119.6800	8.2		073°48'37.8566"
L1 浮动解		-91.5907	-76.0824	15.8671	120.1214	6.2		073°51'06.9498"
L1 固定解	2.5	-91.5683	-76.0887	15.8622	120.1077	6.1	0.6 1.6	073°50'48.7376"
00212148.zsd-00302148.zsd	Ratio	DX(m)	DY(m)	DZ(m)	长度(m)	RMS(mm)	平面精度 高程精度(mm)	基线方位角(dms)
L1 三差解		-106.6157	74.6783	-135.0405	187.5624	6.1		158°54'41.1496"
L1 浮动解		-106.7067	74.4461	-135.3025	187.7107	10.5		158°51'32.5521"
L1 固定解	3.4	-106.5454	74.4690	-135.2891	187.6185	7.8	0.6 1.0	158°53'53.1578"
00232144.zsd-00242144.zsd	Ratio	DX(m)	DY(m)	DZ(m)	长度(m)	RMS(mm)	平面精度 高程精度(mm)	基线方位角(dms)
L1 三差解		4.2544	56.8901	-48.8045	75.0764	8.9		201°23'07.0228"
L1 浮动解		3.8529	55.7853	-49.7348	74.8357	21.8		200°39'53.5525"
L1 固定解	2.3	3.8054	55.8202	-49.6968	74.8341	25.5	1.0 2.3	200°38'52.6899"
00242144.zsd-00252140.zsd	Ratio	DX(m)	DY(m)	DZ(m)	长度(m)	RMS(mm)	平面精度 高程精度(mm)	基线方位角(dms)
L1 三差解		-7.1329	48.5587	-52.3164	71.7344	8.2		190°32'49.7960"
L1 浮动解		-6.2085	49.7523	-50.8267	71.3946	10.3		191°49'39.8806"
L1 固定解	5.4	-6.2233	49.7239	-50.8386	71.3846	9.4	0.6 1.1	191°48'24.2409"
00252140.zsd-00262140.zsd	Ratio	DX(m)	DY(m)	DZ(m)	长度(m)	RMS(mm)	平面精度 高程精度(mm)	基线方位角(dms)
L1 三差解		-144.1771	-107.7157	12.9451	180.4363	7.1		078°24'01.1788"
L1 浮动解		-144.4736	-108.0191	12.8694	180.8491	12.7		078°24'40.9210"
L1 固定解	4.8	-144.4518	-108.1786	12.8118	180.9228	12.5	1.7 3.6	078°23'47.2655"
00262140.zsd-00272149.zsd	Ratio	DX(m)	DY(m)	DZ(m)	长度(m)	RMS(mm)	平面精度 高程精度(mm)	基线方位角(dms)
L1 三差解		-39.6048	15.5613	-43.8489	61.1017	11.0		150°02'04.8970"
L1 浮动解		-38.0266	18.9569	-43.3425	60.6956	13.1		153°08'44.2967"
L1 固定解	3.0	-37.9573	18.9580	-43.3747	60.6756	14.1	4.0 6.1	153°11'49.4434"
00272149.zsd-00282149.zsd	Ratio	DX(m)	DY(m)	DZ(m)	长度(m)	RMS(mm)	平面精度 高程精度(mm)	基线方位角(dms)
L1 三差解		-91.7690	-71.0295	11.8416	116.6489	11.9		076°28'34.7117"
L1 浮动解		-91.0713	-71.2145	11.2706	116.1573	14.7		076°28'45.7227"
L1 固定解	11.8	-90.9359	-71.1606	11.2731	116.0183	16.8	1.8 2.6	076°27'35.8342"
00282149.zsd-00292148.zsd	Ratio	DX(m)	DY(m)	DZ(m)	长度(m)	RMS(mm)	平面精度 高程精度(mm)	基线方位角(dms)
L1 三差解		-168.8356	-80.6590	-27.8911	189.1805	9.4		095°15'03.0600"
L1 浮动解		-167.9057	-80.4316	-28.0743	188.2810	17.5		095°16'57.0771"
L1 固定解	2.4	-168.1225	-80.3366	-28.0893	188.4361	22.1	1.7 4.4	095°19'02.6570"
00292148.zsd-00302148.zsd	Ratio	DX(m)	DY(m)	DZ(m)	长度(m)	RMS(mm)	平面精度 高程精度(mm)	基线方位角(dms)

项目总结报告

L1 三差解		-68.4966	-47.1363	1.2916	83.1582	6.8		082°17'17.9474"
L1 浮动解		-69.0016	-47.1966	1.4459	83.6111	17.3		082°19'15.7430"
L1 固定解	3.9	-69.2092	-47.2300	1.4219	83.8010	18.5	1.0 1.9	082°22'32.7378"

3.2 重复基线检查

名称	质量检查	dX(mm)	dY(mm)	dZ(mm)	长度较差(mm)	平均边长(m)	长度较差限差(mm)	相对误差
	基线	Ratio	RMS(m)	DX(m)	DY(m)	DZ(m)	长度(m)	
0013-0018	合格	-14.0	7.5	-0.3	15.9	127.1470	28.3	1:7997
	00132143.zsd-00182143.zsd	99	0.0084	67.1438	96.0087	-49.3982	127.1461	
	00132145.zsd-00182145.zsd	2	0.0138	67.1578	96.0011	-49.3985	127.1479	
0018-0019	合格	-12.9	1.5	-12.0	17.7	125.1044	28.3	1:7078
	00182143.zsd-00192144.zsd	2.3	0.02	-112.6746	-21.6452	-49.85	125.0964	
	00182145.zsd-00192145.zsd	92.5	0.0103	-112.6875	-21.6437	-49.862	125.1125	
0019-0020(最差)	不合格	681.0	-1855.0	-610.4	2068.2	174.1451	28.3	1:84
	00192145.zsd-00202145.zsd	44.8	0.0128	-142.0863	-100.0443	5.8882	173.8736	
	00192144.zsd-00202149.zsd	23.9	0.021	-141.4052	-101.8993	6.4985	174.4165	
0020-0028	不合格	228.7	361.8	108.0	441.5	151.9270	28.3	1:344
	00202148.zsd-00282149.zsd	39.4	0.0106	-8.6475	108.4014	-106.3428	152.1001	
	00202149.zsd-00282149.zsd	13.2	0.0209	-8.4188	108.0396	-106.2348	151.7539	

3.3 同步环检查

名称	质量检查	WX(mm))	WY(mm))	WZ(mm)	WS(mm)	环总长 (m)	分量限 差(mm)	总限 差 (mm)	环总长 相对精 度 (ppm)
	基线	Ratio	RMS(m)	DX(m)	DY(m)	DZ(m)	长度(m)		
0001-0002-0003-0004-0005-1	不合格	297.5	-490.6	501.5	762.1	454.11	4.5	7.7	1678.16
	00012141.zsd-00022141.zsd	8.1	0.011	37.3774	79.2943	-51.0695	101.4532		
	00012141.zsd-00032141.zsd	6.8	0.0121	-80.8399	7.9155	-57.8558	99.7248		
	00022141.zsd-00042141.zsd	9.8	0.0325	-17.5857	38.5987	-46.5243	62.9574		

项目总结报告

	sd								
	00032141.zsd-00052141.z	3.6	0.0257	-12.5533	36.4964	-39.1967	55.0086		
	sd								
	00042141.zsd-00052141.z	4.3	0.0196	-112.887	-73.9717	1.043	134.968		
	sd			5			5		
0004-0005-0006-0007-0008-1(最差)	不合格	-385.8	2983.5	-195.1	3014.6	524.71	4.5	7.7	5745.36
	00042141.zsd-00052141.z	4.3	0.0196	-112.887	-73.9717	1.043	134.968		
	sd			5			5		
	00042141.zsd-00062142.z	2.8	0.0202	-33.5901	56.0761	-76.4057	100.551		
	sd						8		
	00052141.zsd-00082142.z	2.5	0.0236	-70.5747	30.7308	-74.5292	107.143		
	sd						6		
	00062142.zsd-00072142.z	2.7	0.0185	-103.483	-63.9245	-4.0819	121.704		
	sd			9			2		
	00072142.zsd-00082142.z	2.5	0.0152	-46.0024	-38.3759	7.1966	60.3384		
	sd								
0006-0010-0011-0013-0018-1	不合格	790.5	-1048.0	-778.7	1526.3	588.40	4.5	7.7	2594.02
	00062142.zsd-00102143.z	26.3	0.0201	88.9538	121.5922	-57.1409	161.128		
	sd						9		
	00062142.zsd-00112143.z	3.9	0.0318	-97.0375	4.6124	-62.8772	115.719		
	sd						9		
	00102143.zsd-00182143.z	28.8	0.0151	-31.7205	39.6757	-59.4896	78.2264		
	sd								
	00112143.zsd-00132143.z	3.8	0.0136	86.3365	61.6949	-3.5764	106.174		
	sd						6		
	00132143.zsd-00182143.z	99	0.0084	67.1438	96.0087	-49.3982	127.146		
	sd						1		
0008-0009-0012-0014-0015-1	不合格	1035.6	1304.1	800.6	1847.7	503.30	4.5	7.7	3671.22
	00082146.zsd-00092146.z	5.3	0.0175	-44.8777	8.7128	-35.5032	57.8827		
	sd								
	00082146.zsd-00142146.z	9.6	0.0109	-36.6922	70.2248	-88.4743	118.766		
	sd						8		
	00092146.zsd-00122146.z	4.7	0.0213	-74.147	-60.0513	11.8998	96.1538		
	sd								
	00122146.zsd-00152147.z	10.9	0.0145	-28.9171	61.9636	-75.9579	102.202		

项目总结报告

	sd						2		
	00142146.zsd-00152147.z	4.9	0.0147	-112.285	-60.9038	-11.8877	128.291		
	sd			3					
0010-0018-0019-0023-0024-1	不合格	-977.1	145.6	66.0	990.1	616.74	4.5	7.7	1605.4 1
	00102143.zsd-00182143.z	28.8	0.0151	-31.7205	39.6757	-59.4896	78.2264		
	sd								
	00102143.zsd-00242144.z	2.5	0.0172	-13.6856	136.9536	-140.086	196.387		
	sd					9	2		
	00182143.zsd-00192144.z	2.3	0.02	-112.674	-21.6452	-49.85	125.096		
	sd			6			4		
	00192144.zsd-00232144.z	2.9	0.0289	125.927	63.2485	19.0155	142.195		
	sd						5		
	00232144.zsd-00242144.z	2.3	0.0255	3.8054	55.8202	-49.6968	74.8341		
	sd								
0013-0014-0018-0019-0020-1	不合格	-125.9	-5.4	-29.0	129.3	734.13	4.5	7.7	176.18
	00132145.zsd-00142146.z	3.2	0.0183	-176.252	-98.515	-18.2841	202.742		
	sd			9			7		
	00132145.zsd-00182145.z	2	0.0138	67.1578	96.0011	-49.3985	127.147		
	sd						9		
	00142146.zsd-00202145.z	2	0.0249	-11.489	72.8228	-75.1172	105.250		
	sd						9		
	00182145.zsd-00192145.z	92.5	0.0103	-112.687	-21.6437	-49.862	125.112		
	sd			5			5		
	00192145.zsd-00202145.z	44.8	0.0128	-142.086	-100.044	5.8882	173.873		
	sd			3	3		6		
0015-0016-0017-0021-0022-1	不合格	-21.1	16.9	10.9	29.2	483.70	4.5	7.7	60.36
	00152147.zsd-00162147.z	10.6	0.0103	-74.4603	-50.3012	1.3874	89.8692		
	sd								
	00152147.zsd-00212148.z	3.1	0.0161	-38.6369	40.0899	-60.955	82.5561		
	sd								
	00162147.zsd-00172147.z	81.6	0.0086	-101.246	-44.4584	-20.6719	112.493		
	sd			8			5		
	00172147.zsd-00222147.z	2.2	0.008	45.4808	58.7777	-25.7973	78.6691		
	sd								
	00212148.zsd-00222147.z	2.5	0.0061	-91.5683	-76.0887	15.8622	120.107		
	sd						7		
0019-0020-0026-0027-0028-1	不合格	590.0	-1573.5	1298.6	2123.8	596.70	4.5	7.7	3559.2

项目总结报告

									1
	00192144.zsd-00202149.zsd	23.9	0.021	-141.4052	-101.8993	6.4985	174.4165		
	00192144.zsd-00262140.zsd	7.9	0.0359	-21.5208	59.9165	-68.9333	93.8346		
	00202149.zsd-00282149.zsd	13.2	0.0209	-8.4188	108.0396	-106.2348	151.7539		
	00262140.zsd-00272149.zsd	3	0.0141	-37.9573	18.958	-43.3747	60.6756		
	00272149.zsd-00282149.zsd	11.8	0.0168	-90.9359	-71.1606	11.2731	116.0183		
0019-0023-0024-0025-0026-1	不合格	578.1	697.5	225.1	933.5	563.17	4.5	7.7	1657.49
	00192144.zsd-00232144.zsd	2.9	0.0289	125.927	63.2485	19.0155	142.1955		
	00192144.zsd-00262140.zsd	7.9	0.0359	-21.5208	59.9165	-68.9333	93.8346		
	00232144.zsd-00242144.zsd	2.3	0.0255	3.8054	55.8202	-49.6968	74.8341		
	00242144.zsd-00252140.zsd	5.4	0.0094	-6.2233	49.7239	-50.8386	71.3846		
	00252140.zsd-00262140.zsd	4.8	0.0125	-144.4518	-108.1786	12.8118	180.9228		
0020-0021-0028-0029-0030-1	不合格	-3.1	18.7	-0.2	19.0	779.92	4.5	7.7	24.35
	00202148.zsd-00212148.zsd	4.7	0.0102	-139.4369	-93.6155	2.2787	167.9634		
	00202148.zsd-00282149.zsd	39.4	0.0106	-8.6475	108.4014	-106.3428	152.1001		
	00212148.zsd-00302148.zsd	3.4	0.0078	-106.5454	74.469	-135.2891	187.6185		
	00282149.zsd-00292148.zsd	2.4	0.0221	-168.1225	-80.3366	-28.0893	188.4361		
	00292148.zsd-00302148.zsd	3.9	0.0185	-69.2092	-47.23	1.4219	83.801		

3.4 异步环检查

名称	质量检查	WX(mm))	WY(mm))	WZ(mm)	WS(mm)	环总长 (m)	分量限 差(mm)	总限 差 (mm)	环总长 相对精 度 (ppm)
	基线	Ratio	RMS(m)	DX(m)	DY(m)	DZ(m)	长度(m)		
0014-0015-0020-0021-1	合格	3.8	-21.2	-4.1	22.0	484.06	60.0	103.9	45.36
	00142146.zsd-00152147.zsd	4.9	0.0147	-112.2853	-60.9038	-11.8877	128.291		
	00142146.zsd-00202145.zsd	2	0.0249	-11.489	72.8228	-75.1172	105.2509		
	00152147.zsd-00212148.zsd	3.1	0.0161	-38.6369	40.0899	-60.955	82.5561		
	00202148.zsd-00212148.zsd	4.7	0.0102	-139.4369	-93.6155	2.2787	167.9634		
0006-0010-0011-0013-0018-1	不合格	776.5	-1040.5	-778.4	1513.8	588.40	67.1	116.2	2572.69
	00062142.zsd-00102143.zsd	26.3	0.0201	88.9538	121.5922	-57.1409	161.1289		
	00062142.zsd-00112143.zsd	3.9	0.0318	-97.0375	4.6124	-62.8772	115.7199		
	00102143.zsd-00182143.zsd	28.8	0.0151	-31.7205	39.6757	-59.4896	78.2264		
	00112143.zsd-00132143.zsd	3.8	0.0136	86.3365	61.6949	-3.5764	106.1746		
	00132145.zsd-00182145.zsd	2	0.0138	67.1578	96.0011	-49.3985	127.1479		
0010-0018-0019-0023-0024-1	不合格	-990.0	147.1	54.0	1002.3	616.76	67.1	116.2	1625.14
	00102143.zsd-00182143.zsd	28.8	0.0151	-31.7205	39.6757	-59.4896	78.2264		
	00102143.zsd-00242144.zsd	2.5	0.0172	-13.6856	136.9536	-140.0869	196.3872		
	00182145.zsd-00192145.zsd	92.5	0.0103	-112.6875	-21.6437	-49.862	125.1125		
	00192144.zsd-00232144.zsd	2.9	0.0289	125.927	63.2485	19.0155	142.195		

项目总结报告

	sd						5		
	00232144.zsd-00242144.z sd	2.3	0.0255	3.8054	55.8202	-49.6968	74.8341		
0013-0014-0018-0019-0020-1	不合格	-124.8	-11.4	-41.3	132.0	734.11	67.1	116. 2	179.74
	00132145.zsd-00142146.z sd	3.2	0.0183	-176.252 9	-98.515	-18.2841	202.742 7		
	00132143.zsd-00182143.z sd	99	0.0084	67.1438	96.0087	-49.3982	127.146 1		
	00142146.zsd-00202145.z sd	2	0.0249	-11.489	72.8228	-75.1172	105.250 9		
	00182143.zsd-00192144.z sd	2.3	0.02	-112.674 6	-21.6452	-49.85	125.096 4		
	00192145.zsd-00202145.z sd	44.8	0.0128	-142.086 3	-100.044 3	5.8882	173.873 6		
0013-0014-0018-0019-0020-2	不合格	-138.8	-3.9	-41.0	144.8	734.11	67.1	116. 2	197.21
	00132145.zsd-00142146.z sd	3.2	0.0183	-176.252 9	-98.515	-18.2841	202.742 7		
	00132145.zsd-00182145.z sd	2	0.0138	67.1578	96.0011	-49.3985	127.147 9		
	00142146.zsd-00202145.z sd	2	0.0249	-11.489	72.8228	-75.1172	105.250 9		
	00182143.zsd-00192144.z sd	2.3	0.02	-112.674 6	-21.6452	-49.85	125.096 4		
	00192145.zsd-00202145.z sd	44.8	0.0128	-142.086 3	-100.044 3	5.8882	173.873 6		
0013-0014-0018-0019-0020-3	不合格	-111.9	-12.9	-29.3	116.4	734.13	67.1	116. 2	158.59
	00132145.zsd-00142146.z sd	3.2	0.0183	-176.252 9	-98.515	-18.2841	202.742 7		
	00132143.zsd-00182143.z sd	99	0.0084	67.1438	96.0087	-49.3982	127.146 1		
	00142146.zsd-00202145.z sd	2	0.0249	-11.489	72.8228	-75.1172	105.250 9		
	00182145.zsd-00192145.z sd	92.5	0.0103	-112.687 5	-21.6437	-49.862	125.112 5		
	00192145.zsd-00202145.z	44.8	0.0128	-142.086	-100.044	5.8882	173.873		

项目总结报告

	sd			3	3		6		
0013-0014-0018-0019-0020-4	不合格	-805.8	1843.7	-651.7	2115.0	734.65	67.1	116.2	2878.87
	00132145.zsd-00142146.z sd	3.2	0.0183	-176.2529	-98.515	-18.2841	202.7427		
	00132143.zsd-00182143.z sd	99	0.0084	67.1438	96.0087	-49.3982	127.1461		
	00142146.zsd-00202145.z sd	2	0.0249	-11.489	72.8228	-75.1172	105.2509		
	00182143.zsd-00192144.z sd	2.3	0.02	-112.6746	-21.6452	-49.85	125.0964		
	00192144.zsd-00202149.z sd	23.9	0.021	-141.4052	-101.8993	6.4985	174.4165		
0013-0014-0018-0019-0020-5	不合格	-819.8	1851.2	-651.3	2126.8	734.65	67.1	116.2	2894.96
	00132145.zsd-00142146.z sd	3.2	0.0183	-176.2529	-98.515	-18.2841	202.7427		
	00132145.zsd-00182145.z sd	2	0.0138	67.1578	96.0011	-49.3985	127.1479		
	00142146.zsd-00202145.z sd	2	0.0249	-11.489	72.8228	-75.1172	105.2509		
	00182143.zsd-00192144.z sd	2.3	0.02	-112.6746	-21.6452	-49.85	125.0964		
	00192144.zsd-00202149.z sd	23.9	0.021	-141.4052	-101.8993	6.4985	174.4165		
0013-0014-0018-0019-0020-6	不合格	-793.0	1842.1	-639.6	2105.1	734.67	67.1	116.2	2865.35
	00132145.zsd-00142146.z sd	3.2	0.0183	-176.2529	-98.515	-18.2841	202.7427		
	00132143.zsd-00182143.z sd	99	0.0084	67.1438	96.0087	-49.3982	127.1461		
	00142146.zsd-00202145.z sd	2	0.0249	-11.489	72.8228	-75.1172	105.2509		
	00182145.zsd-00192145.z sd	92.5	0.0103	-112.6875	-21.6437	-49.862	125.1125		
	00192144.zsd-00202149.z sd	23.9	0.021	-141.4052	-101.8993	6.4985	174.4165		
0013-0014-0018-0019-0020-7	不合格	-807.0	1849.7	-639.3	2116.9	734.67	67.1	116.	2881.3

项目总结报告

								2	9
	00132145.zsd-00142146.z sd	3.2	0.0183	-176.252 9	-98.515	-18.2841	202.742 7		
	00132145.zsd-00182145.z sd	2	0.0138	67.1578	96.0011	-49.3985	127.147 9		
	00142146.zsd-00202145.z sd	2	0.0249	-11.489	72.8228	-75.1172	105.250 9		
	00182145.zsd-00192145.z sd	92.5	0.0103	-112.687 5	-21.6437	-49.862	125.112 5		
	00192144.zsd-00202149.z sd	23.9	0.021	-141.405 2	-101.899 3	6.4985	174.416 5		
0019-0020-0026-0027-0028-1	不合格	-319.7	643.3	580.2	923.4	596.50	67.1	116. 2	1548.0 2
	00192145.zsd-00202145.z sd	44.8	0.0128	-142.086 3	-100.044 3	5.8882	173.873 6		
	00192144.zsd-00262140.z sd	7.9	0.0359	-21.5208	59.9165	-68.9333	93.8346		
	00202148.zsd-00282149.z sd	39.4	0.0106	-8.6475	108.4014	-106.342 8	152.100 1		
	00262140.zsd-00272149.z sd	3	0.0141	-37.9573	18.958	-43.3747	60.6756		
	00272149.zsd-00282149.z sd	11.8	0.0168	-90.9359	-71.1606	11.2731	116.018 3		
0019-0020-0026-0027-0028-2(最 差)	不合格	361.3	-1211.7	1190.5	1736.7	597.05	67.1	116. 2	2908.8 7
	00192144.zsd-00202149.z sd	23.9	0.021	-141.405 2	-101.899 3	6.4985	174.416 5		
	00192144.zsd-00262140.z sd	7.9	0.0359	-21.5208	59.9165	-68.9333	93.8346		
	00202148.zsd-00282149.z sd	39.4	0.0106	-8.6475	108.4014	-106.342 8	152.100 1		
	00262140.zsd-00272149.z sd	3	0.0141	-37.9573	18.958	-43.3747	60.6756		
	00272149.zsd-00282149.z sd	11.8	0.0168	-90.9359	-71.1606	11.2731	116.018 3		
0019-0020-0026-0027-0028-3	不合格	-91.0	281.5	688.2	749.1	596.16	67.1	116. 2	1256.5 6
	00192145.zsd-00202145.z	44.8	0.0128	-142.086	-100.044	5.8882	173.873		

项目总结报告

	sd			3	3		6		
	00192144.zsd-00262140.z sd	7.9	0.0359	-21.5208	59.9165	-68.9333	93.8346		
	00202149.zsd-00282149.z sd	13.2	0.0209	-8.4188	108.0396	-106.234 8	151.753 9		
	00262140.zsd-00272149.z sd	3	0.0141	-37.9573	18.958	-43.3747	60.6756		
	00272149.zsd-00282149.z sd	11.8	0.0168	-90.9359	-71.1606	11.2731	116.018 3		
0020-0021-0028-0029-0030-1	不合格	-231.8	380.5	-108.3	458.6	779.57	67.1	116. 2	588.21
	00202148.zsd-00212148.z sd	4.7	0.0102	-139.436 9	-93.6155	2.2787	167.963 4		
	00202149.zsd-00282149.z sd	13.2	0.0209	-8.4188	108.0396	-106.234 8	151.753 9		
	00212148.zsd-00302148.z sd	3.4	0.0078	-106.545 4	74.469	-135.289 1	187.618 5		
	00282149.zsd-00292148.z sd	2.4	0.0221	-168.122 5	-80.3366	-28.0893	188.436 1		
	00292148.zsd-00302148.z sd	3.9	0.0185	-69.2092	-47.23	1.4219	83.801		
0006-0007-0008-0011-0013-001 4-1	不合格	775.4	132.1	-621.9	1002.7	725.45	73.5	127. 3	1382.2 3
	00062142.zsd-00072142.z sd	2.7	0.0185	-103.483 9	-63.9245	-4.0819	121.704 2		
	00062142.zsd-00112143.z sd	3.9	0.0318	-97.0375	4.6124	-62.8772	115.719 9		
	00072142.zsd-00082142.z sd	2.5	0.0152	-46.0024	-38.3759	7.1966	60.3384		
	00082146.zsd-00142146.z sd	9.6	0.0109	-36.6922	70.2248	-88.4743	118.766 8		
	00112143.zsd-00132143.z sd	3.8	0.0136	86.3365	61.6949	-3.5764	106.174 6		
	00132145.zsd-00142146.z sd	3.2	0.0183	-176.252 9	-98.515	-18.2841	202.742 7		
0010-0018-0019-0024-0025-002 6-1	不合格	-1555.2	-551.9	-159.1	1657.9	745.85	73.5	127. 3	2222.7 9
	00102143.zsd-00182143.z	28.8	0.0151	-31.7205	39.6757	-59.4896	78.2264		



项目总结报告

	sd								
	00102143.zsd-00242144.z	2.5	0.0172	-13.6856	136.9536	-140.086	196.387		
	sd					9	2		
	00182143.zsd-00192144.z	2.3	0.02	-112.674	-21.6452	-49.85	125.096		
	sd			6			4		
	00192144.zsd-00262140.z	7.9	0.0359	-21.5208	59.9165	-68.9333	93.8346		
	sd								
	00242144.zsd-00252140.z	5.4	0.0094	-6.2233	49.7239	-50.8386	71.3846		
	sd								
	00252140.zsd-00262140.z	4.8	0.0125	-144.451	-108.178	12.8118	180.922		
	sd			8	6		8		
0010-0018-0019-0024-0025-0026-2	不合格	-1568.1	-550.4	-171.1	1670.6	745.87	73.5	127.3	2239.84
	00102143.zsd-00182143.z	28.8	0.0151	-31.7205	39.6757	-59.4896	78.2264		
	sd								
	00102143.zsd-00242144.z	2.5	0.0172	-13.6856	136.9536	-140.086	196.387		
	sd					9	2		
	00182145.zsd-00192145.z	92.5	0.0103	-112.687	-21.6437	-49.862	125.112		
	sd			5			5		
	00192144.zsd-00262140.z	7.9	0.0359	-21.5208	59.9165	-68.9333	93.8346		
	sd								
	00242144.zsd-00252140.z	5.4	0.0094	-6.2233	49.7239	-50.8386	71.3846		
	sd								
	00252140.zsd-00262140.z	4.8	0.0125	-144.451	-108.178	12.8118	180.922		
	sd			8	6		8		

4 平差结果

4.1 WGS84 自由网平差结果

基线条数:	45
平差点数:	30
基线标准差置信度(松弛因子):	10.00σ
Tau 检验显著水平:	1.00%
单位权中误差比:	1055.7743
x2 检验值:	50677.1683

x2 理论范围:

26.5106 - 76.9688

x2 检验结果:

False

4.1.1 平差后的基线及标准差

基线名	Tau	DX(m)	DY(m)	DZ(m)	中误差(mm)	长度(m)	相对误差
00012141.zsd-00022141.zsd	否	37.3838	79.2623	-50.8934	599.3	101.3420	1:169
00012141.zsd-00032141.zsd	否	-80.9207	7.9068	-57.8531	1216.3	99.7881	1:82
00022141.zsd-00042141.zsd	否	-17.1488	37.4665	-46.7395	1818.6	62.3089	1:34
00032141.zsd-00052141.zsd	否	-12.6432	36.8191	-39.5537	1124.8	55.4977	1:49
00042141.zsd-00052141.zsd	否	-113.2039	-72.9841	1.2292	1095.5	134.6971	1:122
00042141.zsd-00062142.zsd	否	-33.3166	54.6214	-76.7123	2075.0	99.8913	1:48
00052141.zsd-00082142.zsd	否	-70.3438	31.1427	-74.9725	1326.5	107.4197	1:80
00062142.zsd-00072142.zsd	否	-103.4561	-64.0291	-3.8698	1362.4	121.7286	1:89
00062142.zsd-00102143.zsd	否	89.7038	120.0959	-57.4090	1707.5	160.5167	1:94
00062142.zsd-00112143.zsd	否	-97.3675	3.9272	-62.5867	1906.0	115.8143	1:60
00072142.zsd-00082142.zsd	否	-46.0034	-38.4006	7.2289	472.1	60.3587	1:127
00082146.zsd-00092146.zsd	否	-44.4666	8.6085	-35.7666	695.9	57.7117	1:82
00082146.zsd-00142146.zsd	否	-36.7070	70.0592	-88.5526	451.8	118.7319	1:262
00092146.zsd-00122146.zsd	否	-74.2007	-58.6222	12.9233	959.3	95.4428	1:99
00102143.zsd-00182143.zsd	否	-31.8077	39.1032	-59.6263	1265.2	78.0774	1:61
00102143.zsd-00242144.zsd	否	-13.1154	136.6750	-140.0741	1532.4	196.1449	1:128
00112143.zsd-00132143.zsd	否	86.4813	61.4162	-3.4850	1397.9	106.1278	1:75
00122146.zsd-00152147.zsd	否	-28.3599	61.7893	-75.9490	538.3	101.9336	1:189
00132145.zsd-00142146.zsd	否	-176.8311	-97.9782	-17.8779	535.9	202.9497	1:378
00132143.zsd-00182143.zsd	否	67.2012	95.9517	-49.4062	247.0	127.1365	1:514
00132145.zsd-00182145.zsd	否	67.2292	95.9366	-49.4068	247.0	127.1402	1:514
00142146.zsd-00152147.zsd	否	-112.3914	-60.8918	-11.8410	352.1	128.3738	1:364
00142146.zsd-00202145.zsd	否	-11.6646	72.9859	-74.9934	410.8	105.2949	1:256
00152147.zsd-00162147.zsd	是	-74.4639	-50.2956	1.3889	246.0	89.8691	1:365
00152147.zsd-00212148.zsd	否	-38.6474	40.1226	-60.9372	255.9	82.5638	1:322
00162147.zsd-00172147.zsd	是	-101.2490	-44.4543	-20.6709	227.1	112.4937	1:495
00172147.zsd-00222147.zsd	是	45.4735	58.7864	-25.7934	279.9	78.6701	1:281
00182143.zsd-00192144.zsd	否	-112.5837	-21.7521	-49.9334	425.7	125.0664	1:293
00182145.zsd-00192145.zsd	否	-112.6095	-21.7491	-49.9575	425.7	125.0986	1:293
00192145.zsd-00202145.zsd	否	-142.8635	-99.1691	6.5508	549.8	174.0328	1:316
00192144.zsd-00202149.zsd	否	-141.5015	-102.8792	7.7715	549.8	175.1205	1:318

项目总结报告

00192144.zsd-00232144.zsd	否	125.7964	63.4334	19.0995	530.3	142.1736	1:268
00192144.zsd-00262140.zsd	否	-22.0465	59.7508	-69.1112	1025.4	93.9818	1:91
00202148.zsd-00212148.zsd	否	-139.3817	-93.7126	2.2234	368.6	167.9710	1:455
00202148.zsd-00282149.zsd	否	-8.6301	108.3604	-106.3914	605.6	152.1039	1:251
00202149.zsd-00282149.zsd	否	-8.1727	107.6368	-106.1754	605.6	151.4123	1:250
00212148.zsd-00222147.zsd	否	-91.5498	-76.1199	15.8400	377.2	120.1104	1:318
00212148.zsd-00302148.zsd	是	-106.5465	74.4729	-135.2948	355.6	187.6247	1:527
00232144.zsd-00242144.zsd	否	3.5254	56.1818	-49.4820	715.7	74.9485	1:104
00242144.zsd-00252140.zsd	否	-6.2245	49.7827	-50.8040	386.3	71.4010	1:184
00252140.zsd-00262140.zsd	否	-143.9876	-108.2521	12.5253	950.9	180.5764	1:189
00262140.zsd-00272149.zsd	否	-37.8782	19.2095	-43.2546	1356.7	60.6195	1:44
00272149.zsd-00282149.zsd	否	-90.9295	-71.0556	11.3648	946.4	115.9579	1:122
00282149.zsd-00292148.zsd	否	-168.0854	-80.3925	-28.1120	847.6	188.4302	1:222
00292148.zsd-00302148.zsd	是	-69.2064	-47.2451	1.4326	627.9	83.8074	1:133

4.1.2 基线改正数及标准差

基线名	Tau	Tau 限差 (mm)	VDX(mm)	VDY(mm)	VDZ(mm)	中误差 _VDX(mm)	中误差 _VDY(mm)	中误差 _VDZ(mm)	中误差 (mm)
00012141.zsd-00022141.zsd	否	30.0	6.4	-32.0	176.1	59.0	50.2	209.0	222.9
00012141.zsd-00032141.zsd	否	30.0	-80.8	-8.8	2.6	149.8	300.8	149.0	367.6
00022141.zsd-00042141.zsd	否	30.0	436.9	-1132.2	-215.2	1049.3	3461.1	1009.9	3755.0
00032141.zsd-00052141.zsd	否	30.0	-89.9	322.7	-357.0	102.7	375.0	403.0	559.9
00042141.zsd-00052141.zsd	否	30.0	-316.4	987.6	186.2	252.4	510.6	269.0	629.9
00042141.zsd-00062142.zsd	否	30.0	273.5	-1454.7	-306.5	2631.8	4357.8	3439.4	6143.8
00052141.zsd-00082142.zsd	否	30.0	230.9	411.9	-443.4	166.3	206.9	223.5	347.0
00062142.zsd-00072142.zsd	否	30.0	27.8	-104.6	212.1	804.4	924.2	746.4	1434.7
00062142.zsd-00102143.zsd	否	30.0	750.0	-1496.3	-268.1	2559.4	3542.2	1512.9	4624.6
00062142.zsd-00112143.zsd	否	30.0	-329.9	-685.2	290.4	3883.4	6741.4	5112.4	9309.4
00072142.zsd-00082142.zsd	否	30.0	-1.0	-24.7	32.3	38.4	44.5	51.2	78.0
00082146.zsd-00092146.zsd	否	30.0	411.1	-104.2	-263.4	144.8	73.6	421.4	451.6
00082146.zsd-00142146.zsd	否	30.0	-14.8	-165.6	-78.3	28.8	76.8	75.1	111.2
00092146.zsd-00122146.zsd	否	30.0	-53.7	1429.1	1023.5	1930.0	2790.5	1661.5	3777.8
00102143.zsd-00182143.zsd	否	30.0	-87.2	-572.6	-136.7	231.7	651.1	194.6	718.0
00102143.zsd-00242144.zsd	否	30.0	570.2	-278.6	12.7	2336.7	4104.8	2545.7	5365.7
00112143.zsd-00132143.zsd	否	30.0	144.8	-278.7	91.4	405.9	540.3	114.2	685.4

项目总结报告

00122146.zsd-00152147.zsd	否	30.0	557.3	-174.3	8.9	178.9	73.7	27.0	195.4
00132145.zsd-00142146.zsd	否	30.0	-578.2	536.8	406.2	270.6	277.6	217.7	444.6
00132143.zsd-00182143.zsd	否	30.0	57.4	-57.0	-8.0	96.3	91.1	169.5	215.1
00132145.zsd-00182145.zsd	否	30.0	71.4	-64.5	-8.3	246.1	257.6	191.5	404.5
00142146.zsd-00152147.zsd	否	30.0	-106.1	12.1	46.7	89.6	138.3	133.3	212.0
00142146.zsd-00202145.zsd	否	30.0	-175.6	163.0	123.8	234.9	324.6	266.4	481.1
00152147.zsd-00162147.zsd	是	30.0	-3.7	5.6	1.5	44.0	47.8	65.9	92.6
00152147.zsd-00212148.zsd	否	30.0	-10.5	32.6	17.7	57.0	89.2	119.4	159.5
00162147.zsd-00172147.zsd	是	30.0	-2.2	4.1	1.0	27.7	40.8	66.5	82.8
00172147.zsd-00222147.zsd	是	30.0	-7.4	8.7	4.0	94.9	73.2	67.5	137.5
00182143.zsd-00192144.zsd	否	30.0	90.8	-106.9	-83.4	440.8	686.5	601.8	1013.8
00182145.zsd-00192145.zsd	否	30.0	78.0	-105.4	-95.4	202.5	144.2	390.9	463.3
00192145.zsd-00202145.zsd	否	30.0	-777.3	875.2	662.7	1113.6	808.6	1184.2	1815.6
00192144.zsd-00202149.zsd	否	30.0	-96.2	-979.9	1273.0	358.0	476.3	1100.4	1251.4
00192144.zsd-00232144.zsd	否	30.0	-130.5	184.9	84.0	88.0	147.4	118.4	208.5
00192144.zsd-00262140.zsd	否	30.0	-525.7	-165.7	-178.0	1204.8	576.9	1119.1	1742.6
00202148.zsd-00212148.zsd	否	30.0	55.2	-97.1	-55.2	142.7	165.1	130.9	254.5
00202148.zsd-00282149.zsd	否	30.0	17.3	-40.9	-48.6	409.7	356.0	338.2	639.5
00202149.zsd-00282149.zsd	否	30.0	246.1	-402.7	59.4	876.0	737.7	584.0	1285.5
00212148.zsd-00222147.zsd	否	30.0	18.4	-31.2	-22.2	168.8	273.6	239.6	400.9
00212148.zsd-00302148.zsd	是	30.0	-1.1	3.9	-5.6	23.6	37.0	98.1	107.5
00232144.zsd-00242144.zsd	否	30.0	-280.0	361.5	214.8	199.6	272.2	253.7	422.3
00242144.zsd-00252140.zsd	否	30.0	-1.2	58.8	34.7	36.7	52.5	48.8	80.5
00252140.zsd-00262140.zsd	否	30.0	464.2	-73.5	-286.4	625.8	311.1	520.4	871.3
00262140.zsd-00272149.zsd	否	30.0	79.1	251.5	120.1	1355.1	1200.3	696.2	1939.5
00272149.zsd-00282149.zsd	否	30.0	6.3	105.0	91.8	233.0	235.0	182.4	377.9
00282149.zsd-00292148.zsd	否	30.0	37.0	-55.9	-22.7	829.0	730.4	649.1	1281.4
00292148.zsd-00302148.zsd	是	30.0	2.8	-15.1	10.7	105.9	160.5	276.3	336.6

4.1.3 自由网平差前坐标

站点名	B	L	H(m)
0001	041:46:01.88223N	123:24:48.84366E	46.4520
0002	041:45:59.66300N	123:24:45.60249E	46.4502
0003	041:45:59.37980N	123:24:51.57632E	46.0460
0004	041:45:57.63360N	123:24:45.31780E	46.7149

项目总结报告

0005	041:45:57.64977N	123:24:51.16080E	47.7220
0006	041:45:54.37657N	123:24:45.19483E	44.5317
0007	041:45:54.19959N	123:24:50.45840E	44.5181
0008	041:45:54.51821N	123:24:53.03568E	44.3144
0009	041:45:52.96934N	123:24:54.44967E	44.5248
0010	041:45:51.86141N	123:24:39.08163E	45.6417
0011	041:45:51.61973N	123:24:48.59151E	45.3796
0012	041:45:53.45761N	123:24:58.56075E	45.5208
0013	041:45:51.44788N	123:24:44.00081E	45.9478
0014	041:45:50.68577N	123:24:52.71855E	44.8279
0015	041:45:50.16090N	123:24:58.22806E	45.1146
0016	041:45:50.21558N	123:25:02.11795E	45.3087
0017	041:45:49.31313N	123:25:06.83645E	45.4527
0018	041:45:49.32195N	123:24:39.28539E	45.2346
0019	041:45:47.16693N	123:24:43.87351E	44.8317
0020	041:45:47.47924N	123:24:51.41254E	43.7975
0021	041:45:47.56353N	123:24:58.68297E	44.3063
0022	041:45:48.22942N	123:25:03.80583E	45.1144
0023	041:45:47.98383N	123:24:37.81518E	45.1559
0024	041:45:45.82166N	123:24:36.34706E	45.2485
0025	041:45:43.62253N	123:24:35.38668E	44.9045
0026	041:45:44.16457N	123:24:43.18536E	45.4113
0027	041:45:42.32307N	123:24:44.10506E	43.9169
0028	041:45:42.79690N	123:24:49.08743E	44.4703
0029	041:45:41.56672N	123:24:57.07767E	44.8029
0030	041:45:41.62933N	123:25:00.70446E	44.7745

4.1.4 自由网平差后坐标

站点名	B	L	H(m)	中误差_B(mm)	中误差_L(mm)	中误差_H(mm)	中误差(mm)
0001	041:46:01.88223N	123:24:48.84366E	46.4520	0.0	0.0	0.0	0.1
0002	041:45:59.65809N	123:24:45.60196E	46.3554	329.6	99.6	490.5	599.3
0003	041:45:59.38054N	123:24:51.57320E	46.0165	467.8	391.2	1052.4	1216.3
0004	041:45:57.60829N	123:24:45.30607E	47.6478	851.8	552.0	1511.8	1820.9
0005	041:45:57.64152N	123:24:51.16117E	47.7861	808.9	518.3	1276.4	1597.6
0006	041:45:54.32921N	123:24:45.15830E	46.6869	948.8	619.8	2146.6	2427.4

项目总结报告

0007	041:45:54.14488N	123:24:50.42037E	46.6085	891.1	600.4	1819.9	2113.4
0008	041:45:54.46229N	123:24:52.99703E	46.3982	882.3	593.5	1771.0	2065.7
0009	041:45:52.91302N	123:24:54.42339E	47.0178	945.5	622.5	1862.0	2179.1
0010	041:45:51.78465N	123:24:39.03653E	49.2152	1034.8	672.8	2168.1	2494.8
0011	041:45:51.55693N	123:24:48.52672E	47.6324	1256.9	648.0	2148.0	2571.7
0012	041:45:53.40294N	123:24:58.56660E	46.4203	938.7	635.5	1890.1	2204.0
0013	041:45:51.37612N	123:24:43.93461E	48.3727	912.1	616.9	1872.6	2172.3
0014	041:45:50.62074N	123:24:52.64425E	46.4105	895.0	604.7	1815.7	2112.7
0015	041:45:50.09622N	123:24:58.15021E	46.6149	905.3	610.7	1839.9	2139.6
0016	041:45:50.15100N	123:25:02.04010E	46.8029	909.5	615.0	1851.3	2152.4
0017	041:45:49.24864N	123:25:06.75861E	46.9429	911.0	617.4	1858.3	2159.8
0018	041:45:49.24838N	123:24:39.22024E	47.7345	914.6	617.8	1874.0	2174.9
0019	041:45:47.09284N	123:24:43.80866E	47.4929	915.7	621.1	1884.9	2185.7
0020	041:45:47.35787N	123:24:51.32084E	46.1813	906.1	613.3	1850.6	2149.9
0021	041:45:47.44109N	123:24:58.59095E	46.8100	906.5	613.2	1846.3	2146.3
0022	041:45:48.10673N	123:25:03.71373E	47.6598	911.2	618.7	1866.5	2167.2
0023	041:45:47.91260N	123:24:37.75003E	47.5924	933.0	635.4	1939.5	2244.1
0024	041:45:45.75507N	123:24:36.28040E	47.2018	947.4	649.7	1999.9	2306.4
0025	041:45:43.55618N	123:24:35.32139E	46.7976	952.4	657.9	2009.9	2319.4
0026	041:45:44.09830N	123:24:43.13508E	47.7315	958.7	709.8	2061.0	2381.3
0027	041:45:42.25749N	123:24:44.06363E	46.0330	1026.2	691.5	2054.5	2398.4
0028	041:45:42.73092N	123:24:49.04874E	46.4624	922.5	639.1	1923.8	2227.2
0029	041:45:41.49985N	123:24:57.03898E	46.8602	934.4	636.0	1936.0	2241.8
0030	041:45:41.56189N	123:25:00.66551E	46.8352	921.1	618.4	1869.6	2174.0

平差后最弱边和最弱点

基线名	中误差_DX(mm)	中误差_DY(mm)	中误差_DZ(mm)	中误差(mm)	相对误差
00022141.zsd-00042141.zsd	575.0	1583.3	685.6	1818.6	1:34
站点名	中误差_N(mm)	中误差_E(mm)	中误差_U(mm)	点位中误差(mm)	
0011	1256.9	648.0	2148.0	2571.7	

5 基线网型图

