


ALL PRO BUILDING SUPPLIES



Product Catalog · Spec Sheets & Wholesale Pricing

UPDATED 09.2026 · ALLPROBUILDINGSUPPLIES.COM · 732-734-1123

SUGGESTED WHOLESALE Prices shown are suggested wholesale list pricing. Call or email for bulk / volume quotes. Pipe is priced per foot; fittings & accessories per each.



COPPER FITTINGS

Wrought copper solder-joint fittings — elbows, tees, couplings, reducers, and adapters.

10 TYPES · 88 SKUS
OPEN SECTION →



COPPER TUBE / PIPE

Type K soft and Type L hard copper water tube for potable and mechanical systems.

2 TYPES · 8 SKUS
OPEN SECTION →



CPVC PIPE

Hot- and cold-water CPVC — Schedule 80 and ASTM D2846 SDR tubing.

3 TYPES · 21 SKUS
OPEN SECTION →



PIPE INSULATION

Cold-water supply pipe insulation for condensation control and energy savings.

1 TYPES · 9 SKUS
OPEN SECTION →



PEX FITTINGS

Poly-alloy (PPSU) barb elbows and reducers for PEX-B crimp / clamp systems.


2 TYPES · 9 SKUS
OPEN SECTION →



PEX-B PIPE

Crosslinked polyethylene (PEX-B) tubing for flexible potable water distribution.


1 TYPES · 6 SKUS
OPEN SECTION →



PVC DWV FITTINGS

Hub & street DWV fittings — elbows, tees, wyes, traps, adapters, and more.

24 TYPES · 91 SKUS
OPEN SECTION →



PVC PIPE

Schedule 40 solid & foam-core DWV pipe for drain, waste, and vent systems.

2 TYPES · 16 SKUS
OPEN SECTION →

8 CATEGORIES
Full Plumbing Line

SUGGESTED WHOLESALE
Call for Bulk Quotes

ASTM / NSF
Code-Ready Specs



ALL PRO
Building Supplies

COPPER FITTINGS COLLECTION



WROUGHT • SOLDER JOINT

ASME B16.22
Solder-Joint Spec

TYPE K & L
Soft & Hard Families

LEAD-FREE SOLDER
Use for Potable Joints

Copper Fittings

SUGGESTED WHOLESALE These are suggested wholesale list prices. Call or email for bulk / volume quotes. Priced per each unless noted.

5	88	1/2" – 4"	Trade
ON THIS PAGE	SKU / SIZE ROWS	SIZE RANGE • 50 SIZES	BULK QUOTES AVAILABLE

CONSTRUCTION / SPECS

MATERIAL	Wrought copper / copper alloy
STANDARD	ASME B16.22
JOIN METHOD	Solder / braze
FAMILIES	Type K Soft • Type L Hard
EXTRAS	Stub-outs • Cu-to-PEX adapters

POTABLE WATER	BRANCH & REDUCER RUNS	REMODEL
CU-TO-PEX TRANSITIONS		

APPLICABLE STANDARDS

ASME B16.22	Wrought Copper & Copper Alloy Solder-Joint Pressure Fittings
ASTM B88	For use with copper water tube Types K & L
Use lead-free solder/flux for potable water per local code. Request NSF/ANSI 61 listing certificates when required for submittals.	

PRODUCT LINE – 5 AVAILABLE • CONTINUED • 5 MORE PRODUCT 732-734-1123 •
INFO@ALLPROBUILDINGSUPPLIES.COM



STUB OUT

COPPER-L-STUB · Pk 1 · /ea

1/2"
\$19.00/ea



90 ELBOW

COPPER-L-90 · Pk 100 · /ea

1/2"	3/4"	1-1/4"	1-1/2"
\$2.59/ea	\$5.74/ea	\$14.25/ea	\$21.96/ea
2"	4"		
\$42.62/ea	\$245.23/ea		



TEE

COPPER-K-TEE · Pk 100 · /ea

1/2"	3/4"	3/4" x 1/2" x 1/2"	3/4" x 3/4" x 1/2"
\$4.43/ea	\$9.60/ea	\$7.47/ea	\$7.47/ea
1"	1" x 3/4"		
\$17.06/ea	\$14.56/ea		

COPPER TO PEX ADAPTER

COPPER-L-PEXADPTR • Pk 1 • /ea

3/4"

\$11.26/ea

1-1/2"

\$50.67/ea

2"

\$74.67/ea

2-1/2"

\$152.00/ea

COUPLING

COPPER-L-CPLNG • Pk 50 • /ea

1-1/4"

\$9.27/ea

1-1/2"

\$14.17/ea

2"

\$25.73/ea

2-1/2"

\$41.38/ea

3"

\$61.48/ea

4"

\$132.53/ea

READY TO ORDER?
Send item codes, sizes & quantities — ask for bulk pricing.

DIRECT LINE
732-734-1123
EMAIL
info@allprobuildingsupplies.com



ALL PRO
Building Supplies

COPPER FITTINGS COLLECTION



WROUGHT • SOLDER JOINT

ASME B16.22
Solder-Joint Spec

TYPE K & L
Soft & Hard Families

LEAD-FREE SOLDER
Use for Potable Joints

Copper Fittings Cont.

SUGGESTED WHOLESALE These are suggested wholesale list prices. Call or email for bulk / volume quotes. Priced per each unless noted.

COPPER FITTINGS • CONTINUED — 4 AVAILABLE

732-734-1123 • INFO@ALLPROBUILDINGSUPPLIES.COM



TEE
COPPER-L-TEE • Pk 100 • /ea

1/2" \$4.67/ea	3/4" \$10.15/ea	1" \$18.01/ea	1-1/2" \$40.93/ea
2" \$70.56/ea	4" \$383.80/ea		



90 ELBOW
COPPER-K-90 • Pk 100 • /ea

1/2" \$2.45/ea	3/4" \$5.44/ea	1" \$9.72/ea	1-1/4" \$13.49/ea
1-1/2" \$20.80/ea	2" \$40.37/ea	3" \$124.67/ea	4" \$245.23/ea



REDUCER
COPPER-K-REDUCER • Pk 100 • /ea

3/4" x 1/2" \$2.83/ea	1" x 3/4" \$5.44/ea	1-1/4" x 3/4" \$12.96/ea	1-1/2" x 1-1/4" \$12.96/ea
2" x 1-1/2" \$23.47/ea	2-1/2" x 2" \$113.07/ea	3" x 2-1/2" \$66.46/ea	4" x 3" \$327.31/ea



REDUCER
COPPER-L-REDUCER • Pk 100 • /ea

3/4" x 1/2" \$3.00/ea	1" x 3/4" \$5.74/ea	1-1/2" x 1-1/4" \$13.68/ea	2" x 1-1/2" \$24.78/ea
2-1/2" x 2" \$46.06/ea	3" x 2" \$67.20/ea	3" x 2-1/2" \$70.15/ea	4" x 2" \$144.11/ea
4" x 3" \$151.85/ea			

READY TO ORDER?

Send item codes, sizes & quantities — ask for bulk pricing.

DIRECT LINE

732-734-1123

EMAIL

info@allprobuildingsupplies.com



ALL PRO
Building Supplies

COPPER FITTINGS COLLECTION



WROUGHT • SOLDER JOINT

ASME B16.22
Solder-Joint Spec

TYPE K & L
Soft & Hard Families

LEAD-FREE SOLDER
Use for Potable Joints

Copper Fittings Cont.

SUGGESTED WHOLESALE These are suggested wholesale list prices. Call or email for bulk / volume quotes. Priced per each unless noted.

COPPER FITTINGS · CONTINUED — 1 AVAILABLE

732-734-1123 · INFO@ALLPROBUILDINGSUPPLIES.COM



REDUCING TEE
COPPER-L-REDTEE · Pk 100 · /ea

1/2" x 1/2" x 3/4" \$8.44/ea	3/4" x 1/2" x 3/4" \$7.88/ea	3/4" x 3/4" x 1/2" \$7.88/ea
3/4" x 1" x 3/4" \$20.27/ea	1" x 3/4" \$15.35/ea	1-1/4" x 1-1/4" x 3/4" \$20.38/ea
1-1/2" x 1-1/2" x 1-1/2" \$27.59/ea	1-1/2" x 1-1/2" x 3/4" \$29.67/ea	1-1/2" x 1-1/4" \$38.49/ea
2" x 3/4" \$49.55/ea	2" x 3/4" x 2" \$70.56/ea	2" x 2" x 3/4" \$49.54/ea
2" x 2" x 1-1/4" \$70.56/ea	2" x 2" x 1-1/2" \$66.99/ea	2-1/2" x 3/4" \$73.98/ea
2-1/2" x 1-1/2" \$102.28/ea	2-1/2" x 2" \$113.08/ea	2-1/2" x 2" x 2-1/2" \$113.07/ea
2-1/2" x 2-1/2" x 3/4" \$73.97/ea	2-1/2" x 2-1/2" x 1-1/2" \$102.29/ea	2-1/2" x 2-1/2" x 2" \$113.07/ea
3" x 3/4" \$179.64/ea	3" x 1-1/2" \$134.93/ea	3" x 2" \$179.64/ea
3" x 3" x 1/2" \$107.57/ea	3" x 3" x 3/4" \$152.75/ea	3" x 3" x 2" \$126.51/ea
4" x 1-1/2" \$383.80/ea	4" x 2" \$383.80/ea	4" x 3" x 2-1/2" \$383.79/ea
4" x 4" x 3/4" \$383.79/ea	4" x 4" x 1-1/2" \$327.31/ea	4" x 4" x 2" \$327.31/ea
4" x 4" x 3" \$327.31/ea		

READY TO ORDER?

Send item codes, sizes & quantities — ask for bulk pricing.

DIRECT LINE

732-734-1123

EMAIL

info@allprobuildingsupplies.com



ALL PRO
Building Supplies

COPPER TUBE COLLECTION



TYPE K SOFT · TYPE L HARD

ASTM B88
Type K & Type L

TYPE K SOFT
Thicker Wall / Underground

TYPE L HARD
Indoor Distribution

Copper Tube / Pipe

SPEC SHEET / UPDATED 09.2026
SUGGESTED WHOLESALE

SUGGESTED WHOLESALE These are suggested wholesale list prices. Call or email for bulk / volume quotes. Pipe priced per foot; fittings & accessories per each.

2

PRODUCT TYPES

8

SKU / SIZE ROWS

1/2" – 2-1/2"

SIZE RANGE · 7 SIZES

Trade

BULK QUOTES AVAILABLE

CONSTRUCTION / SPECS

MATERIAL	Seamless copper water tube
TYPE K	Soft — thicker wall
TYPE L	Hard — indoor distribution
STANDARD	ASTM B88
JOIN METHOD	Solder / braze / press

POTABLE WATER

HYDRONIC HEATING

MECHANICAL PIPING

REPAIR & REMODEL

APPLICABLE STANDARDS

ASTM B88	Seamless Copper Water Tube (Types K & L)
Type K Soft	Thicker wall — underground / severe service
Type L Hard	Standard indoor water distribution

Type K for underground / severe service; Type L for indoor water. Request mill NSF/ANSI 61 listing certificates for potable submittals.


PRODUCTS & SPECS — 2 AVAILABLE

732-734-1123 · INFO@ALLPROBUILDINGSUPPLIES.COM

COPPER PIPE

COPPER-K-PIPE · COPPER PIPE K

SIZES & SUGGESTED WHOLESALE · 1 · /FT




1/2"
\$34.20/ft

Pack 1 · ASTM B88 Type K

COPPER PIPE

COPPER-L-PIPE · COPPER PIPE L

SIZES & SUGGESTED WHOLESALE · 7 · /FT



1/2"
\$27.70/ft

3/4"
\$43.97/ft

1"
\$63.42/ft

1-1/4"
\$81.32/ft

1-1/2"
\$104.69/ft

2"
\$160.92/ft

2-1/2"
\$227.34/ft

Pack 1 · ASTM B88 Type L

READY TO ORDER?

Send item codes, sizes & quantities — ask for bulk pricing.

DIRECT LINE

732-734-1123

EMAIL

info@allprobuildingsupplies.com



ALL PRO
Building Supplies

CPVC PIPE COLLECTION



SCH 80 • SDR-11 • SDR-13.5

HOT & COLD
Potable Distribution

ASTM D2846
SDR-11 & 13.5 CTS

SCH 80
ASTM F441 Pressure

CPVC Pipe

SPEC SHEET / UPDATED 09.2026
SUGGESTED WHOLESALE

SUGGESTED WHOLESALE These are suggested wholesale list prices. Call or email for bulk / volume quotes. Pipe priced per foot; fittings & accessories per each.

3

PRODUCT TYPES

21

SKU / SIZE ROWS

1/2" – 4"

SIZE RANGE • 21 SIZES

Trade

BULK QUOTES AVAILABLE

CONSTRUCTION / SPECS

MATERIAL	Chlorinated PVC (CPVC)
SCH 80	ASTM F441
SDR-11 / 13.5	ASTM D2846 CTS
JOIN METHOD	CPVC solvent cement
SERVICE	Hot & cold potable water

HOT & COLD WATER	RES & LIGHT COMMERCIAL	CTS SYSTEMS
SCH 80 PRESSURE		

PRODUCT LINE – 3 AVAILABLE



CPVC ASTM 2846 PIPE SDR-11
CPVC-PIPE-SDR11 • Pk 1 • /ft

1/2" x 1.73" \$1.42/ft	3/4" x 2.03" \$2.37/ft	1" x 2.6" \$3.96/ft	1-1/4" x 3.18" \$5.93/ft
1-1/2" x 3.76" \$8.26/ft	2" x 4.9" \$14.11/ft		



CPVC PIPES
CPVC-PIPE-SCH80 • Pk 1 • /ft

1/2" \$1.23/ft	3/4" \$1.67/ft	1" \$1.56/ft	1-1/4" \$2.15/ft
1-1/2" \$2.61/ft	2" \$5.66/ft	2-1/2" \$5.60/ft	3" \$11.14/ft
4" \$16.10/ft			

APPLICABLE STANDARDS

ASTM F441	CPVC Plastic Pipe, Schedules 40 & 80
ASTM D2846	CPVC Hot- and Cold-Water Distribution (CTS SDR)

SDR sizes listed as nominal x OD. Use temperature-rated CPVC cement. Request NSF/ANSI 14 & 61 listing certificates for potable code installs.

732-734-1123 • INFO@ALLPROBUILDINGSUPPLIES.COM



CPVC ASTM 2846 PIPE SDR-13.5
CPVC-PIPE-SDR13.5 • Pk 1 • /ft

1/2" x 1.51" \$1.27/ft	3/4" x 1.73" \$2.07/ft	1" x 2.03" \$3.16/ft	1-1/4" x 2.59" \$4.87/ft
1-1/2" x 3.06" \$6.85/ft	2" x 4.0" \$11.72/ft		

READY TO ORDER?

Send item codes, sizes & quantities — ask for bulk pricing.

DIRECT LINE

732-734-1123

EMAIL

info@allprobuildingsupplies.com



ALL PRO
Building Supplies

PIPE INSULATION COLLECTION



COLD WATER SUPPLY

CONDENSATION
Cold-Water Control

MULTI-SIZE
1/2" – 4" Range

ENERGY CODES
IECC Compatible

Pipe Insulation

SPEC SHEET / UPDATED 09.2026
SUGGESTED WHOLESALE

SUGGESTED WHOLESALE These are suggested wholesale list prices. Call or email for bulk / volume quotes. Priced per each unless noted.

1

PRODUCT TYPES

9

SKU / SIZE ROWS

1/2" – 4"

SIZE RANGE · 9 SIZES

Trade

BULK QUOTES AVAILABLE

CONSTRUCTION / SPECS

TYPE	Flexible foam pipe insulation
SERVICE	Cold water supply
SIZING	Match ID to pipe OD
INSTALL TIP	Seal seams & butt joints
USE CASES	Mech rooms · exposed runs

COLD WATER SUPPLY

CONDENSATION CONTROL

MECHANICAL ROOMS

EXPOSED PIPING

APPLICABLE STANDARDS

ASTM C1427

Extruded Preformed Flexible Cellular Polyolefin Insulation

ASTM C534

Preformed Flexible Elastomeric Cellular Insulation (alt. family)

IECC / local

Thickness by climate zone / energy code

Select ID to match pipe OD; seal longitudinal seams. Confirm flame/smoke ratings when required by local code.

PRODUCTS & SPECS — 1 AVAILABLE

732-734-1123 · INFO@ALLPROBUILDINGSUPPLIES.COM

INSULATION

PVC-PIPE-INSLTN · PIPE INSULATION COLD WATER SUPPLY

SIZES & SUGGESTED WHOLESALE · 9 · /EA

1/2"
\$3.82/ea

3/4"
\$5.16/ea

1"
\$7.79/ea

1-1/4"
\$10.67/ea

1-1/2"
\$12.87/ea

2"
\$17.62/ea

2-1/2"
\$27.43/ea

3"
\$36.03/ea

4"
\$52.87/ea



Pack 1 · ASTM D2665 DWV

READY TO ORDER?

Send item codes, sizes & quantities — ask for bulk pricing.

DIRECT LINE

732-734-1123

EMAIL

info@allprobuildingsupplies.com



ALL PRO
Building Supplies

PEX FITTINGS COLLECTION



PPSU • ASTM F2159 CRIMP

ASTM F2159
Poly / PPSU Crimp

CRIMP / CLAMP
Cu Ring or SS Clamp

PEX-B READY
Not F1960 Expand

PEX Fittings

SPEC SHEET / UPDATED 09.2026
SUGGESTED WHOLESALE

SUGGESTED WHOLESALE These are suggested wholesale list prices. Call or email for bulk / volume quotes. Priced per each unless noted.

2

PRODUCT TYPES

9

SKU / SIZE ROWS

1/2" – 2" x 3/4"

SIZE RANGE • 9 SIZES

Trade

BULK QUOTES AVAILABLE

CONSTRUCTION / SPECS

MATERIAL	PPSU / poly-alloy (lead-free)
STANDARD	ASTM F2159
TYPES	90° Elbows • Reducers
JOIN METHOD	Copper crimp ring or SS clamp
USE WITH	PEX-B SDR-9 CTS tubing

DIRECTION CHANGES

SIZE REDUCTIONS

PEX-B DISTRIBUTION

RETROFIT

APPLICABLE STANDARDS

ASTM F2159	Plastic Insert Fittings Utilizing Copper Crimp Ring for SDR9 PEX
ASTM F877	PEX Hot- and Cold-Water Distribution Systems
ASTM F876	For use with listed SDR-9 PEX tubing

Tommur F2159 poly-alloy (PPSU) crimp fittings for PEX-B — not F1960 cold-expansion. Use copper crimp rings or stainless clamps rated for F2159. Request NSF listing certificates when required for submittals.

PRODUCTS & SPECS — 2 AVAILABLE

732-734-1123 • INFO@ALLPROBUILDINGSUPPLIES.COM

REDUCER

PEX-REDUCER • REDUCER

SIZES & SUGGESTED WHOLESALE • 4 • /EA



3/4" x 1/2"
\$2.00/ea

1" x 1/2"
\$3.13/ea

1-1/2" x 3/4"
\$6.94/ea

2" x 3/4"
\$11.81/ea

Pack 100 • ASTM F2159 • ASTM F877

90 ELBOW

PEX-ELBOW • ELBOW

SIZES & SUGGESTED WHOLESALE • 5 • /EA



1/2"
\$1.86/ea

3/4"
\$3.16/ea

1-1/4"
\$9.96/ea

1-1/2"
\$16.97/ea

2"
\$34.15/ea

Pack 100 • ASTM F2159 • ASTM F877

READY TO ORDER?

Send item codes, sizes & quantities — ask for bulk pricing.

DIRECT LINE

732-734-1123


EMAIL

info@allprobuildingsupplies.com



ALL PRO
Building Supplies

PEX-B TUBE COLLECTION



PEX-B · SDR-9 CTS

ASTM F876/F877
PEX-B Potable Tube

PEX-B METHOD
Silane Crosslinked

SDR-9 CTS
Crimp / Clamp Ready

PEX-B Pipe

SPEC SHEET / UPDATED 09.2026
SUGGESTED WHOLESALE

SUGGESTED WHOLESALE These are suggested wholesale list prices. Call or email for bulk / volume quotes. Pipe priced per foot; fittings & accessories per each.

1

PRODUCT TYPES

6

SKU / SIZE ROWS

1/2" – 2"

SIZE RANGE · 6 SIZES

Trade

BULK QUOTES AVAILABLE

CONSTRUCTION / SPECS

MATERIAL	PEX-B (silane crosslinked PE)
DIMENSION	SDR-9 · CTS (½"–2")
STANDARDS	ASTM F876 / F877
JOIN METHOD	ASTM F2159 crimp / clamp fittings
UV NOTE	Protect from sunlight

POTABLE DISTRIBUTION

MANIFOLD / HOME-RUN

RETROFIT

HOT & COLD SUPPLY

APPLICABLE STANDARDS

ASTM F876	Crosslinked Polyethylene (PEX) Tubing
ASTM F877	PEX Hot- and Cold-Water Distribution Systems
SDR-9 CTS	Standard Dimension Ratio · Copper Tube Size

Factory line: Tommur PEX-B (order code 4B200B). Pair with F2159 poly-alloy crimp fittings — not F1960 cold-expansion. Request NSF/cUPC listing certificates before potable submittals.

PRODUCTS & SPECS — 1 AVAILABLE

732-734-1123 · INFO@ALLPROBUILDINGSUPPLIES.COM

PEX-B PIPE

PEX-B PIPE · PEX-B PIPE

SIZES & SUGGESTED WHOLESALE · 6 · /FT

1/2" \$0.37/ft	3/4" \$0.69/ft	1" \$1.18/ft	1-1/4" \$2.47/ft
1-1/2" \$3.94/ft	2" \$7.88/ft		



Pack 100 · ASTM F876/F877 · SDR-9 CTS

READY TO ORDER?

Send item codes, sizes & quantities — ask for bulk pricing.

DIRECT LINE

732-734-1123

EMAIL

info@allprobuildingsupplies.com



ALL PRO
Building Supplies

PVC DWV FITTINGS COLLECTION



HUB & STREET · SOLVENT WELD

ASTM D2665
DWV Fittings Spec

HUB & STREET
H × H / H × S Ends

24 TYPES
Elbows to Closet Flanges

PVC DWV Fittings

SPEC SHEET / UPDATED 09.2026 · 1 / 3
SUGGESTED WHOLESALE

SUGGESTED WHOLESALE These are suggested wholesale list prices. Call or email for bulk / volume quotes. Priced per each unless noted.

9

ON THIS PAGE

91

SKU / SIZE ROWS

1-1/2" – 10"

SIZE RANGE · 29 SIZES

Trade

BULK QUOTES AVAILABLE

CONSTRUCTION / SPECS

MATERIAL	PVC DWV
STANDARD	ASTM D2665
JOIN METHOD	Solvent cement
END STYLES	Hub (H) & Street (S)
COMPATIBILITY	Sch 40 PVC DWV pipe

DRAIN, WASTE & VENT	SANITARY BRANCHES	CLEANOUTS & TRAPS
CLOSET FLANGES		

APPLICABLE STANDARDS

ASTM D2665	PVC Plastic Drain, Waste & Vent Pipe and Fittings
ASTM D1785	Compatible with Sch 40 PVC pipe systems
ASTM D3311	DWV fitting patterns (typical for this line)

Hub (H) = socket; Street (S) = spigot. Use listed PVC cement. These are DWV fittings (D2665), not Sch 40 pressure fittings (D2466).

PRODUCT LINE — 9 AVAILABLE · CONTINUED · 15 MORE
PRODUCT TYPES

732-734-1123 ·
INFO@ALLPROBUILDINGSUPPLIES.COM



45 ELBOW ELONGATED
PVC-45ELLSOC · Pk 4 · /ea

10"
\$68.69/ea



90 ELBOW W/ LOW HEEL INLET
PVC-1/4LOWHEEL · Pk 25 · /ea

3" x 3" x 2"
\$4.11/ea



CLOSET FLANGE
PVC-CLSTFLNGH · Pk 20 · /ea

4" x 3"
\$2.69/ea



DOUBLE SANITARY TEE
PVC-SANTEEDBL · Pk 25 · /ea

2" x 2" x 1-1/2" x 1-1/2"
\$4.25/ea



DOUBLE WYE
PVC-WYEDBL · Pk 15 · /ea

3" x 3" x 2" x 2"
\$6.55/ea



MALE ADAPTER
PVC-MADPTR · Pk 200 · /ea

1-1/2"
\$0.65/ea

2"
\$0.65/ea



22.5 ELBOW
PVC-1/16HH · Pk 25 · /ea

1-1/2"
\$1.36/ea

2"
\$0.91/ea

3"
\$2.65/ea



22.5 ELBOW STREET
PVC-1/16HS · Pk 25 · /ea

1-1/2"
\$2.05/ea

2"
\$2.26/ea

3"
\$7.46/ea



90 ELBOW LONG SWEEP
PVC-1/4HHLNG · Pk 5 · /ea

2"
\$1.34/ea

3"
\$3.17/ea

4"
\$6.47/ea

READY TO ORDER?

Send item codes, sizes & quantities — ask for bulk pricing.

DIRECT LINE

732-734-1123

EMAIL

info@allprobuildingsupplies.com



ALL PRO
Building Supplies

PVC DWV FITTINGS COLLECTION



HUB & STREET · SOLVENT WELD

ASTM D2665
DWV Fittings Spec

HUB & STREET
H × H / H × S Ends

24 TYPES
Elbows to Closet Flanges

PVC DWV Fittings **Cont.**

SPEC SHEET / UPDATED 09.2026 · 2 / 3
SUGGESTED WHOLESALE

SUGGESTED WHOLESALE These are suggested wholesale list prices. Call or email for bulk / volume quotes. Priced per each unless noted.

PVC DWV FITTINGS · CONTINUED — 11 AVAILABLE

732-734-1123 · INFO@ALLPROBUILDINGSUPPLIES.COM



BUSHING
PVC-BUSHINGS · Pk 30 · /ea

2" x 1-1/2" \$0.85/ea	3" x 2" \$1.15/ea	4" x 3" \$2.01/ea
--------------------------	----------------------	----------------------



CLEANOUT TEE
PVC-CLEANTEE · Pk 10 · /ea

2" \$2.87/ea	3" \$5.25/ea	4" \$9.05/ea
-----------------	-----------------	-----------------



45 ELBOW STREET
PVC-1/8HS · Pk 9 · /ea

1-1/2" \$0.49/ea	2" \$0.82/ea	3" \$2.22/ea
4" \$3.67/ea		



90 ELBOW STREET
PVC-1/4HS · Pk 10 · /ea

1-1/2" \$0.70/ea	2" \$0.99/ea	3" \$2.95/ea
4" \$4.86/ea		



CAP (SOC)
PVC-CAPSOC · Pk 20 · /ea

1-1/2" \$0.65/ea	2" \$1.48/ea	3" \$5.42/ea
4" \$10.50/ea		



COUPLING
PVC-CPLNG · Pk 25 · /ea

1-1/2" \$0.25/ea	2" \$0.34/ea	3" \$1.15/ea
4" \$2.13/ea		



P-TRAP
PVC-PTRAP · Pk 4 · /ea

1-1/2" \$3.89/ea	2" \$2.35/ea	3" \$15.05/ea
4" \$26.75/ea		



P-TRAP
PVC-PTRAPLOW · Pk 4 · /ea

1-1/2" \$1.22/ea	2" \$5.25/ea	3" \$16.25/ea
4" \$38.00/ea		



SANITARY TEE
PVC-SANTEE · Pk 5 · /ea

1-1/2" \$0.91/ea	2" \$1.32/ea	3" \$6.99/ea
4" \$14.75/ea		



90 ELBOW
PVC-1/4H · Pk 4 · /ea

1-1/2" \$0.53/ea	2" \$0.86/ea	3" \$2.65/ea
4" \$4.99/ea	6" \$22.84/ea	



WYE
PVC-WYEHUB · Pk 2 · /ea

1-1/2" \$1.72/ea	2" \$3.60/ea	3" \$7.19/ea
4" \$13.10/ea	6" \$30.26/ea	

READY TO ORDER?

Send item codes, sizes & quantities — ask for bulk pricing.

DIRECT LINE

732-734-1123

EMAIL

info@allprobuildingsupplies.com



ALL PRO
Building Supplies

PVC DWV FITTINGS COLLECTION



HUB & STREET · SOLVENT WELD

ASTM D2665
DWV Fittings Spec

HUB & STREET
H × H / H × S Ends

24 TYPES
Elbows to Closet Flanges

PVC DWV Fittings Cont.

SPEC SHEET / UPDATED 09.2026 · 3 / 3
SUGGESTED WHOLESALE

SUGGESTED WHOLESALE These are suggested wholesale list prices. Call or email for bulk / volume quotes. Priced per each unless noted.

PVC DWV FITTINGS · CONTINUED — 4 AVAILABLE

732-734-1123 · INFO@ALLPROBUILDINGSUPPLIES.COM



45 ELBOW

PVC-1/8HH · Pk 4 · /ea

1-1/2" \$0.52/ea	2" \$0.79/ea	3" \$2.16/ea	4" \$4.11/ea
6" \$14.04/ea	8" \$26.94/ea		



SANITARY TEE

PVC-SANTEERD · Pk 10 · /ea

2" x 1-1/2" \$1.68/ea	2" x 1-1/2" x 1-1/2" \$1.15/ea	2" x 1-1/2" x 2" \$1.53/ea	2" x 2" x 1-1/2" \$1.16/ea
3" x 2" \$4.28/ea	3" x 3" x 2" \$5.75/ea	4" x 4" x 2" \$5.59/ea	4" x 4" x 3" \$9.65/ea



WYE

PVC-WYERD · Pk 2 · /ea

3" x 3" x 2" \$7.05/ea	4" x 4" x 2" \$5.30/ea	4" x 4" x 3" \$6.71/ea	6" x 6" x 2" \$18.22/ea
6" x 6" x 3" \$19.24/ea	6" x 6" x 4" \$21.39/ea	8" x 8" x 4" \$35.97/ea	8" x 8" x 6" \$46.77/ea



REDUCER

PVC-INCREDDH · Pk 12 · /ea

2" x 1-1/2" \$1.68/ea	3" x 2" \$1.84/ea	4" x 2" \$3.01/ea	4" x 3" \$3.85/ea
6" x 3" \$12.08/ea	6" x 4" \$7.78/ea	8" x 6" \$16.46/ea	10" x 6" \$35.82/ea
10" x 8" \$35.82/ea			

READY TO ORDER?

Send item codes, sizes & quantities — ask for bulk pricing.

DIRECT LINE

732-734-1123

EMAIL

info@allprobuildingsupplies.com



ALL PRO
Building Supplies

PVC PIPE COLLECTION



ASTM D1785
Sch 40 Solid Wall

ASTM F891
Foam Core DWV

TRADE SIZES
½" – 10" Available

PVC Pipe

SPEC SHEET / UPDATED 09.2026
SUGGESTED WHOLESALE

SUGGESTED WHOLESALE These are suggested wholesale list prices. Call or email for bulk / volume quotes. Pipe priced per foot; fittings & accessories per each.

2	16	1/2" – 10"	Trade
PRODUCT TYPES	SKU / SIZE ROWS	SIZE RANGE · 12 SIZES	BULK QUOTES AVAILABLE

CONSTRUCTION / SPECS

MATERIAL	PVC (polyvinyl chloride)
SOLID WALL	ASTM D1785 Schedule 40
FOAM CORE	ASTM F891 Cellular Core DWV
JOIN METHOD	Solvent cement (hub)
APPLICATIONS	DWV, drainage, vent

- DWV SYSTEMS
- DRAINAGE & VENT
- ABOVE / BELOW GRADE
- RES & COMMERCIAL

APPLICABLE STANDARDS

ASTM D1785	Sch 40 Solid PVC Pipe (pressure-rated wall)
ASTM F891	Coextruded Cellular-Core PVC DWV Pipe
ASTM D2665	Compatible with PVC DWV fitting systems

Confirm local code acceptance for foam-core DWV before install. Request factory NSF/cUPC listing docs when required for submittals.

PRODUCTS & SPECS — 2 AVAILABLE732-734-1123 · INFO@ALLPROBUILDINGSUPPLIES.COM

PVC PIPE

PVC-PIPE-FOAM · ASTM F891 PVC Foam Core DWV Pipe

SIZES & SUGGESTED WHOLESALE · 4 · /FT



1-1/2" \$9.25/ft	2" \$11.00/ft	3" \$19.00/ft	4" \$27.60/ft
---------------------	------------------	------------------	------------------

Pack 1 · ASTM F891 Foam Core DWV

PVC PIPE

PVC-PIPE-SOLID · ASTM D1785 SCH40 PVC

SIZES & SUGGESTED WHOLESALE · 12 · /FT



1/2" \$0.32/ft	3/4" \$0.43/ft	1" \$0.64/ft	1-1/4" \$0.86/ft
1-1/2" \$1.03/ft	2" \$14.75/ft	2-1/2" \$2.20/ft	3" \$27.50/ft
4" \$50.00/ft	6" \$8.69/ft	8" \$11.37/ft	10" \$16.12/ft

Pack 1 · ASTM D1785 Sch 40 · ASTM D2665 DWV systems

READY TO ORDER?

Send item codes, sizes & quantities — ask for bulk pricing.

DIRECT LINE
732-734-1123
EMAIL
info@allprobuildingsupplies.com