Main Branch Review: Required Changes

Event Booking · Team 4 · reviewed on `main` (latest commit at review time: merge of PR #20)

Summary

Verified working: client and api build; seed data is consistent; all booking rules behave as specified (full, over capacity, past, invalid places, duplicate, find, cancel, cancel twice, rebook after cancel). The items below are what remains before the demo.

#	Change	Priority	Owner
1	Client install fails (ERESOLVE)	High	Allaith
5	Empty filter result shows an error	High	Majed
6	Frozen clock and stale status	High	Majed
10	Phone with spaces rejected	High	Adham
7	Event-not-found message	Medium	Majed
11	Joke field in 500 response	Medium	Adham
2	README outdated	Medium	Allaith
3	API-Contract.md outdated	Medium	Allaith
4	Remove leftovers	Low	Allaith
8	Default list hides past events	Low	Majed
9	Category case-insensitive (optional)	Low	Majed
12	Dedupe validation messages (optional)	Low	Adham

Allaith Issa: Team Leader

#1 Fresh clone cannot run `npm install` in the client (ERESOLVE)

High **Owner:** Allaith · **File:** `client/package.json + client/package-lock.json`

Problem: `vite@^8` conflicts with `@vitejs/plugin-react@^4`, whose peer range stops at vite 7. Anyone who clones the repo (including the demo machine) cannot install the client without `--legacy-peer-deps`.

How to verify: On a fresh `git clone`: `npm ci` and `npm run build` both succeed.

#2 README is outdated

Medium **Owner:** Allaith · **File:** `README.md`

Problem: It still describes mock mode (`VITE_USE_MOCK`, `client/.env.example`) and says the app manages "workspaces and projects". Mocks no longer exist.

#3 API-Contract.md is out of date

Medium **Owner:** Allaith · **File:** `API-Contract.md`

Problem: Real routes differ from the document: `find` is `GET /bookings/find?phone=&code=`, cancel is `PATCH /bookings/:id/cancel`, ids are numbers, events have `imageUrl`, and `GET /events` accepts `sortBy` and `asc`. `GET /events/categories` does not exist (the client derives categories from the events list).

#4 Remove leftovers from the repository

Low **Owner:** Allaith · **File:** `client/src/mocks/eventsMock.ts, api/tsconfig.build.tsbuildinfo, client/vite.config.ts`

Problem: Unused mock file; a build artifact (`*.tsbuildinfo`) is tracked by git even though it is in `.gitignore`; an unused `/api` proxy to port 3001.

How to verify: `npm run build` in the client still passes.

Majed Hmoud: Backend (events)

#5 Empty filter results return an error instead of an empty list

High **Owner:** Majed Hmoud · **File:** `api/src/events/events.service.ts (findAll)`

Problem: When no event matches the filters, `findAll` throws `NotFoundException('No events found')`. The Events page shows it as an error with a Retry button, so the required message "No events match your filters" (Flow A) never appears. The contract also says an empty result is `200 []`.

How to verify: `GET /events?date=2030-01-01` returns `200 []`; in the UI, picking a date with no events shows "No events match your filters".

#6 Frozen clock and stale event status

High **Owner:** Majed Hmoud · **File:** `api/src/events/events.service.ts`

Problem: `private readonly now = new Date()` is evaluated once when the server starts, so `availableOnly` and `includePast` use an old time. Also, an event's `status` is only recomputed when someone books or cancels, so an event that has started since can still appear as Available with a working Book button (the booking itself is correctly rejected by the backend).

How to verify: Start the server, wait until an event's start time passes (or temporarily seed one a minute ahead): it must switch to Past in `GET /events?includePast=true` without any booking.

#7 Event-not-found message does not match the contract

Medium **Owner:** Majed Hmoud · **File:** `api/src/events/events.service.ts (findOne)`

Problem: Message is `No event found with id 999.` (and `...NaN.` for `/events/abc`). The contract says `Event not found`, and the Event Details page looks for the words "not found", so today it shows a generic error with Retry instead of the "Event not found" screen.

How to verify: `GET /events/999` and `GET /events/abc` return 404 with message `Event not found`; the page shows the "Event not found" screen.

#8 Default list should hide past events (matches the contract)

Low **Owner:** Majed Hmoud · **File:** `api/src/events/events.service.ts`

Problem: With no `includePast` parameter the API returns the Past event too; only the frontend hides it. The contract and the specification say past events are not in the default list.

#9 Category filter is case-sensitive (optional)

Low **Owner:** Majed Hmoud · **File:** `api/src/events/dto/events.dto.ts`

Problem: `?category=workshop` returns 400, while the contract says category matching is case-insensitive. The dropdown always sends the exact name, so this is only visible when testing by hand.

Adham Albasha: Backend (bookings)

#10 Phone numbers with spaces or dashes are rejected

High **Owner:** Adham Albasha · **File:** `api/src/bookings/dto/create-booking.dto.ts`

Problem: The DTO validates `customerPhone` with `@Matches(/^\+?[0-9]{8,15}$/)` before the service cleans the value, so `0933 123 456` and `0933-123-456` return 400 "A valid phone number is required". The frontend accepts them, and the contract says spaces and dashes are ignored.

How to verify: `POST /bookings` with `"customerPhone": "0933 123 456"` returns 201 and the stored phone is `0933123456`; a second booking for the same event with `0933-123-456` returns 409 (duplicate).

#11 Leftover joke field in the 500 response

Medium **Owner:** Adham Albasha · **File:** `api/src/common/filters/all-exceptions.filter.ts (line 30)`

Problem: Every unexpected 500 response includes `team: 'Nawar is bu 3li'` and the request path. This is visible to evaluators and users.

#12 Duplicate validation messages (optional)

Low **Owner:** Adham Albasha · **File:** `api/src/common/filters/all-exceptions.filter.ts`

Problem: Validation errors come back as arrays with repeated sentences (for example the places message three times), which the client joins with commas.

Re-test After the Fixes

The team leader runs these on a fresh clone of `main` after the pull requests are merged.

```
cd api    && npm run build && node dist/main.js
cd client && npm ci && npm run build

curl "http://localhost:3000/events?date=2030-01-01"          # 200 []
curl http://localhost:3000/events/999                       # 404 "Event not found"
curl -X POST http://localhost:3000/bookings -H "Content-Type: application/json" \
  -d '{"eventId":3,"customerName":"Sara","customerPhone":"0933 123 456","places":1}'   # 201
```

Rules for the fixes: one small pull request per owner, run the backend and frontend before opening the pull request, and do not install new libraries without telling the team leader.