

Test Case Table

#	Test Cases	Intended Test
—	<u>Authentication</u>	x4 Tests
T01	loginExistingAccount	Success: Check if only usernames for existing users recognized from the current user accounts file can be authenticated to log-in Failure: Check if logging in using a username of an account that doesn't exist as a current user account works
T02	loggedoutTransactions	Success: Checks if users can't do transactions other login while logged out Failure: Checks if users can do transactions other than login while logged out
T03	loggedIn	Success: Checks if a user can't log into another account while already logged in Failure: Check if users can log into another account while already logged in
T04	logoutWhileLoggedIn	Success: Checks if users can only logout if logged in Failure: Checks if users can logout while not logged in
—	<u>Account Creation</u>	x10 Tests
T05	maxUsernameChar	Success: Check if username can only be at most 15 characters Failure: Check if username can be over 15 characters
T06	uniqueUsername	Success: Check if username is unique when creating an account Failure: Check if an account username can be the same as another account when creating a user
T07	createFS	Success: Checks if FS users can't create accounts Failure: Checks if FS users can create accounts
T08	createBS	Success: Checks if BS users can't create accounts Failure: Checks if BS users can create accounts
T09	createSS	Success: Checks if SS users can't create accounts Failure: Checks if SS users can create accounts
T10	adminCreateAA	Success: Check if AA can create an AA account Failure: Check if AA can't create an AA account
T11	adminCreateBS	Success: Check if AA can create a BS account

		Failure: Check if AA can't create a BS account
T12	adminCreateFS	Success: Check if AA can create a FS account Failure: Check if AA can't create a FS account
T13	adminCreateSS	Success: Check if AA can create a SS account Failure: Check if AA can't create a SS account
T14	createNonExistingType	Success: Check if AA users can't create an account with a type other than AA, BS, FS, or SS. Failure: Check if AA users can create an account with a type other than AA, BS, FS, or SS.
—	<u>Account Deletion</u>	x7 Tests
T15	deletePermsAA	Success: Checks if AA users can delete accounts Failure: Checks if AA users can't delete accounts
T16	deletePermsFS	Success: Checks if FS users can't delete accounts Failure: Checks if FS users can delete accounts
T17	deletePermsBS	Success: Checks if BS users can't delete accounts Failure: Checks if BS users can delete accounts
T18	deletePermsSS	Success: Checks if SS users can't delete accounts Failure: Checks if SS users can delete accounts
T19	deleteCurrUser	Success: Check if AA users can't delete the account they're currently logged into Failure: Check if AA users can delete the account they're currently logged into
T20	deleteExistingUser	Success: Check if AA users can only delete accounts with a username of an existing user Failure: Check if AA users can perform a successful delete transaction with a username of an account that doesn't exist
T21	transactionsOnDeletedUser	Success: Check if transactions can't be performed on deleted users Failure: Check if transactions can be performed on deleted users
—	<u>Buying Games</u>	x7 Tests
T22	buyExistingGame	Success: Check if users with buy permissions can only buy games with the name of an existing game and seller in the available games Failure: Check if users with buy permissions can buy games with the name of a game and seller that doesn't exist in available games

T23	buyAA	Success: Check if AA users can buy games Failure: Check if AA users can't buy games
T24	buyFS	Success: Check if FS users can buy games Failure: Check if FS users can't buy games
T25	buyBS	Success: Check if BS users can buy games Failure: Check if BS users can't buy games
T26	buySS	Success: Check if SS users can't buy games Failure: Check if SS users can buy games
T27	withinCreditLimit	Success: Checks if buyer can only buy games within their credit limit Failure: Checks if buyers can buy games that cost more credits that they have
T28	alreadyOwned	Success: Checks if buyers can't buy games they already own Failure: Checks if buyers can buy games they already own
—	<u>Selling Games</u>	X8 Tests
T29	sellAA	Success: Check if AA users can sell games Failure: Check if AA users can't sell games
T30	sellFS	Success: Check if FS users can sell games Failure: Check if FS users can't sell games
T31	sellSS	Success: Check if SS users can sell games Failure: Check if SS users can't sell games
T32	sellBS	Success: Check if BS users can't sell games Failure: Check if BS users can sell games
T33	maxPrice	Success: Check if price of game being sold can't be set over 999.99 Failure: Check if price of game being sold can be set over 999.99
T34	gameNameLen	Success: Check if game name for game being sold can be at most 25 characters Failure: Check if game name for game being sold can exceed 25 characters
T35	uniqueGameName	Success: Check if game name of game being sold can't be the same as another game Failure: Check if game name of game being sold can be the same as another game

T36	newGameTransaction	Success: Check if transactions can't be performed on new games until another session Failure: Check if transactions can be performed on new games in the same session
—	<u>Refunds</u>	x9 Tests
T37	refundAA	Success: Check if AA users can issue refunds to buyers Failure: Check if AA users can't issue refunds to buyers
T38	refundSS	Success: Check if SS users can't issue refunds to buyers Failure: Check if SS users can issue refunds to buyers
T39	refundFS	Success: Check if FS users can't issue refunds to buyers Failure: Check if FS users can issue refunds to buyers
T40	refundBS	Success: Check if BS users can't issue refunds Failure: Check if BS users can issue refunds
T41	checkRefundCred	Success: Check if refunds can only be issued if the seller has enough credits in account to refund buyers Failure: Check if refunds can be issued if the specified amount is greater than the seller's balance
T42	checkMaxCredRefund	Success: Check if refunds can't be given to buyers if it'll make their balance exceed the maximum credit limit of 999999.99 Failure: Check if refunds that'll cause buyers to exceed the credit limit can be given
T43	checkBuyerRefundAmt	Success: Check if buyers receive the specified amount from the refund Failure: Check if buyers receive an incorrect amount from what was specified in the refund
T44	refundNoOwn	Success: Check if refunds can't be issued to users who don't own games Failure: Check if refunds can be issued to users who don't own games
T45	existingAccountRefund	Success: Check if refunds can only be issued if the seller's username that is entered is an existing account that has sold to the buyer Failure: Check if refunds can be issued if the seller's username that is entered is not an existing user that

		has sold to the buyer
—	<u>Add Credit</u>	x7 Tests
T46	creditAA	Success: Check if AA users can add credits to users Failure: Check if AA users can't add credits to users
T47	creditBS	Success: Check if BS users can add credits to their account Failure: Check if BS users can't add credits to their account
T48	creditFS	Success: Check if FS users can add credits to their account Failure: Check if FS users can't add credits to their account
T49	creditSS	Success: Check if SS users can add credits to their account Failure: Check if SS users can't add credits to their account
T50	existingAccountCredit	Success: Check if AA users can only add credits to a username of an existing user Failure: Check if AA users can add credits to a username that isn't an existing user
T51	maxAdd	Success: Checks if users can't add more than \$1000.00 to their account in one session Failure: Checks if users can add more than \$1000.00 to their account in one session
T52	maxCred	Success: Check if users can't be given over 999999.99 credits Failure: Check if users can be given over 999999.99 credits