

|   |   |   |   |   |   |   |   |   |   |    |
|---|---|---|---|---|---|---|---|---|---|----|
|   | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| A |   |   |   |   |   |   |   |   |   |    |
| B |   |   |   |   |   |   |   |   |   |    |
| C |   |   |   |   |   |   |   |   |   |    |
| D |   |   |   |   |   |   |   |   |   |    |
| E |   |   |   |   |   |   |   |   |   |    |
| F |   |   |   |   |   |   |   |   |   |    |

Company / customer

Spacemaker Inc Limited

Drawing number

C40572

Drawing Revision

B

Project description

SpaceX

ELECTRICAL DRAWINGS FOR MAIN PLC PANEL

THIS DRAWING EMBODIES A PROPRIETARY DESIGN ORIGINATED BY SADDLE BROOK CONTROLS, INC. ALL DESIGN, MANUFACTURING, REPRODUCTION (EXCEPT WHERE THE RECIPIENT HAS BEEN GIVEN THE EXPRESS RIGHT BY WRITTEN AGREEMENT TO REPRODUCE THE DRAWING) IS EXPRESSLY PROHIBITED. USE AND SALE RIGHTS REGARDING THE SAME ARE EXPRESSLY RESERVED. IT IS SUBMITTED UNDER A CONFIDENTIAL RELATIONSHIP FOR A SPECIFIC PURPOSE, AND THE RECIPIENT AGREES BY ACCEPTING THIS DRAWING NOT TO SUPPLY OR DISCLOSE ANY INFORMATION REGARDING IT TO ANY UNAUTHORIZED PERSON OR TO INCORPORATE IN OTHER PROJECTS ANY FEATURES PECULIAR TO THIS DESIGN. ALL RIGHTS HERE TO ARE EXPRESSLY RESERVED BY SADDLE BROOK CONTROLS, INC. SADDLE BROOK, NEW JERSEY.

PROJECT DESCRIPTION: SpaceX PROJECT PLC PANEL

PAGE DESCRIPTION: TITLE PAGE / COVER SHEET

REV

DESCRIPTION

DATE

DRAWN BY:

PAUL

DATE

9/17/26

APPROVED FOR BUILD BY:

Carlos A

DATE

9/8/26

DRAWING NUMBER:

C40572

CURRENT REVISION:

B

Saddle Brook Controls


280 N Midland Ave.  
Saddle Brook, NJ  
07663

JOB # C40572

TOTAL PAGES: 65

SHEET A OF 28


|   |               |                                                    |   |   |   |               |                                         |   |   |    |
|---|---------------|----------------------------------------------------|---|---|---|---------------|-----------------------------------------|---|---|----|
|   | 1             | 2                                                  | 3 | 4 | 5 | 6             | 7                                       | 8 | 9 | 10 |
| A | Drawing Sheet | Page Description                                   |   |   |   | Drawing Sheet | Page Description                        |   |   |    |
|   | A             | TITLE PAGE / COVER SHEET                           |   |   |   | 20.0          | RELAYS                                  |   |   |    |
|   | B             | TABLE OF CONTENTS                                  |   |   |   | 20.1          | RELAYS                                  |   |   |    |
|   | 1.0           | INCOMING 460V SUPPLY                               |   |   |   | 21.0          | RELAYS                                  |   |   |    |
|   | 2.0           | 24VDC POWER INDICATORS                             |   |   |   | 21.1          | RELAYS                                  |   |   |    |
|   | 2.1           | 460V POWER INDICATORS                              |   |   |   | 22.0          | NETWORK SWITCH 22NS1                    |   |   |    |
|   | 3.0           | 24VDC CONTROL POWER SUPPLIE + UPS                  |   |   |   | 22.1          | NETWORK SWITCH 22NS1                    |   |   |    |
| B | 3.1           | UPS CONTROL                                        |   |   |   | 22.2          | ETHERCAT INFRASTRUCTURE MEDIA CONVERTER |   |   |    |
|   | 3.2           | CONTROL POWER SUPPLIES MAIN PANEL REDUNDANT 24 VDC |   |   |   | 22.3          | ETHERCAT INFRASTRUCTURE MEDIA CONVERTER |   |   |    |
|   | 4.0           | 24V ELECTRONIC LOAD MONITORING SUPPLIE             |   |   |   | 23.0          | NETWORK SWITCH 23NS1                    |   |   |    |
|   | 4.1           | 24V DISTRIBUTION PLC PANEL                         |   |   |   | 23.1          | NETWORK SWITCH 23NS1                    |   |   |    |
|   | 4.2           | 24V DISTRIBUTION PLC PANEL                         |   |   |   | 23.2          | ETHERCAT INFRASTRUCTURE MEDIA CONVERTER |   |   |    |
|   | 4.3           | 24V DISTRIBUTION PLC PANEL                         |   |   |   | 23.3          | ETHERCAT FIBER NETWORK CONVERTERS       |   |   |    |
|   | 4.4           | 24V DISTRIBUTION PLC PANEL                         |   |   |   | 23.4          | ETHERCAT FIBER NETWORK CONVERTERS       |   |   |    |
| C | 5.0           | 0V DC DISTRIBUTION                                 |   |   |   | 24.0          | SPARE                                   |   |   |    |
|   | 5.1           | DC DISTRIBUTION                                    |   |   |   | 25.0          | SPARE                                   |   |   |    |
|   | 5.2           | DC DISTRIBUTION                                    |   |   |   | 26.0          | ENCLOSURE LAYOUT                        |   |   |    |
|   | 6.0           | PLC LAYOUT                                         |   |   |   | 26.1          | ENCLOSURE LAYOUT                        |   |   |    |
|   | 6.1           | PLC 24VDC                                          |   |   |   | 27.0          | BACK PANEL LAYOUT                       |   |   |    |
|   | 6.2           | HMI                                                |   |   |   | 27.1          | BACK PANEL LAYOUT                       |   |   |    |
|   | 7.0           | DC INPUTS CARD 5.0-1                               |   |   |   | 27.2          | BACK PANEL LAYOUT                       |   |   |    |
| D | 7.1           | DC INPUTS CARD                                     |   |   |   | 27.3          | BACK PANEL LAYOUT                       |   |   |    |
|   | 8.0           | DC INPUTS CARD 5.0-2                               |   |   |   | 27.4          | BACK PANEL LAYOUT                       |   |   |    |
|   | 9.0           | DC OUTPUTS CARD 5.0-3                              |   |   |   | 27.5          | BACK PANEL LAYOUT                       |   |   |    |
|   | 9.1           | DC OUTPUTS CARD                                    |   |   |   | 27.6          | BACK PANEL LAYOUT                       |   |   |    |
|   | 10.0          | DC OUTPUTS CARD 5.0-4                              |   |   |   | 28.0          | BOM                                     |   |   |    |
|   | 11.0          | SAFETY CPU CONTROLLER                              |   |   |   | 28.1          | BOM                                     |   |   |    |
|   | 12.0          | SAFETY INPUTS 5.0-6                                |   |   |   |               |                                         |   |   |    |
| E | 12.1          | SAFETY INPUTS                                      |   |   |   |               |                                         |   |   |    |
|   | 13.0          | SAFETY INPUTS 5.0-7                                |   |   |   |               |                                         |   |   |    |
|   | 14.0          | SAFETY OUTPUTS 5.0-8                               |   |   |   |               |                                         |   |   |    |
|   | 14.1          | SAFETY OUTPUTS                                     |   |   |   |               |                                         |   |   |    |
|   | 15.0          | SAFETY OUTPUTS 5.0-9                               |   |   |   |               |                                         |   |   |    |
|   | 16.0          | DC SUPPLY FOR NETWORK INTERFACE CARDS              |   |   |   |               |                                         |   |   |    |
|   | 16.1          | DC SUPPLY FOR NETWORK INTERFACE CARDS              |   |   |   |               |                                         |   |   |    |
| F | 17.0          | PROFINET NETWORK INTERFACE CARD                    |   |   |   |               |                                         |   |   |    |
|   | 17.1          | PROFINET NETWORK INTERFACE CARD                    |   |   |   |               |                                         |   |   |    |
|   | 18.0          | SPARE                                              |   |   |   |               |                                         |   |   |    |
|   | 19.0          | EtherCAT P NETWORK INTERFACE CARD                  |   |   |   |               |                                         |   |   |    |
|   | 19.1          | EtherCAT P NETWORK INTERFACE CARD                  |   |   |   |               |                                         |   |   |    |
|   |               |                                                    |   |   |   |               |                                         |   |   |    |
|   |               |                                                    |   |   |   |               |                                         |   |   |    |



THIS DRAWING EMBODIES A PROPRIETARY DESIGN ORIGINATED BY SADDLE BROOK CONTROLS, INC. ALL DESIGN, MANUFACTURING, REPRODUCTION (EXCEPT WHERE THE RECIPIENT HAS BEEN GIVEN THE EXPRESS RIGHT BY WRITTEN AGREEMENT TO REPRODUCE THE DRAWING) IS EXPRESSLY PROHIBITED. USE AND SALE RIGHTS REGARDING THE SAME ARE EXPRESSLY RESERVED. IT IS SUBMITTED UNDER A CONFIDENTIAL RELATIONSHIP FOR A SPECIFIC PURPOSE, AND THE RECIPIENT AGREES BY ACCEPTING THIS DRAWING NOT TO SUPPLY OR DISCLOSE ANY INFORMATION REGARDING IT TO ANY UNAUTHORIZED PERSON OR TO INCORPORATE IN OTHER PROJECTS ANY FEATURES PECULIAR TO THIS DESIGN. ALL RIGHTS HERE TO ARE EXPRESSLY RESERVED BY SADDLE BROOK CONTROLS, INC. SADDLE BROOK, NEW JERSEY.

| PROJECT DESCRIPTION: SpaceX PROJECT PLC PANEL |             |      |
|-----------------------------------------------|-------------|------|
| PAGE DESCRIPTION: INCOMING 460V SUPPLY        |             |      |
| REV                                           | DESCRIPTION | DATE |
|                                               |             |      |
|                                               |             |      |


|           |                        |                   |
|-----------|------------------------|-------------------|
| DRAWN BY: | APPROVED FOR BUILD BY: | DRAWING NUMBER:   |
| PAUL      | Carlos A               | C40572            |
| DATE      | DATE                   | CURRENT REVISION: |
| 9/17/26   | 9/8/26                 | B                 |




## Saddle Brook Controls

280 N Midland Ave.  
Saddle Brook, NJ  
07663

|                 |
|-----------------|
| JOB # C40572    |
| TOTAL PAGES: 65 |
| SHEET 1.0 OF 28 |





THIS DRAWING EMBODIES A PROPRIETARY DESIGN ORIGINATED BY SADDLE BROOK CONTROLS, INC. ALL DESIGN, MANUFACTURING, REPRODUCTION (EXCEPT WHERE THE RECIPIENT HAS BEEN GIVEN THE EXPRESS RIGHT BY WRITTEN AGREEMENT TO REPRODUCE THE DRAWING) IS EXPRESSLY PROHIBITED. USE AND SALE RIGHTS REGARDING THE SAME ARE EXPRESSLY RESERVED. IT IS SUBMITTED UNDER A CONFIDENTIAL RELATIONSHIP FOR A SPECIFIC PURPOSE, AND THE RECIPIENT AGREES BY ACCEPTING THIS DRAWING NOT TO SUPPLY OR DISCLOSE ANY INFORMATION REGARDING IT TO ANY UNAUTHORIZED PERSON OR TO INCORPORATE IN OTHER PROJECTS ANY FEATURES PECULIAR TO THIS DESIGN. ALL RIGHTS HERE TO ARE EXPRESSLY RESERVED BY SADDLE BROOK CONTROLS, INC. SADDLE BROOK, NEW JERSEY.

| PROJECT DESCRIPTION: SpaceX PROJECT PLC PANEL |             |      |
|-----------------------------------------------|-------------|------|
| PAGE DESCRIPTION: 460V POWER INDICATORS       |             |      |
| REV                                           | DESCRIPTION | DATE |
|                                               |             |      |
|                                               |             |      |

|           |                        |                   |
|-----------|------------------------|-------------------|
| DRAWN BY: | APPROVED FOR BUILD BY: | DRAWING NUMBER:   |
| PAUL      | Carlos A               | C40572            |
| DATE      | DATE                   | CURRENT REVISION: |
| 9/17/26   | 9/8/26                 | B                 |



**Saddle Brook Controls**  
280 N Midland Ave.  
Saddle Brook, NJ  
07663


|                 |
|-----------------|
| JOB # C40572    |
| TOTAL PAGES: 65 |
| SHEET 2.1 OF 28 |



## B


C

E



|           |                        |                   |
|-----------|------------------------|-------------------|
| DRAWN BY: | APPROVED FOR BUILD BY: | DRAWING NUMBER:   |
| PAUL      | Carlos A               | C40572            |
| DATE      | DATE                   | CURRENT REVISION: |
| 9/17/26   | 9/8/26                 | B                 |

|                 |
|-----------------|
| JOB # C40572    |
| TOTAL PAGES: 65 |
| SHEET 3.1 OF 28 |



THIS DRAWING EMBODIES A PROPRIETARY DESIGN ORIGINATED BY SADDLE BROOK CONTROLS, INC. ALL DESIGN, MANUFACTURING, REPRODUCTION (EXCEPT WHERE THE RECIPIENT HAS BEEN GIVEN THE EXPRESS RIGHT BY WRITTEN AGREEMENT TO REPRODUCE THE DRAWING) IS EXPRESSLY PROHIBITED. USE AND SALE RIGHTS REGARDING THE SAME ARE EXPRESSLY RESERVED. IT IS SUBMITTED UNDER A CONFIDENTIAL RELATIONSHIP FOR A SPECIFIC PURPOSE, AND THE RECIPIENT AGREES BY ACCEPTING THIS DRAWING NOT TO SUPPLY OR DISCLOSE ANY INFORMATION REGARDING IT TO ANY UNAUTHORIZED PERSON OR TO INCORPORATE IN OTHER PROJECTS ANY FEATURES PECULIAR TO THIS DESIGN. ALL RIGHTS HERE TO ARE EXPRESSLY RESERVED BY SADDLE BROOK CONTROLS, INC. SADDLE BROOK, NEW JERSEY.

|                                                                      |             |      |
|----------------------------------------------------------------------|-------------|------|
| PROJECT DESCRIPTION: SpaceX PROJECT PLC PANEL                        |             |      |
| PAGE DESCRIPTION: CONTROL POWER SUPPLIES MAIN PANEL REDUNDANT 24 VDC |             |      |
| REV                                                                  | DESCRIPTION | DATE |
|                                                                      |             |      |
|                                                                      |             |      |


|           |                        |                   |
|-----------|------------------------|-------------------|
| DRAWN BY: | APPROVED FOR BUILD BY: | DRAWING NUMBER:   |
| PAUL      | Carlos A               | C40572            |
| DATE      | DATE                   | CURRENT REVISION: |
| 9/17/26   | 9/8/26                 | B                 |





# Saddle Brook Controls

280 N Midland Ave.  
Saddle Brook, NJ  
07663

|                 |
|-----------------|
| JOB # C40572    |
| TOTAL PAGES: 65 |
| SHEET 3.2 OF 28 |








|                          |                                              |                                     |
|--------------------------|----------------------------------------------|-------------------------------------|
| DRAWN BY:<br><b>PAUL</b> | APPROVED FOR<br>BUILD BY:<br><b>Carlos A</b> | DRAWING<br>NUMBER:<br><b>C40572</b> |
| DATE<br><b>9/17/26</b>   | DATE<br><b>9/8/26</b>                        | CURRENT<br>REVISION:<br><b>B</b>    |

|                 |
|-----------------|
| JOB # C40572    |
| TOTAL PAGES: 65 |
| SHEET 4.2 OF 28 |



THIS DRAWING EMBODIES A PROPRIETARY DESIGN ORIGINATED BY SADDLE BROOK CONTROLS, INC. ALL DESIGN, MANUFACTURING, REPRODUCTION (EXCEPT WHERE THE RECIPIENT HAS BEEN GIVEN THE EXPRESS RIGHT BY WRITTEN AGREEMENT TO REPRODUCE THE DRAWING) IS EXPRESSLY PROHIBITED. USE AND SALE RIGHTS REGARDING THE SAME ARE EXPRESSLY RESERVED. IT IS SUBMITTED UNDER A CONFIDENTIAL RELATIONSHIP FOR A SPECIFIC PURPOSE, AND THE RECIPIENT AGREES BY ACCEPTING THIS DRAWING NOT TO SUPPLY OR DISCLOSE ANY INFORMATION REGARDING IT TO ANY UNAUTHORIZED PERSON OR TO INCORPORATE IN OTHER PROJECTS ANY FEATURES PECULIAR TO THIS DESIGN. ALL RIGHTS HERE TO ARE EXPRESSLY RESERVED BY SADDLE BROOK CONTROLS, INC. SADDLE BROOK, NEW JERSEY.

|                                               |             |      |
|-----------------------------------------------|-------------|------|
| PROJECT DESCRIPTION: SpaceX PROJECT PLC PANEL |             |      |
| PAGE DESCRIPTION: 24V DISTRIBUTION PLC PANEL  |             |      |
| REV                                           | DESCRIPTION | DATE |
|                                               |             |      |
|                                               |             |      |


|           |                        |                   |
|-----------|------------------------|-------------------|
| DRAWN BY: | APPROVED FOR BUILD BY: | DRAWING NUMBER:   |
| PAUL      | Carlos A               | C40572            |
| DATE      | DATE                   | CURRENT REVISION: |
| 9/17/26   | 9/8/26                 | B                 |



**Saddle Brook Controls**

280 N Midland Ave.  
Saddle Brook, NJ  
07663

|                 |
|-----------------|
| JOB # C40572    |
| TOTAL PAGES: 65 |
| SHEET 4.3 OF 28 |



THIS DRAWING EMBODIES A PROPRIETARY DESIGN ORIGINATED BY SADDLE BROOK CONTROLS, INC. ALL DESIGN, MANUFACTURING, REPRODUCTION (EXCEPT WHERE THE RECIPIENT HAS BEEN GIVEN THE EXPRESS RIGHT BY WRITTEN AGREEMENT TO REPRODUCE THE DRAWING) IS EXPRESSLY PROHIBITED. USE AND SALE RIGHTS REGARDING THE SAME ARE EXPRESSLY RESERVED. IT IS SUBMITTED UNDER A CONFIDENTIAL RELATIONSHIP FOR A SPECIFIC PURPOSE, AND THE RECIPIENT AGREES BY ACCEPTING THIS DRAWING NOT TO SUPPLY OR DISCLOSE ANY INFORMATION REGARDING IT TO ANY UNAUTHORIZED PERSON OR TO INCORPORATE IN OTHER PROJECTS ANY FEATURES PECULIAR TO THIS DESIGN. ALL RIGHTS HERE TO ARE EXPRESSLY RESERVED BY SADDLE BROOK CONTROLS, INC. SADDLE BROOK, NEW JERSEY.

|                                               |             |      |
|-----------------------------------------------|-------------|------|
| PROJECT DESCRIPTION: SpaceX PROJECT PLC PANEL |             |      |
| PAGE DESCRIPTION: 24V DISTRIBUTION PLC PANEL  |             |      |
| REV                                           | DESCRIPTION | DATE |
|                                               |             |      |
|                                               |             |      |

|           |                        |                   |
|-----------|------------------------|-------------------|
| DRAWN BY: | APPROVED FOR BUILD BY: | DRAWING NUMBER:   |
| PAUL      | Carlos A               | C40572            |
| DATE      | DATE                   | CURRENT REVISION: |
| 9/17/26   | 9/8/26                 | B                 |




# Saddle Brook Controls


280 N Midland Ave.  
Saddle Brook, NJ  
07663

|                 |
|-----------------|
| JOB # C40572    |
| TOTAL PAGES: 65 |
| SHEET 4.4 OF 28 |

[illegible]




# 15L+



- (1)
- (2)
- (3)
- (4)
- (5)
- (6)
- (7)
- (8)

# 16L+



- (1)
- (2)
- (3)
- (4)
- (5)
- (6)
- (7)
- (8)


THIS DRAWING EMBODIES A PROPRIETARY DESIGN ORIGINATED BY SADDLE BROOK CONTROLS, INC. ALL DESIGN, MANUFACTURING, REPRODUCTION (EXCEPT WHERE THE RECIPIENT HAS BEEN GIVEN THE EXPRESS RIGHT BY WRITTEN AGREEMENT TO REPRODUCE THE DRAWING) IS EXPRESSLY PROHIBITED. USE AND SALE RIGHTS REGARDING THE SAME ARE EXPRESSLY RESERVED. IT IS SUBMITTED UNDER A CONFIDENTIAL RELATIONSHIP FOR A SPECIFIC PURPOSE, AND THE RECIPIENT AGREES BY ACCEPTING THIS DRAWING NOT TO SUPPLY OR DISCLOSE ANY INFORMATION REGARDING IT TO ANY UNAUTHORIZED PERSON OR TO INCORPORATE IN OTHER PROJECTS ANY FEATURES PECULIAR TO THIS DESIGN. ALL RIGHTS HERE TO ARE EXPRESSLY RESERVED BY SADDLE BROOK CONTROLS, INC. SADDLE BROOK, NEW JERSEY.


|                                               |             |      |
|-----------------------------------------------|-------------|------|
| PROJECT DESCRIPTION: SpaceX PROJECT PLC PANEL |             |      |
| PAGE DESCRIPTION: DC DISTRIBUTION             |             |      |
| REV                                           | DESCRIPTION | DATE |
|                                               |             |      |
|                                               |             |      |

|                          |                                              |                                     |
|--------------------------|----------------------------------------------|-------------------------------------|
| DRAWN BY:<br><b>PAUL</b> | APPROVED FOR<br>BUILD BY:<br><b>Carlos A</b> | DRAWING<br>NUMBER:<br><b>C40572</b> |
| DATE<br><b>9/17/26</b>   | DATE<br><b>9/8/26</b>                        | CURRENT<br>REVISION:<br><b>B</b>    |




|                 |
|-----------------|
| JOB # C40572    |
| TOTAL PAGES: 65 |
| SHEET 5.2 OF 28 |









# 6CBOX



# 6HMI



39NS2-X4 ETH13



| Pin no. | Signal designation | Description                          |
|---------|--------------------|--------------------------------------|
| 1       | N.C.               | not connected                        |
| 2       | ZT2-               | Approval control, circuit 2 negative |
| 3       | ZT1-               | Approval control, circuit 1 negative |
| 4       | ZT2+               | Approval control, circuit 2 positive |
| 5       | ZT1+               | Approval control, circuit 1 positive |
| 6       | ES2                | Emergency stop, circuit 2            |
| 7       | ES1                | Emergency stop, circuit 1            |
| 8       | ES2                | Emergency stop, circuit 2            |
| 9       | ES1                | Emergency stop, circuit 1            |
| 10      | -                  | GND                                  |
| 11      | +                  | 24 V DC power supply                 |

| Pin no. | Signal designation | Description                                                                                                                                                                                                  |
|---------|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1       | DRY                | Closed when handheld device is connected                                                                                                                                                                     |
| 2       | DRY                |                                                                                                                                                                                                              |
| 3       | KEY3               | Key-operated switch contact (3 pos): Position 3 (right switch position)<br>Illuminated pushbutton: Supply (GND)                                                                                              |
| 4       | KEY2               | Key-operated switch contact (3 pos): COMMON<br>Key-operated switch contact (2 pos): COMMON<br>Illuminated pushbutton: Supply (24 V)                                                                          |
| 5       | KEY1               | Key-operated switch contact (3 pos): Position 2 (middle switch position)<br>Key-operated switch contact (2 pos): Position 2 (left switch position)<br>Illuminated pushbutton: Circuit illuminated pushbutton |
| 6       | KEY0               | Key-operated switch contact (3 pos): Position 1 (left switch position)<br>Key-operated switch contact (2 pos): Position 1 (right switch position)<br>Illuminated pushbutton: Circuit illuminated pushbutton  |

THIS DRAWING EMBODIES A PROPRIETARY DESIGN ORIGINATED BY SADDLE BROOK CONTROLS, INC. ALL DESIGN, MANUFACTURING, REPRODUCTION (EXCEPT WHERE THE RECIPIENT HAS BEEN GIVEN THE EXPRESS RIGHT BY WRITTEN AGREEMENT TO REPRODUCE THE DRAWING) IS EXPRESSLY PROHIBITED. USE AND SALE RIGHTS REGARDING THE SAME ARE EXPRESSLY RESERVED. IT IS SUBMITTED UNDER A CONFIDENTIAL RELATIONSHIP FOR A SPECIFIC PURPOSE, AND THE RECIPIENT AGREES BY ACCEPTING THIS DRAWING NOT TO SUPPLY OR DISCLOSE ANY INFORMATION REGARDING IT TO ANY UNAUTHORIZED PERSON OR TO INCORPORATE IN OTHER PROJECTS ANY FEATURES PECULIAR TO THIS DESIGN. ALL RIGHTS HERE TO ARE EXPRESSLY RESERVED BY SADDLE BROOK CONTROLS, INC. SADDLE BROOK, NEW JERSEY.


|                                               |             |      |
|-----------------------------------------------|-------------|------|
| PROJECT DESCRIPTION: SpaceX PROJECT PLC PANEL |             |      |
| PAGE DESCRIPTION: HMI                         |             |      |
| REV                                           | DESCRIPTION | DATE |
|                                               |             |      |
|                                               |             |      |

|           |                        |                   |
|-----------|------------------------|-------------------|
| DRAWN BY: | APPROVED FOR BUILD BY: | DRAWING NUMBER:   |
| PAUL      | Carlos A               | C40572            |
| DATE      | DATE                   | CURRENT REVISION: |
| 9/17/26   | 9/8/26                 | B                 |



|                 |
|-----------------|
| JOB # C40572    |
| TOTAL PAGES: 65 |
| SHEET 6.2 OF 28 |

24VDC INPUTS



THIS DRAWING EMBODIES A PROPRIETARY DESIGN ORIGINATED BY SADDLE BROOK CONTROLS, INC. ALL DESIGN, MANUFACTURING, REPRODUCTION (EXCEPT WHERE THE RECIPIENT HAS BEEN GIVEN THE EXPRESS RIGHT BY WRITTEN AGREEMENT TO REPRODUCE THE DRAWING) IS EXPRESSLY PROHIBITED. USE AND SALE RIGHTS REGARDING THE SAME ARE EXPRESSLY RESERVED. IT IS SUBMITTED UNDER A CONFIDENTIAL RELATIONSHIP FOR A SPECIFIC PURPOSE, AND THE RECIPIENT AGREES BY ACCEPTING THIS DRAWING NOT TO SUPPLY OR DISCLOSE ANY INFORMATION REGARDING IT TO ANY UNAUTHORIZED PERSON OR TO INCORPORATE IN OTHER PROJECTS ANY FEATURES PECULIAR TO THIS DESIGN. ALL RIGHTS HERE TO ARE EXPRESSLY RESERVED BY SADDLE BROOK CONTROLS, INC. SADDLE BROOK, NEW JERSEY.

|                                               |             |      |
|-----------------------------------------------|-------------|------|
| PROJECT DESCRIPTION: SpaceX PROJECT PLC PANEL |             |      |
| PAGE DESCRIPTION: DC INPUTS CARD 5.0-1        |             |      |
| REV                                           | DESCRIPTION | DATE |
|                                               |             |      |
|                                               |             |      |


|           |                        |                   |
|-----------|------------------------|-------------------|
| DRAWN BY: | APPROVED FOR BUILD BY: | DRAWING NUMBER:   |
| PAUL      | Carlos A               | C40572            |
| DATE      | DATE                   | CURRENT REVISION: |
| 9/17/26   | 9/8/26                 | B                 |



**Saddle Brook Controls**

280 N Midland Ave.  
Saddle Brook, NJ  
07663

|                 |     |       |
|-----------------|-----|-------|
| JOB # C40572    |     |       |
| TOTAL PAGES: 65 |     |       |
| SHEET           | 7.0 | OF 28 |



THIS DRAWING EMBODIES A PROPRIETARY DESIGN ORIGINATED BY SADDLE BROOK CONTROLS, INC. ALL DESIGN, MANUFACTURING, REPRODUCTION (EXCEPT WHERE THE RECIPIENT HAS BEEN GIVEN THE EXPRESS RIGHT BY WRITTEN AGREEMENT TO REPRODUCE THE DRAWING) IS EXPRESSLY PROHIBITED. USE AND SALE RIGHTS REGARDING THE SAME ARE EXPRESSLY RESERVED. IT IS SUBMITTED UNDER A CONFIDENTIAL RELATIONSHIP FOR A SPECIFIC PURPOSE, AND THE RECIPIENT AGREES BY ACCEPTING THIS DRAWING NOT TO SUPPLY OR DISCLOSE ANY INFORMATION REGARDING IT TO ANY UNAUTHORIZED PERSON OR TO INCORPORATE IN OTHER PROJECTS ANY FEATURES PECULIAR TO THIS DESIGN. ALL RIGHTS HERE TO ARE EXPRESSLY RESERVED BY SADDLE BROOK CONTROLS, INC. SADDLE BROOK, NEW JERSEY.

|                                               |             |      |
|-----------------------------------------------|-------------|------|
| PROJECT DESCRIPTION: SpaceX PROJECT PLC PANEL |             |      |
| PAGE DESCRIPTION: DC INPUTS CARD              |             |      |
| REV                                           | DESCRIPTION | DATE |
|                                               |             |      |
|                                               |             |      |


|           |                        |                   |
|-----------|------------------------|-------------------|
| DRAWN BY: | APPROVED FOR BUILD BY: | DRAWING NUMBER:   |
| PAUL      | Carlos A               | C40572            |
| DATE      | DATE                   | CURRENT REVISION: |
| 9/17/26   | 9/8/26                 | B                 |



**Saddle Brook Controls**  
280 N Midland Ave.  
Saddle Brook, NJ  
07663

|                 |
|-----------------|
| JOB # C40572    |
| TOTAL PAGES: 65 |
| SHEET 7.1 OF 28 |

24VDC INPUTS



THIS DRAWING EMBODIES A PROPRIETARY DESIGN ORIGINATED BY SADDLE BROOK CONTROLS, INC. ALL DESIGN, MANUFACTURING, REPRODUCTION (EXCEPT WHERE THE RECIPIENT HAS BEEN GIVEN THE EXPRESS RIGHT BY WRITTEN AGREEMENT TO REPRODUCE THE DRAWING) IS EXPRESSLY PROHIBITED. USE AND SALE RIGHTS REGARDING THE SAME ARE EXPRESSLY RESERVED. IT IS SUBMITTED UNDER A CONFIDENTIAL RELATIONSHIP FOR A SPECIFIC PURPOSE, AND THE RECIPIENT AGREES BY ACCEPTING THIS DRAWING NOT TO SUPPLY OR DISCLOSE ANY INFORMATION REGARDING IT TO ANY UNAUTHORIZED PERSON OR TO INCORPORATE IN OTHER PROJECTS ANY FEATURES PECULIAR TO THIS DESIGN. ALL RIGHTS HERE TO ARE EXPRESSLY RESERVED BY SADDLE BROOK CONTROLS, INC. SADDLE BROOK, NEW JERSEY.

|                                               |             |      |
|-----------------------------------------------|-------------|------|
| PROJECT DESCRIPTION: SpaceX PROJECT PLC PANEL |             |      |
| PAGE DESCRIPTION: DC INPUTS CARD 5.0-2        |             |      |
| REV                                           | DESCRIPTION | DATE |
|                                               |             |      |
|                                               |             |      |


|           |                        |                   |
|-----------|------------------------|-------------------|
| DRAWN BY: | APPROVED FOR BUILD BY: | DRAWING NUMBER:   |
| PAUL      | Carlos A               | C40572            |
| DATE      | DATE                   | CURRENT REVISION: |
| 9/17/26   | 9/8/26                 | B                 |



**Saddle Brook Controls**  
280 N Midland Ave.  
Saddle Brook, NJ  
07663

|                 |     |       |
|-----------------|-----|-------|
| JOB # C40572    |     |       |
| TOTAL PAGES: 65 |     |       |
| SHEET           | 8.0 | OF 28 |

24VDC OUTPUTS



THIS DRAWING EMBODIES A PROPRIETARY DESIGN ORIGINATED BY SADDLE BROOK CONTROLS, INC. ALL DESIGN, MANUFACTURING, REPRODUCTION (EXCEPT WHERE THE RECIPIENT HAS BEEN GIVEN THE EXPRESS RIGHT BY WRITTEN AGREEMENT TO REPRODUCE THE DRAWING) IS EXPRESSLY PROHIBITED. USE AND SALE RIGHTS REGARDING THE SAME ARE EXPRESSLY RESERVED. IT IS SUBMITTED UNDER A CONFIDENTIAL RELATIONSHIP FOR A SPECIFIC PURPOSE, AND THE RECIPIENT AGREES BY ACCEPTING THIS DRAWING NOT TO SUPPLY OR DISCLOSE ANY INFORMATION REGARDING IT TO ANY UNAUTHORIZED PERSON OR TO INCORPORATE IN OTHER PROJECTS ANY FEATURES PECULIAR TO THIS DESIGN. ALL RIGHTS HERE TO ARE EXPRESSLY RESERVED BY SADDLE BROOK CONTROLS, INC. SADDLE BROOK, NEW JERSEY.

|                                               |             |      |
|-----------------------------------------------|-------------|------|
| PROJECT DESCRIPTION: SpaceX PROJECT PLC PANEL |             |      |
| PAGE DESCRIPTION: DC OUTPUTS CARD 5.0-3       |             |      |
| REV                                           | DESCRIPTION | DATE |
|                                               |             |      |
|                                               |             |      |


|           |                        |                   |
|-----------|------------------------|-------------------|
| DRAWN BY: | APPROVED FOR BUILD BY: | DRAWING NUMBER:   |
| PAUL      | Carlos A               | C40572            |
| DATE      | DATE                   | CURRENT REVISION: |
| 9/17/26   | 9/8/26                 | B                 |



**Saddle Brook Controls**  
280 N Midland Ave.  
Saddle Brook, NJ  
07663

|                 |     |       |
|-----------------|-----|-------|
| JOB # C40572    |     |       |
| TOTAL PAGES: 65 |     |       |
| SHEET           | 9.0 | OF 28 |

Max. output current  
0.5 A (short-circuit proof) per channel



THIS DRAWING EMBODIES A PROPRIETARY DESIGN ORIGINATED BY SADDLE BROOK CONTROLS, INC. ALL DESIGN, MANUFACTURING, REPRODUCTION (EXCEPT WHERE THE RECIPIENT HAS BEEN GIVEN THE EXPRESS RIGHT BY WRITTEN AGREEMENT TO REPRODUCE THE DRAWING) IS EXPRESSLY PROHIBITED. USE AND SALE RIGHTS REGARDING THE SAME ARE EXPRESSLY RESERVED. IT IS SUBMITTED UNDER A CONFIDENTIAL RELATIONSHIP FOR A SPECIFIC PURPOSE, AND THE RECIPIENT AGREES BY ACCEPTING THIS DRAWING NOT TO SUPPLY OR DISCLOSE ANY INFORMATION REGARDING IT TO ANY UNAUTHORIZED PERSON OR TO INCORPORATE IN OTHER PROJECTS ANY FEATURES PECULIAR TO THIS DESIGN. ALL RIGHTS HERE TO ARE EXPRESSLY RESERVED BY SADDLE BROOK CONTROLS, INC. SADDLE BROOK, NEW JERSEY.

|                                               |             |      |
|-----------------------------------------------|-------------|------|
| PROJECT DESCRIPTION: SpaceX PROJECT PLC PANEL |             |      |
| PAGE DESCRIPTION: DC OUTPUTS CARD             |             |      |
| REV                                           | DESCRIPTION | DATE |
|                                               |             |      |
|                                               |             |      |


|           |                        |                   |
|-----------|------------------------|-------------------|
| DRAWN BY: | APPROVED FOR BUILD BY: | DRAWING NUMBER:   |
| PAUL      | Carlos A               | C40572            |
| DATE      | DATE                   | CURRENT REVISION: |
| 9/17/26   | 9/8/26                 | B                 |



**Saddle Brook Controls**  
280 N Midland Ave.  
Saddle Brook, NJ  
07663

|                 |
|-----------------|
| JOB # C40572    |
| TOTAL PAGES: 65 |
| SHEET 9.1 OF 28 |


24VDC OUTPUTS



THIS DRAWING EMBODIES A PROPRIETARY DESIGN ORIGINATED BY SADDLE BROOK CONTROLS, INC. ALL DESIGN, MANUFACTURING, REPRODUCTION (EXCEPT WHERE THE RECIPIENT HAS BEEN GIVEN THE EXPRESS RIGHT BY WRITTEN AGREEMENT TO REPRODUCE THE DRAWING) IS EXPRESSLY PROHIBITED. USE AND SALE RIGHTS REGARDING THE SAME ARE EXPRESSLY RESERVED. IT IS SUBMITTED UNDER A CONFIDENTIAL RELATIONSHIP FOR A SPECIFIC PURPOSE, AND THE RECIPIENT AGREES BY ACCEPTING THIS DRAWING NOT TO SUPPLY OR DISCLOSE ANY INFORMATION REGARDING IT TO ANY UNAUTHORIZED PERSON OR TO INCORPORATE IN OTHER PROJECTS ANY FEATURES PECULIAR TO THIS DESIGN. ALL RIGHTS HERE TO ARE EXPRESSLY RESERVED BY SADDLE BROOK CONTROLS, INC. SADDLE BROOK, NEW JERSEY.


| PROJECT DESCRIPTION: SpaceX PROJECT PLC PANEL |             |      |
|-----------------------------------------------|-------------|------|
| PAGE DESCRIPTION: DC OUTPUTS CARD 5.0-4       |             |      |
| REV                                           | DESCRIPTION | DATE |
|                                               |             |      |
|                                               |             |      |

|           |                        |                   |
|-----------|------------------------|-------------------|
| DRAWN BY: | APPROVED FOR BUILD BY: | DRAWING NUMBER:   |
| PAUL      | Carlos A               | C40572            |
| DATE      | DATE                   | CURRENT REVISION: |
| 9/17/26   | 9/8/26                 | B                 |




**Saddle Brook Controls**  
280 N Midland Ave.  
Saddle Brook, NJ  
07663

|                  |
|------------------|
| JOB # C40572     |
| TOTAL PAGES: 65  |
| SHEET 10.0 OF 28 |




SAFETY INPUTS

SET  
DIPSWITCHES ON  
THE MODULE




EL1918


6.0-6



EMERGENCY STOP  
ON DOOR




12PB1




Emergency Stop  
RESET ON DOOR

EMERGENCY STOP  
ON HMI



Enabling switch  
ON HMI



EMERGENCY STOP  
ON DOOR

EMERGENCY STOP  
ON HMI

THIS DRAWING EMBODIES A PROPRIETARY DESIGN ORIGINATED BY SADDLE BROOK CONTROLS, INC. ALL DESIGN, MANUFACTURING, REPRODUCTION (EXCEPT WHERE THE RECIPIENT HAS BEEN GIVEN THE EXPRESS RIGHT BY WRITTEN AGREEMENT TO REPRODUCE THE DRAWING) IS EXPRESSLY PROHIBITED. USE AND SALE RIGHTS REGARDING THE SAME ARE EXPRESSLY RESERVED. IT IS SUBMITTED UNDER A CONFIDENTIAL RELATIONSHIP FOR A SPECIFIC PURPOSE, AND THE RECIPIENT AGREES BY ACCEPTING THIS DRAWING NOT TO SUPPLY OR DISCLOSE ANY INFORMATION REGARDING IT TO ANY UNAUTHORIZED PERSON OR TO INCORPORATE IN OTHER PROJECTS ANY FEATURES PECULIAR TO THIS DESIGN. ALL RIGHTS HERE TO ARE EXPRESSLY RESERVED BY SADDLE BROOK CONTROLS, INC. SADDLE BROOK, NEW JERSEY.

|                                               |             |      |
|-----------------------------------------------|-------------|------|
| PROJECT DESCRIPTION: SpaceX PROJECT PLC PANEL |             |      |
| PAGE DESCRIPTION: SAFETY INPUTS 5.0-6         |             |      |
| REV                                           | DESCRIPTION | DATE |
|                                               |             |      |
|                                               |             |      |


|           |                        |                   |
|-----------|------------------------|-------------------|
| DRAWN BY: | APPROVED FOR BUILD BY: | DRAWING NUMBER:   |
| PAUL      | Carlos A               | C40572            |
| DATE      | DATE                   | CURRENT REVISION: |
| 9/17/26   | 9/8/26                 | B                 |

**Saddle Brook Controls**


280 N Midland Ave.  
Saddle Brook, NJ  
07663

|                  |
|------------------|
| JOB # C40572     |
| TOTAL PAGES: 65  |
| SHEET 12.0 OF 28 |

| DIP switch |     |     |     |     |     |     |     |     |     | Address |
|------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|---------|
| 1          | 2   | 3   | 4   | 5   | 6   | 7   | 8   | 9   | 10  |         |
| ON         | OFF | OFF | OFF | OFF | OFF | OFF | OFF | OFF | OFF | 1       |
| OFF        | ON  | OFF | OFF | OFF | OFF | OFF | OFF | OFF | OFF | 2       |
| ON         | ON  | OFF | OFF | OFF | OFF | OFF | OFF | OFF | OFF | 3       |
| OFF        | OFF | ON  | OFF | OFF | OFF | OFF | OFF | OFF | OFF | 4       |
| ON         | OFF | ON  | OFF | OFF | OFF | OFF | OFF | OFF | OFF | 5       |
| OFF        | ON  | ON  | OFF | OFF | OFF | OFF | OFF | OFF | OFF | 6       |
| ON         | ON  | ON  | OFF | OFF | OFF | OFF | OFF | OFF | OFF | 7       |
| ...        | ... | ... | ... | ... | ... | ... | ... | ... | ... | ...     |
| ON         | ON  | ON  | ON  | ON  | ON  | ON  | ON  | ON  | ON  | 1023    |



| Diag1     | Diag2     | Diag3     | Diag4     | Description                                                                                                                                                                                             |
|-----------|-----------|-----------|-----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| off       | off       | off       | off       | The device has no power supply.                                                                                                                                                                         |
| lights up | off       | -         | -         | The ambient conditions, operating voltage and internal tests are within the valid range.                                                                                                                |
| lights up | flashes   | -         | -         | Internal tests are outside the valid range. Diag2 outputs a logic error code. For more information, see the chapter <a href="#">Logic error codes</a> [► 57].                                           |
| off       | flashes   | -         | -         | Ambient conditions or electrical parameters are outside the valid range. Diag2 outputs an environment error code. For more information, see the chapter <a href="#">Environment error codes</a> [► 57]. |
| lights up | lights up | lights up | off       | There is a global shutdown on µC1.                                                                                                                                                                      |
| lights up | lights up | off       | lights up | There is a global shutdown on µC2.                                                                                                                                                                      |
| lights up | off       | lights up | off       | There is a global fault on µC1.                                                                                                                                                                         |
| lights up | off       | off       | lights up | There is a global fault on µC2.                                                                                                                                                                         |
| lights up | flickers  | -         | -         | There is an error in a safe input or output module.                                                                                                                                                     |






| PROJECT DESCRIPTION: SpaceX PROJECT PLC PANEL |             |      |
|-----------------------------------------------|-------------|------|
| PAGE DESCRIPTION: SAFETY INPUTS               |             |      |
| REV                                           | DESCRIPTION | DATE |
|                                               |             |      |
|                                               |             |      |

|           |                        |                   |
|-----------|------------------------|-------------------|
| DRAWN BY: | APPROVED FOR BUILD BY: | DRAWING NUMBER:   |
| PAUL      | Carlos A               | C40572            |
| DATE      | DATE                   | CURRENT REVISION: |
| 9/17/26   | 9/8/26                 | B                 |

SAFETY INPUTS

SET  
DIPSWITCHES ON  
THE MODULE



THIS DRAWING EMBODIES A PROPRIETARY DESIGN ORIGINATED BY SADDLE BROOK CONTROLS, INC. ALL DESIGN, MANUFACTURING, REPRODUCTION (EXCEPT WHERE THE RECIPIENT HAS BEEN GIVEN THE EXPRESS RIGHT BY WRITTEN AGREEMENT TO REPRODUCE THE DRAWING) IS EXPRESSLY PROHIBITED. USE AND SALE RIGHTS REGARDING THE SAME ARE EXPRESSLY RESERVED. IT IS SUBMITTED UNDER A CONFIDENTIAL RELATIONSHIP FOR A SPECIFIC PURPOSE, AND THE RECIPIENT AGREES BY ACCEPTING THIS DRAWING NOT TO SUPPLY OR DISCLOSE ANY INFORMATION REGARDING IT TO ANY UNAUTHORIZED PERSON OR TO INCORPORATE IN OTHER PROJECTS ANY FEATURES PECULIAR TO THIS DESIGN. ALL RIGHTS HERE TO ARE EXPRESSLY RESERVED BY SADDLE BROOK CONTROLS, INC. SADDLE BROOK, NEW JERSEY.

|                                               |             |      |
|-----------------------------------------------|-------------|------|
| PROJECT DESCRIPTION: SpaceX PROJECT PLC PANEL |             |      |
| PAGE DESCRIPTION: SAFETY INPUTS 5.0-7         |             |      |
| REV                                           | DESCRIPTION | DATE |
|                                               |             |      |
|                                               |             |      |


|           |                        |                   |
|-----------|------------------------|-------------------|
| DRAWN BY: | APPROVED FOR BUILD BY: | DRAWING NUMBER:   |
| PAUL      | Carlos A               | C40572            |
| DATE      | DATE                   | CURRENT REVISION: |
| 9/17/26   | 9/8/26                 | B                 |



# Saddle Brook Controls

280 N Midland Ave.  
Saddle Brook, NJ  
07663

|                  |
|------------------|
| JOB # C40572     |
| TOTAL PAGES: 65  |
| SHEET 13.0 OF 28 |



THIS DRAWING EMBODIES A PROPRIETARY DESIGN ORIGINATED BY SADDLE BROOK CONTROLS, INC. ALL DESIGN, MANUFACTURING, REPRODUCTION (EXCEPT WHERE THE RECIPIENT HAS BEEN GIVEN THE EXPRESS RIGHT BY WRITTEN AGREEMENT TO REPRODUCE THE DRAWING) IS EXPRESSLY PROHIBITED. USE AND SALE RIGHTS REGARDING THE SAME ARE EXPRESSLY RESERVED. IT IS SUBMITTED UNDER A CONFIDENTIAL RELATIONSHIP FOR A SPECIFIC PURPOSE, AND THE RECIPIENT AGREES BY ACCEPTING THIS DRAWING NOT TO SUPPLY OR DISCLOSE ANY INFORMATION REGARDING IT TO ANY UNAUTHORIZED PERSON OR TO INCORPORATE IN OTHER PROJECTS ANY FEATURES PECULIAR TO THIS DESIGN. ALL RIGHTS HERE TO ARE EXPRESSLY RESERVED BY SADDLE BROOK CONTROLS, INC. SADDLE BROOK, NEW JERSEY.

|                                               |             |      |
|-----------------------------------------------|-------------|------|
| PROJECT DESCRIPTION: SpaceX PROJECT PLC PANEL |             |      |
| PAGE DESCRIPTION: SAFETY OUTPUTS 5.0-8        |             |      |
| REV                                           | DESCRIPTION | DATE |
|                                               |             |      |
|                                               |             |      |

|           |                        |                   |
|-----------|------------------------|-------------------|
| DRAWN BY: | APPROVED FOR BUILD BY: | DRAWING NUMBER:   |
| PAUL      | Carlos A               | C40572            |
| DATE      | DATE                   | CURRENT REVISION: |
| 9/17/26   | 9/8/26                 | B                 |


Saddle Brook Controls

280 N Midland Ave.  
Saddle Brook, NJ  
07663

|                  |
|------------------|
| JOB # C40572     |
| TOTAL PAGES: 65  |
| SHEET 14.0 OF 28 |

| LED            | lit                                                                                                                                                                              | flashes                                                                       | off                                                                                                                                                                                          |
|----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Diag 1 (green) | Environment variables, operating voltage and internal tests are in the valid range <ul style="list-style-type: none"><li>If Diag 2 flashes, a logic error code applies</li></ul> | -                                                                             | Environment variables, operating voltage and internal tests are outside the valid range <ul style="list-style-type: none"><li>If Diag 2 flashes, an environment error code applies</li></ul> |
| Diag 2 (red)   | Together with Diag 3 and 4: Global shutdown <sup>1)</sup> has occurred. (see diag history of the TwinSAFE components)                                                            | Logic or environment error code according to Diag1 and tables below is output | Together with Diag 3 and 4: Global fault <sup>1)</sup> has occurred. (see diag history of the TwinSAFE components)                                                                           |
| Diag 3 (red)   | Global fault or global shutdown on $\mu$ C1 <sup>1)</sup>                                                                                                                        | -                                                                             | No global fault or global shutdown on $\mu$ C1 <sup>1)</sup>                                                                                                                                 |
| Diag 4 (red)   | Global fault or global shutdown on $\mu$ C2 <sup>1)</sup>                                                                                                                        | -                                                                             | No global fault or global shutdown on $\mu$ C2 <sup>1)</sup>                                                                                                                                 |


| LED      | Color | Description                                                                                                                                             |
|----------|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------|
| Output 1 | green | Status and error display for the respective output<br><br>LED is lit: output/error is set<br><br>LED is not lit: output is not set or there is no error |
| Error 1  | red   |                                                                                                                                                         |
| Output 2 | green |                                                                                                                                                         |
| Error 2  | red   |                                                                                                                                                         |



| PROJECT DESCRIPTION: SpaceX PROJECT PLC PANEL |             |      |
|-----------------------------------------------|-------------|------|
| PAGE DESCRIPTION: SAFETY OUTPUTS              |             |      |
| REV                                           | DESCRIPTION | DATE |
|                                               |             |      |
|                                               |             |      |

|           |                        |                   |
|-----------|------------------------|-------------------|
| DRAWN BY: | APPROVED FOR BUILD BY: | DRAWING NUMBER:   |
| PAUL      | Carlos A               | C40572            |
| DATE      | DATE                   | CURRENT REVISION: |
| 9/17/26   | 9/8/26                 | B                 |

|                  |
|------------------|
| JOB # C40572     |
| TOTAL PAGES: 65  |
| SHEET 14.1 OF 28 |



THIS DRAWING EMBODIES A PROPRIETARY DESIGN ORIGINATED BY SADDLE BROOK CONTROLS, INC. ALL DESIGN, MANUFACTURING, REPRODUCTION (EXCEPT WHERE THE RECIPIENT HAS BEEN GIVEN THE EXPRESS RIGHT BY WRITTEN AGREEMENT TO REPRODUCE THE DRAWING) IS EXPRESSLY PROHIBITED. USE AND SALE RIGHTS REGARDING THE SAME ARE EXPRESSLY RESERVED. IT IS SUBMITTED UNDER A CONFIDENTIAL RELATIONSHIP FOR A SPECIFIC PURPOSE, AND THE RECIPIENT AGREES BY ACCEPTING THIS DRAWING NOT TO SUPPLY OR DISCLOSE ANY INFORMATION REGARDING IT TO ANY UNAUTHORIZED PERSON OR TO INCORPORATE IN OTHER PROJECTS ANY FEATURES PECULIAR TO THIS DESIGN. ALL RIGHTS HERE TO ARE EXPRESSLY RESERVED BY SADDLE BROOK CONTROLS, INC. SADDLE BROOK, NEW JERSEY.


|                                               |             |      |
|-----------------------------------------------|-------------|------|
| PROJECT DESCRIPTION: SpaceX PROJECT PLC PANEL |             |      |
| PAGE DESCRIPTION: SAFETY OUTPUTS 5.0-9        |             |      |
| REV                                           | DESCRIPTION | DATE |
|                                               |             |      |
|                                               |             |      |

|           |                        |                   |
|-----------|------------------------|-------------------|
| DRAWN BY: | APPROVED FOR BUILD BY: | DRAWING NUMBER:   |
| PAUL      | Carlos A               | C40572            |
| DATE      | DATE                   | CURRENT REVISION: |
| 9/17/26   | 9/8/26                 | B                 |

Saddle Brook Controls

280 N Midland Ave.  
Saddle Brook, NJ  
07663

|                  |
|------------------|
| JOB # C40572     |
| TOTAL PAGES: 65  |
| SHEET 15.0 OF 28 |



THIS DRAWING EMBODIES A PROPRIETARY DESIGN ORIGINATED BY SADDLE BROOK CONTROLS, INC. ALL DESIGN, MANUFACTURING, REPRODUCTION (EXCEPT WHERE THE RECIPIENT HAS BEEN GIVEN THE EXPRESS RIGHT BY WRITTEN AGREEMENT TO REPRODUCE THE DRAWING) IS EXPRESSLY PROHIBITED. USE AND SALE RIGHTS REGARDING THE SAME ARE EXPRESSLY RESERVED. IT IS SUBMITTED UNDER A CONFIDENTIAL RELATIONSHIP FOR A SPECIFIC PURPOSE, AND THE RECIPIENT AGREES BY ACCEPTING THIS DRAWING NOT TO SUPPLY OR DISCLOSE ANY INFORMATION REGARDING IT TO ANY UNAUTHORIZED PERSON OR TO INCORPORATE IN OTHER PROJECTS ANY FEATURES PECULIAR TO THIS DESIGN. ALL RIGHTS HERE TO ARE EXPRESSLY RESERVED BY SADDLE BROOK CONTROLS, INC. SADDLE BROOK, NEW JERSEY.

| PROJECT DESCRIPTION: SpaceX PROJECT PLC PANEL           |             |      |
|---------------------------------------------------------|-------------|------|
| PAGE DESCRIPTION: DC SUPPLY FOR NETWORK INTERFACE CARDS |             |      |
| REV                                                     | DESCRIPTION | DATE |
|                                                         |             |      |
|                                                         |             |      |

|           |                        |                   |
|-----------|------------------------|-------------------|
| DRAWN BY: | APPROVED FOR BUILD BY: | DRAWING NUMBER:   |
| PAUL      | Carlos A               | C40572            |
| DATE      | DATE                   | CURRENT REVISION: |
| 9/17/26   | 9/8/26                 | B                 |




**Saddle Brook Controls**  
280 N Midland Ave.  
Saddle Brook, NJ  
07663

|                  |
|------------------|
| JOB # C40572     |
| TOTAL PAGES: 65  |
| SHEET 16.0 OF 28 |


| LED           | Color | Meaning                                             |                                                                                                                                                         |
|---------------|-------|-----------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|
| Power (E-bus) | green | off                                                 | No voltage at the supply input for the E-bus                                                                                                            |
|               |       | on                                                  | 24 V <sub>DC</sub> at the supply input for the E-bus                                                                                                    |
| Power         | green | off                                                 | No voltage at the supply input                                                                                                                          |
|               |       | on                                                  | 24 V <sub>DC</sub> at the supply input                                                                                                                  |
| Diag Us**     | red   | off                                                 | No error                                                                                                                                                |
|               |       | on                                                  | Undervoltage: Us or Up below 17 V                                                                                                                       |
| Diag Up**     | red   | off                                                 | No error                                                                                                                                                |
|               |       | on                                                  | Undervoltage: Us or Up below 17 V                                                                                                                       |
| RUN**         | green | These LEDs indicate the terminal's operating state: |                                                                                                                                                         |
|               |       | off                                                 | State of the EtherCAT State Machine: <b>INIT</b> = initialization of the terminal                                                                       |
|               |       | Flashing (2 Hz)                                     | State of the EtherCAT State Machine: <b>PREOP</b> = function for mailbox communication and different default settings set                               |
|               |       | Flashing (1 Hz)                                     | State of the EtherCAT State Machine: <b>SAFEOP</b> = verification of the Sync Manager channels and the distributed clocks. Outputs remain in safe state |
|               |       | on                                                  | State of the EtherCAT State Machine: <b>OP</b> = normal operating state; mailbox and process data communication is possible                             |
|               |       | Flashing (10 Hz)                                    | State of the EtherCAT State Machine: <b>BOOTSTRAP</b> = function for Firmware updates of the terminal, for example                                      |

| Terminal point  |     | Description                                                                                |
|-----------------|-----|--------------------------------------------------------------------------------------------|
| Name            | No. |                                                                                            |
| +24 V for E-bus | 1   | Supply input +24 V for the E-bus                                                           |
| +24 V           | 2   | Supply input +24 V (internally connected to terminal point 6 and positive power contact)   |
| 0 V             | 3   | 0 V for supply input (internally connected to terminal point 7 and negative power contact) |
| ⏏               | 4   | Ground (internally connected to terminal point 8)                                          |
| 0 V for E-bus   | 5   | 0 V for E-bus supply input                                                                 |
| +24 V           | 6   | Supply input +24 V (internally connected to terminal point 2 and positive power contact)   |
| 0 V             | 7   | 0 V for supply input (internally connected to terminal point 3 and negative power contact) |
| ⏏               | 8   | Ground (internally connected to terminal point 4)                                          |



| PROJECT DESCRIPTION: SpaceX PROJECT PLC PANEL           |             |      |
|---------------------------------------------------------|-------------|------|
| PAGE DESCRIPTION: DC SUPPLY FOR NETWORK INTERFACE CARDS |             |      |
| REV                                                     | DESCRIPTION | DATE |
|                                                         |             |      |
|                                                         |             |      |

|           |                        |                   |
|-----------|------------------------|-------------------|
| DRAWN BY: | APPROVED FOR BUILD BY: | DRAWING NUMBER:   |
| PAUL      | Carlos A               | C40572            |
| DATE      | DATE                   | CURRENT REVISION: |
| 9/17/26   | 9/8/26                 | B                 |



THIS DRAWING EMBODIES A PROPRIETARY DESIGN ORIGINATED BY SADDLE BROOK CONTROLS, INC. ALL DESIGN, MANUFACTURING, REPRODUCTION (EXCEPT WHERE THE RECIPIENT HAS BEEN GIVEN THE EXPRESS RIGHT BY WRITTEN AGREEMENT TO REPRODUCE THE DRAWING) IS EXPRESSLY PROHIBITED. USE AND SALE RIGHTS REGARDING THE SAME ARE EXPRESSLY RESERVED. IT IS SUBMITTED UNDER A CONFIDENTIAL RELATIONSHIP FOR A SPECIFIC PURPOSE, AND THE RECIPIENT AGREES BY ACCEPTING THIS DRAWING NOT TO SUPPLY OR DISCLOSE ANY INFORMATION REGARDING IT TO ANY UNAUTHORIZED PERSON OR TO INCORPORATE IN OTHER PROJECTS ANY FEATURES PECULIAR TO THIS DESIGN. ALL RIGHTS HERE TO ARE EXPRESSLY RESERVED BY SADDLE BROOK CONTROLS, INC. SADDLE BROOK, NEW JERSEY.

| PROJECT DESCRIPTION: SpaceX PROJECT PLC PANEL     |             |      |
|---------------------------------------------------|-------------|------|
| PAGE DESCRIPTION: PROFINET NETWORK INTERFACE CARD |             |      |
| REV                                               | DESCRIPTION | DATE |
|                                                   |             |      |
|                                                   |             |      |

|           |                        |                   |
|-----------|------------------------|-------------------|
| DRAWN BY: | APPROVED FOR BUILD BY: | DRAWING NUMBER:   |
| PAUL      | Carlos A               | C40572            |
| DATE      | DATE                   | CURRENT REVISION: |
| 9/17/26   | 9/8/26                 | B                 |



# Saddle Brook Controls

280 N Midland Ave.  
Saddle Brook, NJ  
07663


|                  |
|------------------|
| JOB # C40572     |
| TOTAL PAGES: 65  |
| SHEET 17.0 OF 28 |

|   |                    |            |                          |                                                                                                                                               |                                                                                                                                                                  |   |   |   |   |    |
|---|--------------------|------------|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|---|---|---|----|
|   | 1                  | 2          | 3                        | 4                                                                                                                                             | 5                                                                                                                                                                | 6 | 7 | 8 | 9 | 10 |
| A | LED                |            | Display                  |                                                                                                                                               | Description                                                                                                                                                      |   |   |   |   |    |
|   |                    |            |                          |                                                                                                                                               |                                                                                                                                                                  |   |   |   |   |    |
|   |                    |            |                          |                                                                                                                                               |                                                                                                                                                                  |   |   |   |   |    |
|   |                    |            |                          |                                                                                                                                               |                                                                                                                                                                  |   |   |   |   |    |
|   | RUN                | green      | off                      |                                                                                                                                               | State of the EtherCAT State Machine:<br><b>INIT</b> = initialization of the terminal;<br><b>BOOTSTRAP</b> = function for firmware updates of the terminal        |   |   |   |   |    |
|   |                    |            | flashing<br>200 ms       |                                                                                                                                               | State of the EtherCAT State Machine:<br><b>PREOP</b> = function for mailbox communication and different standard-<br>settings set                                |   |   |   |   |    |
| B |                    |            | off (1 s)<br>on (200 ms) |                                                                                                                                               | State of the EtherCAT State Machine:<br><b>SAFEOP</b> = verification of the sync manager channels and the distributed<br>clocks.<br>Outputs remain in safe state |   |   |   |   |    |
|   |                    |            | on                       |                                                                                                                                               | State of the EtherCAT State Machine:<br><b>OP</b> = normal operating state; mailbox and process data communication is<br>possible                                |   |   |   |   |    |
|   | Color green        |            | Color red                |                                                                                                                                               | Meaning                                                                                                                                                          |   |   |   |   |    |
|   | off                |            | flashing<br>200 ms       |                                                                                                                                               | Terminal starts                                                                                                                                                  |   |   |   |   |    |
|   | flashing<br>200 ms |            | off                      |                                                                                                                                               | No name                                                                                                                                                          |   |   |   |   |    |
|   | 1 s off, 200 ms on |            | off                      |                                                                                                                                               | No IP address                                                                                                                                                    |   |   |   |   |    |
| D | on                 |            | off                      |                                                                                                                                               | EL terminal is parameterized                                                                                                                                     |   |   |   |   |    |
|   | Colours green      |            | Colours red              |                                                                                                                                               | Meaning                                                                                                                                                          |   |   |   |   |    |
|   | off                |            | flashing<br>500 ms       |                                                                                                                                               | no AR established with any device                                                                                                                                |   |   |   |   |    |
|   | off                |            | 1 s off, 200 ms on       |                                                                                                                                               | At least one device has not established an AR                                                                                                                    |   |   |   |   |    |
|   | 1 s off, 200 ms on |            | off                      |                                                                                                                                               | At least one device has signaled an error, e.g. that there is<br>a module difference or that the error bit for an IO-CR is set<br>(Problem Indicator)            |   |   |   |   |    |
|   | flashing<br>200 ms |            | off                      |                                                                                                                                               | At least one device is signaling that its status is ‘Stop’<br>(Provider State Stop)                                                                              |   |   |   |   |    |
| E | on                 |            | off                      |                                                                                                                                               | All PROFINET devices are in data exchange mode                                                                                                                   |   |   |   |   |    |
|   | Run                | PN Run/Err | PN Err                   | Meaning                                                                                                                                       |                                                                                                                                                                  |   |   |   |   |    |
|   | off                | off        | off                      | No electrical voltage connected to E-bus. The EL6631 must be<br>exchanged if EtherCAT terminals behind it function.                           |                                                                                                                                                                  |   |   |   |   |    |
| F | off                | off        | red on                   | EL terminal is starting up; after approx. 10 seconds, the LED should go<br>out. If this does not happen, the EL6631 module must be exchanged. |                                                                                                                                                                  |   |   |   |   |    |

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                   |             |  |  |           |                        |                   |                                                                                                                                                                                     |                  |  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------|-------------|--|--|-----------|------------------------|-------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|--|
| THIS DRAWING EMBODIES A PROPRIETARY DESIGN ORIGINATED BY SADDLE BROOK CONTROLS, INC. ALL DESIGN, MANUFACTURING, REPRODUCTION (EXCEPT WHERE THE RECIPIENT HAS BEEN GIVEN THE EXPRESS RIGHT BY WRITTEN AGREEMENT TO REPRODUCE THE DRAWING) IS EXPRESSLY PROHIBITED. USE AND SALE RIGHTS REGARDING THE SAME ARE EXPRESSLY RESERVED. IT IS SUBMITTED UNDER A CONFIDENTIAL RELATIONSHIP FOR A SPECIFIC PURPOSE, AND THE RECIPIENT AGREES BY ACCEPTING THIS DRAWING NOT TO SUPPLY OR DISCLOSE ANY INFORMATION REGARDING IT TO ANY UNAUTHORIZED PERSON OR TO INCORPORATE IN OTHER PROJECTS ANY FEATURES PECULIAR TO THIS DESIGN. ALL RIGHTS HERE TO ARE EXPRESSLY RESERVED BY SADDLE BROOK CONTROLS, INC. SADDLE BROOK, NEW JERSEY. | PROJECT DESCRIPTION: SpaceX PROJECT PLC PANEL     |             |  |  | DRAWN BY: | APPROVED FOR BUILD BY: | DRAWING NUMBER:   |  <div>Saddle Brook Controls</div> <div>280 N Midland Ave.<br/>Saddle Brook, NJ<br/>07663</div> | JOB # C40572     |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | PAGE DESCRIPTION: PROFINET NETWORK INTERFACE CARD |             |  |  | PAUL      | Carlos A               | C40572            |                                                                                                                                                                                     | TOTAL PAGES: 65  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | REV                                               | DESCRIPTION |  |  | DATE      | DATE                   | CURRENT REVISION: |                                                                                                                                                                                     | SHEET 17.1 OF 28 |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                   |             |  |  |           | 9/17/26                | 9/8/26            | B                                                                                                                                                                                   |                  |  |

|   |   |   |   |   |   |   |   |   |   |    |
|---|---|---|---|---|---|---|---|---|---|----|
|   | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| A |   |   |   |   |   |   |   |   |   |    |
| B |   |   |   |   |   |   |   |   |   |    |
| C |   |   |   |   |   |   |   |   |   |    |
| D |   |   |   |   |   |   |   |   |   |    |
| E |   |   |   |   |   |   |   |   |   |    |
| F |   |   |   |   |   |   |   |   |   |    |

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                               |             |      |           |                        |                   |                                                                                                                    |                  |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------|-------------|------|-----------|------------------------|-------------------|--------------------------------------------------------------------------------------------------------------------|------------------|
| <div>THIS DRAWING EMBODIES A PROPRIETARY DESIGN ORIGINATED BY SADDLE BROOK CONTROLS, INC. ALL DESIGN, MANUFACTURING, REPRODUCTION (EXCEPT WHERE THE RECIPIENT HAS BEEN GIVEN THE EXPRESS RIGHT BY WRITTEN AGREEMENT TO REPRODUCE THE DRAWING) IS EXPRESSLY PROHIBITED. USE AND SALE RIGHTS REGARDING THE SAME ARE EXPRESSLY RESERVED. IT IS SUBMITTED UNDER A CONFIDENTIAL RELATIONSHIP FOR A SPECIFIC PURPOSE, AND THE RECIPIENT AGREES BY ACCEPTING THIS DRAWING NOT TO SUPPLY OR DISCLOSE ANY INFORMATION REGARDING IT TO ANY UNAUTHORIZED PERSON OR TO INCORPORATE IN OTHER PROJECTS ANY FEATURES PECULIAR TO THIS DESIGN. ALL RIGHTS HERE TO ARE EXPRESSLY RESERVED BY SADDLE BROOK CONTROLS, INC. SADDLE BROOK, NEW JERSEY.</div> | PROJECT DESCRIPTION: SpaceX PROJECT PLC PANEL |             |      | DRAWN BY: | APPROVED FOR BUILD BY: | DRAWING NUMBER:   | <div><div></div><div>Saddle Brook Controls</div><div>280 N Midland Ave.<br/>Saddle Brook, NJ<br/>07663</div></div> | JOB # C40572     |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | PAGE DESCRIPTION: SPARE                       |             |      | PAUL      | Carlos A               | C40572            |                                                                                                                    | TOTAL PAGES: 65  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | REV                                           | DESCRIPTION | DATE | DATE      | DATE                   | CURRENT REVISION: |                                                                                                                    | SHEET 18.0 OF 28 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                               |             |      | 9/17/26   | 9/8/26                 | B                 |                                                                                                                    |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                               |             |      |           |                        |                   |                                                                                                                    |                  |



THIS DRAWING EMBODIES A PROPRIETARY DESIGN ORIGINATED BY SADDLE BROOK CONTROLS, INC. ALL DESIGN, MANUFACTURING, REPRODUCTION (EXCEPT WHERE THE RECIPIENT HAS BEEN GIVEN THE EXPRESS RIGHT BY WRITTEN AGREEMENT TO REPRODUCE THE DRAWING) IS EXPRESSLY PROHIBITED. USE AND SALE RIGHTS REGARDING THE SAME ARE EXPRESSLY RESERVED. IT IS SUBMITTED UNDER A CONFIDENTIAL RELATIONSHIP FOR A SPECIFIC PURPOSE, AND THE RECIPIENT AGREES BY ACCEPTING THIS DRAWING NOT TO SUPPLY OR DISCLOSE ANY INFORMATION REGARDING IT TO ANY UNAUTHORIZED PERSON OR TO INCORPORATE IN OTHER PROJECTS ANY FEATURES PECULIAR TO THIS DESIGN. ALL RIGHTS HERE TO ARE EXPRESSLY RESERVED BY SADDLE BROOK CONTROLS, INC. SADDLE BROOK, NEW JERSEY.

| PROJECT DESCRIPTION: SpaceX PROJECT PLC PANEL       |             |      |
|-----------------------------------------------------|-------------|------|
| PAGE DESCRIPTION: EtherCAT P NETWORK INTERFACE CARD |             |      |
| REV                                                 | DESCRIPTION | DATE |
|                                                     |             |      |
|                                                     |             |      |

|           |                        |                   |
|-----------|------------------------|-------------------|
| DRAWN BY: | APPROVED FOR BUILD BY: | DRAWING NUMBER:   |
| PAUL      | Carlos A               | C40572            |
| DATE      | DATE                   | CURRENT REVISION: |
| 9/17/26   | 9/8/26                 | B                 |



## Saddle Brook Controls

280 N Midland Ave.  
Saddle Brook, NJ  
07663

|                  |
|------------------|
| JOB # C40572     |
| TOTAL PAGES: 65  |
| SHEET 19.0 OF 28 |

| LED |       | Display            | State  | Description                                    |
|-----|-------|--------------------|--------|------------------------------------------------|
| Run | green | off                | INIT   | EtherCAT P module is in state Init             |
|     |       | flashing uniformly | PREOP  | EtherCAT P module is in state Pre-Operational  |
|     |       | flashing slowly    | SAFEOP | EtherCAT P module is in state Safe-Operational |
|     |       | on                 | OP     | EtherCAT P module is in state Operational      |


LEDs for fieldbus diagnostics

| LED    |       | Display  | State  | Description                                       |
|--------|-------|----------|--------|---------------------------------------------------|
| X1 L/A | green | off      | -      | No connection on the previous EtherCAT P strand   |
|        |       | on       | link   | Previous EtherCAT P device connected              |
|        |       | flashing | active | Communication with previous EtherCAT P device     |
| X2 L/A | green | off      | -      | No connection on the subsequent EtherCAT P strand |
|        |       | on       | link   | Subsequent EtherCAT P device connected            |
|        |       | flashing | active | Communication with subsequent EtherCAT P device   |

LEDs power supply diagnostics

| LED            |       | Display | Description                                                                                                        |
|----------------|-------|---------|--------------------------------------------------------------------------------------------------------------------|
| U <sub>s</sub> | green | off     | System- and Sensor supply U <sub>s</sub> not present                                                               |
|                |       | on      | System- and Sensor supply U <sub>s</sub> present                                                                   |
|                | red   | off     | System- and Sensor supply U <sub>s</sub> >= 19.4 V, no overload/<br>no case of short circuit                       |
|                |       | on      | System- and Sensor supply U <sub>s</sub> < 19.4 V or overload/<br>case of short circuit (output current > 3 A)     |
| U <sub>p</sub> | green | off     | Peripheral voltage for Actors U <sub>p</sub> not present                                                           |
|                |       | on      | Peripheral voltage for Actors U <sub>p</sub> present                                                               |
|                | red   | off     | Peripheral voltage for Actors U <sub>p</sub> >= 19.4 V, no overload/<br>no case of short circuit                   |
|                |       | on      | Peripheral voltage for Actors U <sub>p</sub> < 19.4 V or overload/<br>case of short circuit (output current > 3 A) |






THIS DRAWING EMBODIES A PROPRIETARY DESIGN ORIGINATED BY SADDLE BROOK CONTROLS, INC. ALL DESIGN, MANUFACTURING, REPRODUCTION (EXCEPT WHERE THE RECIPIENT HAS BEEN GIVEN THE EXPRESS RIGHT BY WRITTEN AGREEMENT TO REPRODUCE THE DRAWING) IS EXPRESSLY PROHIBITED. USE AND SALE RIGHTS REGARDING THE SAME ARE EXPRESSLY RESERVED. IT IS SUBMITTED UNDER A CONFIDENTIAL RELATIONSHIP FOR A SPECIFIC PURPOSE, AND THE RECIPIENT AGREES BY ACCEPTING THIS DRAWING NOT TO SUPPLY OR DISCLOSE ANY INFORMATION REGARDING IT TO ANY UNAUTHORIZED PERSON OR TO INCORPORATE IN OTHER PROJECTS ANY FEATURES PECULIAR TO THIS DESIGN. ALL RIGHTS HERE TO ARE EXPRESSLY RESERVED BY SADDLE BROOK CONTROLS, INC. SADDLE BROOK, NEW JERSEY.

| PROJECT DESCRIPTION: SpaceX PROJECT PLC PANEL |             |      |
|-----------------------------------------------|-------------|------|
| PAGE DESCRIPTION: RELAYS                      |             |      |
| REV                                           | DESCRIPTION | DATE |
|                                               |             |      |
|                                               |             |      |


|           |                        |                   |
|-----------|------------------------|-------------------|
| DRAWN BY: | APPROVED FOR BUILD BY: | DRAWING NUMBER:   |
| PAUL      | Carlos A               | C40572            |
| DATE      | DATE                   | CURRENT REVISION: |
| 9/17/26   | 9/8/26                 | B                 |




# Saddle Brook Controls

280 N Midland Ave.  
Saddle Brook, NJ  
07663


|                  |
|------------------|
| JOB # C40572     |
| TOTAL PAGES: 65  |
| SHEET 20.0 OF 28 |




|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                               |             |      |           |                        |                   |                                                                                                                    |                  |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------|-------------|------|-----------|------------------------|-------------------|--------------------------------------------------------------------------------------------------------------------|------------------|
| <div>THIS DRAWING EMBODIES A PROPRIETARY DESIGN ORIGINATED BY SADDLE BROOK CONTROLS, INC. ALL DESIGN, MANUFACTURING, REPRODUCTION (EXCEPT WHERE THE RECIPIENT HAS BEEN GIVEN THE EXPRESS RIGHT BY WRITTEN AGREEMENT TO REPRODUCE THE DRAWING) IS EXPRESSLY PROHIBITED. USE AND SALE RIGHTS REGARDING THE SAME ARE EXPRESSLY RESERVED. IT IS SUBMITTED UNDER A CONFIDENTIAL RELATIONSHIP FOR A SPECIFIC PURPOSE, AND THE RECIPIENT AGREES BY ACCEPTING THIS DRAWING NOT TO SUPPLY OR DISCLOSE ANY INFORMATION REGARDING IT TO ANY UNAUTHORIZED PERSON OR TO INCORPORATE IN OTHER PROJECTS ANY FEATURES PECULIAR TO THIS DESIGN. ALL RIGHTS HERE TO ARE EXPRESSLY RESERVED BY SADDLE BROOK CONTROLS, INC. SADDLE BROOK, NEW JERSEY.</div> | PROJECT DESCRIPTION: SpaceX PROJECT PLC PANEL |             |      | DRAWN BY: | APPROVED FOR BUILD BY: | DRAWING NUMBER:   | <div><div></div><div>Saddle Brook Controls</div><div>280 N Midland Ave.<br/>Saddle Brook, NJ<br/>07663</div></div> | JOB # C40572     |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | PAGE DESCRIPTION: RELAYS                      |             |      | PAUL      | Carlos A               | C40572            |                                                                                                                    | TOTAL PAGES: 65  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | REV                                           | DESCRIPTION | DATE | DATE      | DATE                   | CURRENT REVISION: |                                                                                                                    | SHEET 20.1 OF 28 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                               |             |      | 9/17/26   | 9/8/26                 | B                 |                                                                                                                    |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                               |             |      |           |                        |                   |                                                                                                                    |                  |




|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                               |             |      |           |                        |                   |                                                                                                                    |                  |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------|-------------|------|-----------|------------------------|-------------------|--------------------------------------------------------------------------------------------------------------------|------------------|
| <div>THIS DRAWING EMBODIES A PROPRIETARY DESIGN ORIGINATED BY SADDLE BROOK CONTROLS, INC. ALL DESIGN, MANUFACTURING, REPRODUCTION (EXCEPT WHERE THE RECIPIENT HAS BEEN GIVEN THE EXPRESS RIGHT BY WRITTEN AGREEMENT TO REPRODUCE THE DRAWING) IS EXPRESSLY PROHIBITED. USE AND SALE RIGHTS REGARDING THE SAME ARE EXPRESSLY RESERVED. IT IS SUBMITTED UNDER A CONFIDENTIAL RELATIONSHIP FOR A SPECIFIC PURPOSE, AND THE RECIPIENT AGREES BY ACCEPTING THIS DRAWING NOT TO SUPPLY OR DISCLOSE ANY INFORMATION REGARDING IT TO ANY UNAUTHORIZED PERSON OR TO INCORPORATE IN OTHER PROJECTS ANY FEATURES PECULIAR TO THIS DESIGN. ALL RIGHTS HERE TO ARE EXPRESSLY RESERVED BY SADDLE BROOK CONTROLS, INC. SADDLE BROOK, NEW JERSEY.</div> | PROJECT DESCRIPTION: SpaceX PROJECT PLC PANEL |             |      | DRAWN BY: | APPROVED FOR BUILD BY: | DRAWING NUMBER:   | <div><div></div><div>Saddle Brook Controls</div><div>280 N Midland Ave.<br/>Saddle Brook, NJ<br/>07663</div></div> | JOB # C40572     |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | PAGE DESCRIPTION: RELAYS                      |             |      | PAUL      | Carlos A               | C40572            |                                                                                                                    | TOTAL PAGES: 65  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | REV                                           | DESCRIPTION | DATE | DATE      | DATE                   | CURRENT REVISION: |                                                                                                                    | SHEET 21.0 OF 28 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                               |             |      | 9/17/26   | 9/8/26                 | B                 |                                                                                                                    |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                               |             |      |           |                        |                   |                                                                                                                    |                  |



|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                               |             |      |           |                        |                   |                                                                                                                    |                  |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------|-------------|------|-----------|------------------------|-------------------|--------------------------------------------------------------------------------------------------------------------|------------------|
| <div>THIS DRAWING EMBODIES A PROPRIETARY DESIGN ORIGINATED BY SADDLE BROOK CONTROLS, INC. ALL DESIGN, MANUFACTURING, REPRODUCTION (EXCEPT WHERE THE RECIPIENT HAS BEEN GIVEN THE EXPRESS RIGHT BY WRITTEN AGREEMENT TO REPRODUCE THE DRAWING) IS EXPRESSLY PROHIBITED. USE AND SALE RIGHTS REGARDING THE SAME ARE EXPRESSLY RESERVED. IT IS SUBMITTED UNDER A CONFIDENTIAL RELATIONSHIP FOR A SPECIFIC PURPOSE, AND THE RECIPIENT AGREES BY ACCEPTING THIS DRAWING NOT TO SUPPLY OR DISCLOSE ANY INFORMATION REGARDING IT TO ANY UNAUTHORIZED PERSON OR TO INCORPORATE IN OTHER PROJECTS ANY FEATURES PECULIAR TO THIS DESIGN. ALL RIGHTS HERE TO ARE EXPRESSLY RESERVED BY SADDLE BROOK CONTROLS, INC. SADDLE BROOK, NEW JERSEY.</div> | PROJECT DESCRIPTION: SpaceX PROJECT PLC PANEL |             |      | DRAWN BY: | APPROVED FOR BUILD BY: | DRAWING NUMBER:   | <div><div></div><div>Saddle Brook Controls</div><div>280 N Midland Ave.<br/>Saddle Brook, NJ<br/>07663</div></div> | JOB # C40572     |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | PAGE DESCRIPTION: RELAYS                      |             |      | PAUL      | Carlos A               | C40572            |                                                                                                                    | TOTAL PAGES: 65  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | REV                                           | DESCRIPTION | DATE | DATE      | DATE                   | CURRENT REVISION: |                                                                                                                    | SHEET 21.1 OF 28 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                               |             |      | 9/17/26   | 9/8/26                 | B                 |                                                                                                                    |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                               |             |      |           |                        |                   |                                                                                                                    |                  |





THIS DRAWING EMBODIES A PROPRIETARY DESIGN ORIGINATED BY SADDLE BROOK CONTROLS, INC. ALL DESIGN, MANUFACTURING, REPRODUCTION (EXCEPT WHERE THE RECIPIENT HAS BEEN GIVEN THE EXPRESS RIGHT BY WRITTEN AGREEMENT TO REPRODUCE THE DRAWING) IS EXPRESSLY PROHIBITED. USE AND SALE RIGHTS REGARDING THE SAME ARE EXPRESSLY RESERVED. IT IS SUBMITTED UNDER A CONFIDENTIAL RELATIONSHIP FOR A SPECIFIC PURPOSE, AND THE RECIPIENT AGREES BY ACCEPTING THIS DRAWING NOT TO SUPPLY OR DISCLOSE ANY INFORMATION REGARDING IT TO ANY UNAUTHORIZED PERSON OR TO INCORPORATE IN OTHER PROJECTS ANY FEATURES PECULIAR TO THIS DESIGN. ALL RIGHTS HERE TO ARE EXPRESSLY RESERVED BY SADDLE BROOK CONTROLS, INC. SADDLE BROOK, NEW JERSEY.

| PROJECT DESCRIPTION: SpaceX PROJECT PLC PANEL |             |      |
|-----------------------------------------------|-------------|------|
| PAGE DESCRIPTION: NETWORK SWITCH 22NS1        |             |      |
| REV                                           | DESCRIPTION | DATE |
|                                               |             |      |
|                                               |             |      |

|           |                        |                   |
|-----------|------------------------|-------------------|
| DRAWN BY: | APPROVED FOR BUILD BY: | DRAWING NUMBER:   |
| PAUL      | Carlos A               | C40572            |
| DATE      | DATE                   | CURRENT REVISION: |
| 9/17/26   | 9/8/26                 | B                 |



**Saddle Brook Controls**  
280 N Midland Ave.  
Saddle Brook, NJ  
07663


|                  |
|------------------|
| JOB # C40572     |
| TOTAL PAGES: 65  |
| SHEET 22.1 OF 28 |

LEDs for fieldbus diagnostics/power supply

| LED                    | Color | Display  | State  | Description                          |
|------------------------|-------|----------|--------|--------------------------------------|
| L/A (X1)<br>green (x2) | green | off      | -      | no connection on the EtherCAT strand |
|                        |       | on       | linked | EtherCAT device connected            |
|                        |       | flashing | active | Communication with EtherCAT device   |
| Power                  | green | off      |        | No supply voltage                    |
|                        |       | on       |        | 24 V supply voltage present          |

LED diagnostics EtherCAT State Machine

| LED | Color         | Meaning                                            |                                                                                                                                                            |
|-----|---------------|----------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|
| RUN | green         | This LED indicates the terminal's operating state: |                                                                                                                                                            |
|     |               | off                                                | State of the EtherCAT State Machine: <b>INIT</b> = initialization of the terminal                                                                          |
|     |               | single flash                                       | State of the EtherCAT State Machine: <b>PREOP</b> = function for mailbox communication and different standard-settings set                                 |
|     |               | flashing                                           | State of the EtherCAT State Machine: <b>SAFEOP</b> = verification of the sync manager channels and the distributed clocks.<br>Outputs remain in safe state |
|     |               | on                                                 | State of the EtherCAT State Machine: <b>OP</b> = normal operating state; mailbox and process data communication is possible                                |
|     |               | flickering                                         | State of the EtherCAT State Machine: <b>BOOTSTRAP</b> = function for terminal firmware updates                                                             |
|     | orange        | on                                                 | CU15x1 is in EtherCAT mode, rotary switch was moved during operation<br><i>Remedy:</i> Resetting or voltage reset                                          |
|     | red           | on                                                 | CU15x1 is in Ethernet mode, rotary switch was moved during operation<br><i>Remedy:</i> Resetting or voltage reset                                          |
|     | red/<br>green | flashing                                           | Invalid rotary switch position after power-on<br><i>Remedy:</i> Move rotary switch to valid position                                                       |
|     |               |                                                    |                                                                                                                                                            |




|                                                           |             |      |
|-----------------------------------------------------------|-------------|------|
| PROJECT DESCRIPTION: SpaceX PROJECT PLC PANEL             |             |      |
| PAGE DESCRIPTION: ETHERCAT INFRASTRUCTURE MEDIA CONVERTER |             |      |
| REV                                                       | DESCRIPTION | DATE |
|                                                           |             |      |
|                                                           |             |      |

|           |                        |                   |
|-----------|------------------------|-------------------|
| DRAWN BY: | APPROVED FOR BUILD BY: | DRAWING NUMBER:   |
| PAUL      | Carlos A               | C40572            |
| DATE      | DATE                   | CURRENT REVISION: |
| 9/17/26   | 9/8/26                 | B                 |

Saddle Brook Controls

280 N Midland Ave.  
Saddle Brook, NJ  
07663

|                  |
|------------------|
| JOB # C40572     |
| TOTAL PAGES: 65  |
| SHEET 22.2 OF 28 |



THIS DRAWING EMBODIES A PROPRIETARY DESIGN ORIGINATED BY SADDLE BROOK CONTROLS, INC. ALL DESIGN, MANUFACTURING, REPRODUCTION (EXCEPT WHERE THE RECIPIENT HAS BEEN GIVEN THE EXPRESS RIGHT BY WRITTEN AGREEMENT TO REPRODUCE THE DRAWING) IS EXPRESSLY PROHIBITED. USE AND SALE RIGHTS REGARDING THE SAME ARE EXPRESSLY RESERVED. IT IS SUBMITTED UNDER A CONFIDENTIAL RELATIONSHIP FOR A SPECIFIC PURPOSE, AND THE RECIPIENT AGREES BY ACCEPTING THIS DRAWING NOT TO SUPPLY OR DISCLOSE ANY INFORMATION REGARDING IT TO ANY UNAUTHORIZED PERSON OR TO INCORPORATE IN OTHER PROJECTS ANY FEATURES PECULIAR TO THIS DESIGN. ALL RIGHTS HERE TO ARE EXPRESSLY RESERVED BY SADDLE BROOK CONTROLS, INC. SADDLE BROOK, NEW JERSEY.


| PROJECT DESCRIPTION: SpaceX PROJECT PLC PANEL       |             |      |
|-----------------------------------------------------|-------------|------|
| PAGE DESCRIPTION: ETHERCAT FIBER NETWORK CONVERTERS |             |      |
| REV                                                 | DESCRIPTION | DATE |
|                                                     |             |      |
|                                                     |             |      |

|           |                        |                   |
|-----------|------------------------|-------------------|
| DRAWN BY: | APPROVED FOR BUILD BY: | DRAWING NUMBER:   |
| PAUL      | Carlos A               | C40572            |
| DATE      | DATE                   | CURRENT REVISION: |
| 9/17/26   | 9/8/26                 | B                 |




**Saddle Brook Controls**  
280 N Midland Ave.  
Saddle Brook, NJ  
07663

|                  |
|------------------|
| JOB # C40572     |
| TOTAL PAGES: 65  |
| SHEET 22.3 OF 28 |



23NS1




LEDs for fieldbus diagnostics/power supply

| LED                    | Color | Display  | State  | Description                          |
|------------------------|-------|----------|--------|--------------------------------------|
| L/A (X1)<br>green (x2) | green | off      | -      | no connection on the EtherCAT strand |
|                        |       | on       | linked | EtherCAT device connected            |
|                        |       | flashing | active | Communication with EtherCAT device   |
| Power                  | green | off      |        | No supply voltage                    |
|                        |       | on       |        | 24 V supply voltage present          |

LED diagnostics EtherCAT State Machine

| LED | Color         | Meaning                                            |                                                                                                                                                            |
|-----|---------------|----------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|
| RUN | green         | This LED indicates the terminal's operating state: |                                                                                                                                                            |
|     |               | off                                                | State of the EtherCAT State Machine: <b>INIT</b> = initialization of the terminal                                                                          |
|     |               | single flash                                       | State of the EtherCAT State Machine: <b>PREOP</b> = function for mailbox communication and different standard-settings set                                 |
|     |               | flashing                                           | State of the EtherCAT State Machine: <b>SAFEOP</b> = verification of the sync manager channels and the distributed clocks.<br>Outputs remain in safe state |
|     |               | on                                                 | State of the EtherCAT State Machine: <b>OP</b> = normal operating state; mailbox and process data communication is possible                                |
|     |               | flickering                                         | State of the EtherCAT State Machine: <b>BOOTSTRAP</b> = function for terminal firmware updates                                                             |
|     | orange        | on                                                 | CU15x1 is in EtherCAT mode, rotary switch was moved during operation<br><i>Remedy:</i> Resetting or voltage reset                                          |
|     | red           | on                                                 | CU15x1 is in Ethernet mode, rotary switch was moved during operation<br><i>Remedy:</i> Resetting or voltage reset                                          |
|     | red/<br>green | flashing                                           | Invalid rotary switch position after power-on<br><i>Remedy:</i> Move rotary switch to valid position                                                       |
|     |               |                                                    |                                                                                                                                                            |




|                                                           |             |      |
|-----------------------------------------------------------|-------------|------|
| PROJECT DESCRIPTION: SpaceX PROJECT PLC PANEL             |             |      |
| PAGE DESCRIPTION: ETHERCAT INFRASTRUCTURE MEDIA CONVERTER |             |      |
| REV                                                       | DESCRIPTION | DATE |
|                                                           |             |      |
|                                                           |             |      |

|           |                        |                   |
|-----------|------------------------|-------------------|
| DRAWN BY: | APPROVED FOR BUILD BY: | DRAWING NUMBER:   |
| PAUL      | Carlos A               | C40572            |
| DATE      | DATE                   | CURRENT REVISION: |
| 9/17/26   | 9/8/26                 | B                 |

Saddle Brook Controls

280 N Midland Ave.  
Saddle Brook, NJ  
07663


|                  |
|------------------|
| JOB # C40572     |
| TOTAL PAGES: 65  |
| SHEET 23.2 OF 28 |



THIS DRAWING EMBODIES A PROPRIETARY DESIGN ORIGINATED BY SADDLE BROOK CONTROLS, INC. ALL DESIGN, MANUFACTURING, REPRODUCTION (EXCEPT WHERE THE RECIPIENT HAS BEEN GIVEN THE EXPRESS RIGHT BY WRITTEN AGREEMENT TO REPRODUCE THE DRAWING) IS EXPRESSLY PROHIBITED. USE AND SALE RIGHTS REGARDING THE SAME ARE EXPRESSLY RESERVED. IT IS SUBMITTED UNDER A CONFIDENTIAL RELATIONSHIP FOR A SPECIFIC PURPOSE, AND THE RECIPIENT AGREES BY ACCEPTING THIS DRAWING NOT TO SUPPLY OR DISCLOSE ANY INFORMATION REGARDING IT TO ANY UNAUTHORIZED PERSON OR TO INCORPORATE IN OTHER PROJECTS ANY FEATURES PECULIAR TO THIS DESIGN. ALL RIGHTS HERE TO ARE EXPRESSLY RESERVED BY SADDLE BROOK CONTROLS, INC. SADDLE BROOK, NEW JERSEY.

|                                                     |             |      |
|-----------------------------------------------------|-------------|------|
| PROJECT DESCRIPTION: SpaceX PROJECT PLC PANEL       |             |      |
| PAGE DESCRIPTION: ETHERCAT FIBER NETWORK CONVERTERS |             |      |
| REV                                                 | DESCRIPTION | DATE |
|                                                     |             |      |
|                                                     |             |      |


|           |                        |                   |
|-----------|------------------------|-------------------|
| DRAWN BY: | APPROVED FOR BUILD BY: | DRAWING NUMBER:   |
| PAUL      | Carlos A               | C40572            |
| DATE      | DATE                   | CURRENT REVISION: |
| 9/17/26   | 9/8/26                 | B                 |



# Saddle Brook Controls

280 N Midland Ave.  
Saddle Brook, NJ  
07663

|                  |
|------------------|
| JOB # C40572     |
| TOTAL PAGES: 65  |
| SHEET 23.3 OF 28 |



THIS DRAWING EMBODIES A PROPRIETARY DESIGN ORIGINATED BY SADDLE BROOK CONTROLS, INC. ALL DESIGN, MANUFACTURING, REPRODUCTION (EXCEPT WHERE THE RECIPIENT HAS BEEN GIVEN THE EXPRESS RIGHT BY WRITTEN AGREEMENT TO REPRODUCE THE DRAWING) IS EXPRESSLY PROHIBITED. USE AND SALE RIGHTS REGARDING THE SAME ARE EXPRESSLY RESERVED. IT IS SUBMITTED UNDER A CONFIDENTIAL RELATIONSHIP FOR A SPECIFIC PURPOSE, AND THE RECIPIENT AGREES BY ACCEPTING THIS DRAWING NOT TO SUPPLY OR DISCLOSE ANY INFORMATION REGARDING IT TO ANY UNAUTHORIZED PERSON OR TO INCORPORATE IN OTHER PROJECTS ANY FEATURES PECULIAR TO THIS DESIGN. ALL RIGHTS HERE TO ARE EXPRESSLY RESERVED BY SADDLE BROOK CONTROLS, INC. SADDLE BROOK, NEW JERSEY.

| PROJECT DESCRIPTION: SpaceX PROJECT PLC PANEL       |             |      |
|-----------------------------------------------------|-------------|------|
| PAGE DESCRIPTION: ETHERCAT FIBER NETWORK CONVERTERS |             |      |
| REV                                                 | DESCRIPTION | DATE |
|                                                     |             |      |
|                                                     |             |      |

|           |                        |                   |
|-----------|------------------------|-------------------|
| DRAWN BY: | APPROVED FOR BUILD BY: | DRAWING NUMBER:   |
| PAUL      | Carlos A               | C40572            |
| DATE      | DATE                   | CURRENT REVISION: |
| 9/17/26   | 9/8/26                 | B                 |



**Saddle Brook Controls**  
280 N Midland Ave.  
Saddle Brook, NJ  
07663


|                  |
|------------------|
| JOB # C40572     |
| TOTAL PAGES: 65  |
| SHEET 23.4 OF 28 |

|   |   |   |   |   |   |   |   |   |   |    |
|---|---|---|---|---|---|---|---|---|---|----|
|   | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| A |   |   |   |   |   |   |   |   |   |    |
| B |   |   |   |   |   |   |   |   |   |    |
| C |   |   |   |   |   |   |   |   |   |    |
| D |   |   |   |   |   |   |   |   |   |    |
| E |   |   |   |   |   |   |   |   |   |    |
| F |   |   |   |   |   |   |   |   |   |    |

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                               |             |      |           |                        |                   |                                                                                                                    |                  |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------|-------------|------|-----------|------------------------|-------------------|--------------------------------------------------------------------------------------------------------------------|------------------|
| <div>THIS DRAWING EMBODIES A PROPRIETARY DESIGN ORIGINATED BY SADDLE BROOK CONTROLS, INC. ALL DESIGN, MANUFACTURING, REPRODUCTION (EXCEPT WHERE THE RECIPIENT HAS BEEN GIVEN THE EXPRESS RIGHT BY WRITTEN AGREEMENT TO REPRODUCE THE DRAWING) IS EXPRESSLY PROHIBITED. USE AND SALE RIGHTS REGARDING THE SAME ARE EXPRESSLY RESERVED. IT IS SUBMITTED UNDER A CONFIDENTIAL RELATIONSHIP FOR A SPECIFIC PURPOSE, AND THE RECIPIENT AGREES BY ACCEPTING THIS DRAWING NOT TO SUPPLY OR DISCLOSE ANY INFORMATION REGARDING IT TO ANY UNAUTHORIZED PERSON OR TO INCORPORATE IN OTHER PROJECTS ANY FEATURES PECULIAR TO THIS DESIGN. ALL RIGHTS HERE TO ARE EXPRESSLY RESERVED BY SADDLE BROOK CONTROLS, INC. SADDLE BROOK, NEW JERSEY.</div> | PROJECT DESCRIPTION: SpaceX PROJECT PLC PANEL |             |      | DRAWN BY: | APPROVED FOR BUILD BY: | DRAWING NUMBER:   | <div><div></div><div>Saddle Brook Controls</div><div>280 N Midland Ave.<br/>Saddle Brook, NJ<br/>07663</div></div> | JOB # C40572     |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | PAGE DESCRIPTION: SPARE                       |             |      | PAUL      | Carlos A               | C40572            |                                                                                                                    | TOTAL PAGES: 65  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | REV                                           | DESCRIPTION | DATE | DATE      | DATE                   | CURRENT REVISION: |                                                                                                                    | SHEET 24.0 OF 28 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                               |             |      | 9/17/26   | 9/8/26                 | B                 |                                                                                                                    |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                               |             |      |           |                        |                   |                                                                                                                    |                  |

|   |   |   |   |   |   |   |   |   |   |    |
|---|---|---|---|---|---|---|---|---|---|----|
|   | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| A |   |   |   |   |   |   |   |   |   |    |
| B |   |   |   |   |   |   |   |   |   |    |
| C |   |   |   |   |   |   |   |   |   |    |
| D |   |   |   |   |   |   |   |   |   |    |
| E |   |   |   |   |   |   |   |   |   |    |
| F |   |   |   |   |   |   |   |   |   |    |

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                               |             |      |           |                        |                   |                                                                                                                    |                  |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------|-------------|------|-----------|------------------------|-------------------|--------------------------------------------------------------------------------------------------------------------|------------------|
| <div>THIS DRAWING EMBODIES A PROPRIETARY DESIGN ORIGINATED BY SADDLE BROOK CONTROLS, INC. ALL DESIGN, MANUFACTURING, REPRODUCTION (EXCEPT WHERE THE RECIPIENT HAS BEEN GIVEN THE EXPRESS RIGHT BY WRITTEN AGREEMENT TO REPRODUCE THE DRAWING) IS EXPRESSLY PROHIBITED. USE AND SALE RIGHTS REGARDING THE SAME ARE EXPRESSLY RESERVED. IT IS SUBMITTED UNDER A CONFIDENTIAL RELATIONSHIP FOR A SPECIFIC PURPOSE, AND THE RECIPIENT AGREES BY ACCEPTING THIS DRAWING NOT TO SUPPLY OR DISCLOSE ANY INFORMATION REGARDING IT TO ANY UNAUTHORIZED PERSON OR TO INCORPORATE IN OTHER PROJECTS ANY FEATURES PECULIAR TO THIS DESIGN. ALL RIGHTS HERE TO ARE EXPRESSLY RESERVED BY SADDLE BROOK CONTROLS, INC. SADDLE BROOK, NEW JERSEY.</div> | PROJECT DESCRIPTION: SpaceX PROJECT PLC PANEL |             |      | DRAWN BY: | APPROVED FOR BUILD BY: | DRAWING NUMBER:   | <div><div></div><div>Saddle Brook Controls</div><div>280 N Midland Ave.<br/>Saddle Brook, NJ<br/>07663</div></div> | JOB # C40572     |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | PAGE DESCRIPTION: SPARE                       |             |      | PAUL      | Carlos A               | C40572            |                                                                                                                    | TOTAL PAGES: 65  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | REV                                           | DESCRIPTION | DATE | DATE      | DATE                   | CURRENT REVISION: |                                                                                                                    | SHEET 25.0 OF 28 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                               |             |      | 9/17/26   | 9/8/26                 | B                 |                                                                                                                    |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                               |             |      |           |                        |                   |                                                                                                                    |                  |



THIS DRAWING EMBODIES A PROPRIETARY DESIGN ORIGINATED BY SADDLE BROOK CONTROLS, INC. ALL DESIGN, MANUFACTURING, REPRODUCTION (EXCEPT WHERE THE RECIPIENT HAS BEEN GIVEN THE EXPRESS RIGHT BY WRITTEN AGREEMENT TO REPRODUCE THE DRAWING) IS EXPRESSLY PROHIBITED. USE AND SALE RIGHTS REGARDING THE SAME ARE EXPRESSLY RESERVED. IT IS SUBMITTED UNDER A CONFIDENTIAL RELATIONSHIP FOR A SPECIFIC PURPOSE, AND THE RECIPIENT AGREES BY ACCEPTING THIS DRAWING NOT TO SUPPLY OR DISCLOSE ANY INFORMATION REGARDING IT TO ANY UNAUTHORIZED PERSON OR TO INCORPORATE IN OTHER PROJECTS ANY FEATURES PECULIAR TO THIS DESIGN. ALL RIGHTS HERE TO ARE EXPRESSLY RESERVED BY SADDLE BROOK CONTROLS, INC. SADDLE BROOK, NEW JERSEY.

|                                               |             |      |
|-----------------------------------------------|-------------|------|
| PROJECT DESCRIPTION: SpaceX PROJECT PLC PANEL |             |      |
| PAGE DESCRIPTION: ENCLOSURE LAYOUT            |             |      |
| REV                                           | DESCRIPTION | DATE |
|                                               |             |      |
|                                               |             |      |


|           |                        |                   |
|-----------|------------------------|-------------------|
| DRAWN BY: | APPROVED FOR BUILD BY: | DRAWING NUMBER:   |
| PAUL      | Carlos A               | C40572            |
| DATE      | DATE                   | CURRENT REVISION: |
| 9/17/26   | 9/8/26                 | B                 |




## Saddle Brook Controls

280 N Midland Ave.  
Saddle Brook, NJ  
07663

|                  |
|------------------|
| JOB # C40572     |
| TOTAL PAGES: 65  |
| SHEET 26.0 OF 28 |





THIS DRAWING EMBODIES A PROPRIETARY DESIGN ORIGINATED BY SADDLE BROOK CONTROLS, INC. ALL DESIGN, MANUFACTURING, REPRODUCTION (EXCEPT WHERE THE RECIPIENT HAS BEEN GIVEN THE EXPRESS RIGHT BY WRITTEN AGREEMENT TO REPRODUCE THE DRAWING) IS EXPRESSLY PROHIBITED. USE AND SALE RIGHTS REGARDING THE SAME ARE EXPRESSLY RESERVED. IT IS SUBMITTED UNDER A CONFIDENTIAL RELATIONSHIP FOR A SPECIFIC PURPOSE, AND THE RECIPIENT AGREES BY ACCEPTING THIS DRAWING NOT TO SUPPLY OR DISCLOSE ANY INFORMATION REGARDING IT TO ANY UNAUTHORIZED PERSON OR TO INCORPORATE IN OTHER PROJECTS ANY FEATURES PECULIAR TO THIS DESIGN. ALL RIGHTS HERE TO ARE EXPRESSLY RESERVED BY SADDLE BROOK CONTROLS, INC. SADDLE BROOK, NEW JERSEY.

|                                               |             |      |
|-----------------------------------------------|-------------|------|
| PROJECT DESCRIPTION: SpaceX PROJECT PLC PANEL |             |      |
| PAGE DESCRIPTION: BACK PANEL LAYOUT           |             |      |
| REV                                           | DESCRIPTION | DATE |
|                                               |             |      |
|                                               |             |      |


|           |                        |                   |
|-----------|------------------------|-------------------|
| DRAWN BY: | APPROVED FOR BUILD BY: | DRAWING NUMBER:   |
| PAUL      | Carlos A               | C40572            |
| DATE      | DATE                   | CURRENT REVISION: |
| 9/17/26   | 9/8/26                 | B                 |



# Saddle Brook Controls

280 N Midland Ave.  
Saddle Brook, NJ  
07663

|                  |
|------------------|
| JOB # C40572     |
| TOTAL PAGES: 65  |
| SHEET 27.0 OF 28 |



THIS DRAWING EMBODIES A PROPRIETARY DESIGN ORIGINATED BY SADDLE BROOK CONTROLS, INC. ALL DESIGN, MANUFACTURING, REPRODUCTION (EXCEPT WHERE THE RECIPIENT HAS BEEN GIVEN THE EXPRESS RIGHT BY WRITTEN AGREEMENT TO REPRODUCE THE DRAWING) IS EXPRESSLY PROHIBITED. USE AND SALE RIGHTS REGARDING THE SAME ARE EXPRESSLY RESERVED. IT IS SUBMITTED UNDER A CONFIDENTIAL RELATIONSHIP FOR A SPECIFIC PURPOSE, AND THE RECIPIENT AGREES BY ACCEPTING THIS DRAWING NOT TO SUPPLY OR DISCLOSE ANY INFORMATION REGARDING IT TO ANY UNAUTHORIZED PERSON OR TO INCORPORATE IN OTHER PROJECTS ANY FEATURES PECULIAR TO THIS DESIGN. ALL RIGHTS HERE TO ARE EXPRESSLY RESERVED BY SADDLE BROOK CONTROLS, INC. SADDLE BROOK, NEW JERSEY.

|                                               |             |      |
|-----------------------------------------------|-------------|------|
| PROJECT DESCRIPTION: SpaceX PROJECT PLC PANEL |             |      |
| PAGE DESCRIPTION: BACK PANEL LAYOUT           |             |      |
| REV                                           | DESCRIPTION | DATE |
|                                               |             |      |
|                                               |             |      |

|           |                        |                   |
|-----------|------------------------|-------------------|
| DRAWN BY: | APPROVED FOR BUILD BY: | DRAWING NUMBER:   |
| PAUL      | Carlos A               | C40572            |
| DATE      | DATE                   | CURRENT REVISION: |
| 9/17/26   | 9/8/26                 | B                 |



**Saddle Brook Controls**  
280 N Midland Ave.  
Saddle Brook, NJ  
07663

|                  |
|------------------|
| JOB # C40572     |
| TOTAL PAGES: 65  |
| SHEET 27.1 OF 28 |

B

3CB7

PLC

- DC DISTRIBUTION

2PI1

THIS DRAWING EMBODIES A PROPRIETARY DESIGN ORIGINATED BY SADDLE BROOK CONTROLS, INC. ALL DESIGN, MANUFACTURING, REPRODUCTION (EXCEPT WHERE THE RECIPIENT HAS BEEN GIVEN THE EXPRESS RIGHT BY WRITTEN AGREEMENT TO REPRODUCE THE DRAWING) IS EXPRESSLY PROHIBITED. USE AND SALE RIGHTS REGARDING THE SAME ARE EXPRESSLY RESERVED. IT IS SUBMITTED UNDER A CONFIDENTIAL RELATIONSHIP FOR A SPECIFIC PURPOSE, AND THE RECIPIENT AGREES BY ACCEPTING THIS DRAWING NOT TO SUPPLY OR DISCLOSE ANY INFORMATION REGARDING IT TO ANY UNAUTHORIZED PERSON OR TO INCORPORATE IN OTHER PROJECTS ANY FEATURES PECULIAR TO THIS DESIGN. ALL RIGHTS HERE TO ARE EXPRESSLY RESERVED BY SADDLE BROOK CONTROLS, INC. SADDLE BROOK, NEW JERSEY.

|                                               |             |      |
|-----------------------------------------------|-------------|------|
| PROJECT DESCRIPTION: SpaceX PROJECT PLC PANEL |             |      |
| PAGE DESCRIPTION: BACK PANEL LAYOUT           |             |      |
| REV                                           | DESCRIPTION | DATE |
|                                               |             |      |
|                                               |             |      |

|           |                        |                   |
|-----------|------------------------|-------------------|
| DRAWN BY: | APPROVED FOR BUILD BY: | DRAWING NUMBER:   |
| PAUL      | Carlos A               | C40572            |
| DATE      | DATE                   | CURRENT REVISION: |
| 9/17/26   | 9/8/26                 | B                 |


### Saddle Brook Controls

280 N Midland Ave.  
Saddle Brook, NJ  
07663


|                  |
|------------------|
| JOB # C40572     |
| TOTAL PAGES: 65  |
| SHEET 27.2 OF 28 |

C


ELECTRONIC CIRCUIT BREAKER





RELAYS



+ DC DISTRIBUTION



NETWORK SWITCHES



THIS DRAWING EMBODIES A PROPRIETARY DESIGN ORIGINATED BY SADDLE BROOK CONTROLS, INC. ALL DESIGN, MANUFACTURING, REPRODUCTION (EXCEPT WHERE THE RECIPIENT HAS BEEN GIVEN THE EXPRESS RIGHT BY WRITTEN AGREEMENT TO REPRODUCE THE DRAWING) IS EXPRESSLY PROHIBITED. USE AND SALE RIGHTS REGARDING THE SAME ARE EXPRESSLY RESERVED. IT IS SUBMITTED UNDER A CONFIDENTIAL RELATIONSHIP FOR A SPECIFIC PURPOSE, AND THE RECIPIENT AGREES BY ACCEPTING THIS DRAWING NOT TO SUPPLY OR DISCLOSE ANY INFORMATION REGARDING IT TO ANY UNAUTHORIZED PERSON OR TO INCORPORATE IN OTHER PROJECTS ANY FEATURES PECULIAR TO THIS DESIGN. ALL RIGHTS HERE TO ARE EXPRESSLY RESERVED BY SADDLE BROOK CONTROLS, INC. SADDLE BROOK, NEW JERSEY.


|                                               |             |      |
|-----------------------------------------------|-------------|------|
| PROJECT DESCRIPTION: SpaceX PROJECT PLC PANEL |             |      |
| PAGE DESCRIPTION: BACK PANEL LAYOUT           |             |      |
| REV                                           | DESCRIPTION | DATE |
|                                               |             |      |
|                                               |             |      |

|           |                        |                   |
|-----------|------------------------|-------------------|
| DRAWN BY: | APPROVED FOR BUILD BY: | DRAWING NUMBER:   |
| PAUL      | Carlos A               | C40572            |
| DATE      | DATE                   | CURRENT REVISION: |
| 9/17/26   | 9/8/26                 | B                 |

Saddle Brook Controls

280 N Midland Ave.  
Saddle Brook, NJ  
07663

|                  |
|------------------|
| JOB # C40572     |
| TOTAL PAGES: 65  |
| SHEET 27.3 OF 28 |




|                                 |                                                      |                                             |
|---------------------------------|------------------------------------------------------|---------------------------------------------|
| <b>DRAWN BY:</b><br><b>PAUL</b> | <b>APPROVED FOR<br/>BUILD BY:</b><br><b>Carlos A</b> | <b>DRAWING<br/>NUMBER:</b><br><b>C40572</b> |
| <b>DATE</b><br><b>9/17/26</b>   | <b>DATE</b><br><b>9/8/26</b>                         | <b>CURRENT<br/>REVISION:</b><br><b>B</b>    |

|                  |
|------------------|
| JOB # C40572     |
| TOTAL PAGES: 65  |
| SHEET 27.4 OF 28 |

D

ETHERCAT INFRASTRUCTURE MEDIA CONVERTER



THIS DRAWING EMBODIES A PROPRIETARY DESIGN ORIGINATED BY SADDLE BROOK CONTROLS, INC. ALL DESIGN, MANUFACTURING, REPRODUCTION (EXCEPT WHERE THE RECIPIENT HAS BEEN GIVEN THE EXPRESS RIGHT BY WRITTEN AGREEMENT TO REPRODUCE THE DRAWING) IS EXPRESSLY PROHIBITED. USE AND SALE RIGHTS REGARDING THE SAME ARE EXPRESSLY RESERVED. IT IS SUBMITTED UNDER A CONFIDENTIAL RELATIONSHIP FOR A SPECIFIC PURPOSE, AND THE RECIPIENT AGREES BY ACCEPTING THIS DRAWING NOT TO SUPPLY OR DISCLOSE ANY INFORMATION REGARDING IT TO ANY UNAUTHORIZED PERSON OR TO INCORPORATE IN OTHER PROJECTS ANY FEATURES PECULIAR TO THIS DESIGN. ALL RIGHTS HERE TO ARE EXPRESSLY RESERVED BY SADDLE BROOK CONTROLS, INC. SADDLE BROOK, NEW JERSEY.



|                                               |             |      |
|-----------------------------------------------|-------------|------|
| PROJECT DESCRIPTION: SpaceX PROJECT PLC PANEL |             |      |
| PAGE DESCRIPTION: BACK PANEL LAYOUT           |             |      |
| REV                                           | DESCRIPTION | DATE |
|                                               |             |      |
|                                               |             |      |


|           |                        |                   |
|-----------|------------------------|-------------------|
| DRAWN BY: | APPROVED FOR BUILD BY: | DRAWING NUMBER:   |
| PAUL      | Carlos A               | C40572            |
| DATE      | DATE                   | CURRENT REVISION: |
| 9/17/26   | 9/8/26                 | B                 |




**Saddle Brook Controls**  
280 N Midland Ave.  
Saddle Brook, NJ  
07663



|                  |
|------------------|
| JOB # C40572     |
| TOTAL PAGES: 65  |
| SHEET 27.5 OF 28 |

|   | 1                                                                                  | 2 | 3 | 4               | 5 | 6 | 7                                                                                    | 8 | 9 | 10                    |
|---|------------------------------------------------------------------------------------|---|---|-----------------|---|---|--------------------------------------------------------------------------------------|---|---|-----------------------|
| A | <div>E</div>                                                                       |   |   |                 |   |   |                                                                                      |   |   |                       |
| B |                                                                                    |   |   |                 |   |   |                                                                                      |   |   |                       |
| C |                                                                                    |   |   |                 |   |   |                                                                                      |   |   |                       |
| D |                                                                                    |   |   |                 |   |   |                                                                                      |   |   |                       |
| E |                                                                                    |   |   |                 |   |   |                                                                                      |   |   |                       |
| F |                                                                                    |   |   |                 |   |   |                                                                                      |   |   |                       |
|   |  |   |   | MAIN DISCONNECT |   |   |  |   |   | 460V/120V Transformer |



|   | 1                                                                                  | 2 | 3 | 4               | 5 | 6 | 7                                                                                    | 8 | 9 | 10                    |
|---|------------------------------------------------------------------------------------|---|---|-----------------|---|---|--------------------------------------------------------------------------------------|---|---|-----------------------|
| A | <div>E</div>                                                                       |   |   |                 |   |   |                                                                                      |   |   |                       |
| B |                                                                                    |   |   |                 |   |   |                                                                                      |   |   |                       |
| C |                                                                                    |   |   |                 |   |   |                                                                                      |   |   |                       |
| D |                                                                                    |   |   |                 |   |   |                                                                                      |   |   |                       |
| E |                                                                                    |   |   |                 |   |   |                                                                                      |   |   |                       |
| F |                                                                                    |   |   |                 |   |   |                                                                                      |   |   |                       |
|   |  |   |   | MAIN DISCONNECT |   |   |  |   |   | 460V/120V Transformer |



|   | 1                                                                                  | 2 | 3 | 4               | 5 | 6 | 7                                                                                    | 8 | 9 | 10                    |
|---|------------------------------------------------------------------------------------|---|---|-----------------|---|---|--------------------------------------------------------------------------------------|---|---|-----------------------|
| A | <div>E</div>                                                                       |   |   |                 |   |   |                                                                                      |   |   |                       |
| B |                                                                                    |   |   |                 |   |   |                                                                                      |   |   |                       |
| C |                                                                                    |   |   |                 |   |   |                                                                                      |   |   |                       |
| D |                                                                                    |   |   |                 |   |   |                                                                                      |   |   |                       |
| E |                                                                                    |   |   |                 |   |   |                                                                                      |   |   |                       |
| F |                                                                                    |   |   |                 |   |   |                                                                                      |   |   |                       |
|   |  |   |   | MAIN DISCONNECT |   |   |  |   |   | 460V/120V Transformer |

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                               |             |      |                       |                                           |                                  |                                                                                                                    |                     |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------|-------------|------|-----------------------|-------------------------------------------|----------------------------------|--------------------------------------------------------------------------------------------------------------------|---------------------|
| THIS DRAWING EMBODIES A PROPRIETARY DESIGN ORIGINATED BY SADDLE BROOK CONTROLS, INC. ALL DESIGN, MANUFACTURING, REPRODUCTION (EXCEPT WHERE THE RECIPIENT HAS BEEN GIVEN THE EXPRESS RIGHT BY WRITTEN AGREEMENT TO REPRODUCE THE DRAWING) IS EXPRESSLY PROHIBITED. USE AND SALE RIGHTS REGARDING THE SAME ARE EXPRESSLY RESERVED. IT IS SUBMITTED UNDER A CONFIDENTIAL RELATIONSHIP FOR A SPECIFIC PURPOSE, AND THE RECIPIENT AGREES BY ACCEPTING THIS DRAWING NOT TO SUPPLY OR DISCLOSE ANY INFORMATION REGARDING IT TO ANY UNAUTHORIZED PERSON OR TO INCORPORATE IN OTHER PROJECTS ANY FEATURES PECULIAR TO THIS DESIGN. ALL RIGHTS HERE TO ARE EXPRESSLY RESERVED BY SADDLE BROOK CONTROLS, INC. SADDLE BROOK, NEW JERSEY. | PROJECT DESCRIPTION: SpaceX PROJECT PLC PANEL |             |      | DRAWN BY:<br><br>PAUL | APPROVED FOR<br>BUILD BY:<br><br>Carlos A | DRAWING<br>NUMBER:<br><br>C40572 | <div><div></div><div>Saddle Brook Controls</div><div>280 N Midland Ave.<br/>Saddle Brook, NJ<br/>07663</div></div> | JOB # C40572        |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | PAGE DESCRIPTION: BACK PANEL LAYOUT           |             |      |                       |                                           |                                  |                                                                                                                    | DATE<br><br>9/17/26 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | REV                                           | DESCRIPTION | DATE | SHEET 27.6 OF 28      |                                           |                                  |                                                                                                                    |                     |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                               |             |      |                       |                                           |                                  |                                                                                                                    |                     |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                               |             |      |                       |                                           |                                  |                                                                                                                    |                     |

|     |             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                       |                                               |                                                                                                                                                                                          |        |                   |                        |                  |    |                                                                                                                    |  |                 |  |
|-----|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|-----------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|-------------------|------------------------|------------------|----|--------------------------------------------------------------------------------------------------------------------|--|-----------------|--|
|     | 1           | 2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 3                     | 4                                             | 5                                                                                                                                                                                        | 6      | 7                 | 8                      | 9                | 10 |                                                                                                                    |  |                 |  |
| A   |             | Component Tag(s)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Manufacturer / Vendor | Part Number                                   | Description                                                                                                                                                                              |        |                   | Qty / Panel            | Drawing Sheet(s) |    |                                                                                                                    |  |                 |  |
|     |             | 1CB2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | EATON                 | FAZ-D2/2-NA                                   | miniature circuit breaker, current-limiting, 2A, 240 VAC / 96 VDC, 2-pole, D curve, thermal magnetic, 10kA @ 240 VAC                                                                     |        |                   | 1                      | 1.0              |    |                                                                                                                    |  |                 |  |
|     |             | 1CB3                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | EATON                 | FAZ-D5/1-NA-L-SP                              | miniature circuit breaker, current-limiting, .5A, 240 VAC / 96 VDC, 1-pole, D curve, thermal magnetic, 10kA @ 240 VAC                                                                    |        |                   | 1                      | 1.0              |    |                                                                                                                    |  |                 |  |
| B   |             | 1T1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | TECNOMATIC            | T1-500-208-240-480/120V                       | 500 VA transformer                                                                                                                                                                       |        |                   | 1                      | 1.0              |    |                                                                                                                    |  |                 |  |
|     |             | 2FAN1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | FINDER                | 7F.20.9.024.2055                              | Standard filter fan, Size 2 125x125, 32.4 CFM, 24V DC supply, 7W, UL Type 12                                                                                                             |        |                   | 1                      | 2.0              |    |                                                                                                                    |  |                 |  |
|     |             | 2THM1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | FINDER                | 7T.81.0.000.2301                              | Compact, DIN rail-mounted panel thermostat, Temperature Setting Range: -20°C to +40°C (-4°F to +104°F), Contact Configuration: SPST-NO (Normally Open), Contact Rating: 10 A at 250 V AC |        |                   | 1                      | 2.0              |    |                                                                                                                    |  |                 |  |
| C   |             | 2PB1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | EATON                 | M22-T-W-W                                     | Press-to-Test unit, 22.5 mm, Momentary, Illuminated, Bezel: Silver, IP67, IP69K, NEMA 4X, 13, 12-30 Vac/dc, White button                                                                 |        |                   | 1                      | 2.0              |    |                                                                                                                    |  |                 |  |
|     |             | 2PI1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Panduit               | VS2-AVT-3P-ISO                                | Part/model number printed in drawing                                                                                                                                                     |        |                   | 1                      | 2.1              |    |                                                                                                                    |  |                 |  |
|     |             | 2PI1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Panduit               | VS2-AVT-3PB-16                                | VeriSafe™ Testers VeriSafe 2.0 Absence of Voltage Tester. Includes Three-Phase Battery-powered Indicator Module, 16ft (4.8m) System Cable, and 10ft (3.0m) Sensor Leads                  |        |                   | 1                      | 2.1              |    |                                                                                                                    |  |                 |  |
| D   |             | 3CB2, 3CB6, 3CB7                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | EATON                 | FAZ-C20/1-NA-DC-SP                            | 489 Industrial miniature circuit breaker-supplementary protector,Single package,Medium levels of inrush current are expected,20A,10 kAIC,Single-pole,125 Vdc per pole,5-10X              |        |                   | 3                      | 3.0, 3.2         |    |                                                                                                                    |  |                 |  |
|     |             | 3CB1, 3CB5                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | EATON                 | FAZ-D1.5/3-NA                                 | miniature circuit breaker, current-limiting, 1.5A, 480Y / 277 VAC / 96 VDC, 3-pole, D curve, thermal magnetic, 10kA @ 480Y/277 VAC                                                       |        |                   | 2                      | 3.0, 3.2         |    |                                                                                                                    |  |                 |  |
|     |             | 3UPS1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | OMRON                 | S8BA-24D24D960SBF                             | Main body Uninterruptible Power Supply (UPS) / Control Unit Part 960w                                                                                                                    |        |                   | 1                      | 3.0, 3.1         |    |                                                                                                                    |  |                 |  |
| E   |             | 3BPS1C                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | OMRON                 | S8BA-S960L                                    | Battery unit 7800 mAh                                                                                                                                                                    |        |                   | 1                      | 3.0              |    |                                                                                                                    |  |                 |  |
|     |             | 3PS1, 3PS2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | OMRON                 | S8VK-WB48024                                  | DIN Rail Power Supplies 3Phs 480V Pwr Sup 20A 24VDC                                                                                                                                      |        |                   | 2                      | 3.0, 3.2         |    |                                                                                                                    |  |                 |  |
|     |             | 3RS1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | OMRON                 | S8VK-R20                                      | Part/model number printed in drawing                                                                                                                                                     |        |                   | 1                      | 3.2              |    |                                                                                                                    |  |                 |  |
| F   |             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | BECKHOFF              | CX2033-0225                                   | Part/model number printed in drawing                                                                                                                                                     |        |                   | 1                      | 6.0              |    |                                                                                                                    |  |                 |  |
|     |             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | BECKHOFF              | CX2100-0014                                   | Part/model number printed in drawing                                                                                                                                                     |        |                   | 1                      | 6.0              |    |                                                                                                                    |  |                 |  |
|     |             | 6.0-14                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | BECKHOFF              | CX2500-1060                                   | Part/model number printed in drawing                                                                                                                                                     |        |                   | 1                      | 6.0              |    |                                                                                                                    |  |                 |  |
|     |             | 6.0-13                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | BECKHOFF              | EL1322                                        | Part/model number printed in drawing                                                                                                                                                     |        |                   | 1                      | 6.0, 19.0        |    |                                                                                                                    |  |                 |  |
|     |             | 6.0-1-2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | BECKHOFF              | EL1809                                        | Part/model number printed in drawing                                                                                                                                                     |        |                   | 2                      | 6.0, 7.0, 8.0    |    |                                                                                                                    |  |                 |  |
|     |             | 6.0-6-7                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | BECKHOFF              | EL1918                                        | Part/model number printed in drawing                                                                                                                                                     |        |                   | 2                      | 6.0, 12.0, 13.0  |    |                                                                                                                    |  |                 |  |
|     |             | 6.0-3-4                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | BECKHOFF              | EL2809                                        | Part/model number printed in drawing                                                                                                                                                     |        |                   | 2                      | 6.0, 9.0, 10.0   |    |                                                                                                                    |  |                 |  |
|     |             | 6.0-8-9                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | BECKHOFF              | EL2912                                        | Part/model number printed in drawing                                                                                                                                                     |        |                   | 2                      | 6.0, 14.0, 15.0  |    |                                                                                                                    |  |                 |  |
|     |             | 6.0-11                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | BECKHOFF              | EL6633                                        | Part/model number printed in drawing                                                                                                                                                     |        |                   | 1                      | 6.0, 17.0        |    |                                                                                                                    |  |                 |  |
|     |             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | BECKHOFF              | EL6910                                        | Part/model number printed in drawing                                                                                                                                                     |        |                   | 1                      | 6.0, 11.0        |    |                                                                                                                    |  |                 |  |
|     |             | 6.0-10                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | BECKHOFF              | EL9410                                        | Part/model number printed in drawing                                                                                                                                                     |        |                   | 1                      | 6.0, 6.1, 16.0   |    |                                                                                                                    |  |                 |  |
|     |             | THIS DRAWING EMBODIES A PROPRIETARY DESIGN ORIGINATED BY SADDLE BROOK CONTROLS, INC. ALL DESIGN, MANUFACTURING, REPRODUCTION (EXCEPT WHERE THE RECIPIENT HAS BEEN GIVEN THE EXPRESS RIGHT BY WRITTEN AGREEMENT TO REPRODUCE THE DRAWING) IS EXPRESSLY PROHIBITED. USE AND SALE RIGHTS REGARDING THE SAME ARE EXPRESSLY RESERVED. IT IS SUBMITTED UNDER A CONFIDENTIAL RELATIONSHIP FOR A SPECIFIC PURPOSE, AND THE RECIPIENT AGREES BY ACCEPTING THIS DRAWING NOT TO SUPPLY OR DISCLOSE ANY INFORMATION REGARDING IT TO ANY UNAUTHORIZED PERSON OR TO INCORPORATE IN OTHER PROJECTS ANY FEATURES PECULIAR TO THIS DESIGN. ALL RIGHTS HERE TO ARE EXPRESSLY RESERVED BY SADDLE BROOK CONTROLS, INC. SADDLE BROOK, NEW JERSEY. |                       | PROJECT DESCRIPTION: SpaceX PROJECT PLC PANEL |                                                                                                                                                                                          |        | DRAWN BY:         | APPROVED FOR BUILD BY: | DRAWING NUMBER:  |    | <div><div></div><div>Saddle Brook Controls</div><div>280 N Midland Ave.<br/>Saddle Brook, NJ<br/>07663</div></div> |  | JOB # C40572    |  |
|     |             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                       | PAGE DESCRIPTION: BOM                         |                                                                                                                                                                                          |        | PAUL              | Carlos A               | C40572           |    |                                                                                                                    |  | TOTAL PAGES: 65 |  |
| REV | DESCRIPTION |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                       | DATE                                          | DATE                                                                                                                                                                                     | DATE   | CURRENT REVISION: | SHEET 28.0 OF 28       |                  |    |                                                                                                                    |  |                 |  |
|     |             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                       |                                               | 9/17/26                                                                                                                                                                                  | 9/8/26 | B                 |                        |                  |    |                                                                                                                    |  |                 |  |
|     |             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                       |                                               |                                                                                                                                                                                          |        |                   |                        |                  |    |                                                                                                                    |  |                 |  |

|   |                  |                       |                  |                                                                                                                                                                                            |             |                                   |
|---|------------------|-----------------------|------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|-----------------------------------|
| A | Component Tag(s) | Manufacturer / Vendor | Part Number      | Description                                                                                                                                                                                | Qty / Panel | Drawing Sheet(s)                  |
|   | 9CR1-16 10CR1-16 | WAGO                  | 857-304          | Relay module; Nominal input voltage: 24 VDC; 1 changeover contact; Limiting continuous current: 6 A; Yellow status indicator                                                               | 32          | 9.0, 10.0, 20.0, 20.1, 21.0, 21.1 |
|   | 20K50            | WERMA                 | 240.340.50       | Multi-Color (RGB) with Buzzer, UL                                                                                                                                                          | 1           | 20.0                              |
|   | 10CR16           | WAGO                  | 2202-2701        | double-deck terminal block with push-buttons; through/through (L/L); rail mount; without marker carrier; 2-conductor; 5.2 mm wide; gray                                                    | 20          | 27.0, 27.4                        |
|   | 9CR1             | WAGO                  | ...              | Triple-deck terminal block; with push-button; Through/through/through terminal block                                                                                                       | 50          | 27.0, 27.4                        |
| B | 1CB1             | EATON                 | PDG13M0015TFFJ   | Molded case circuit breaker, Globally Rated, Frame 1, Three Pole, 15A, 65kA/480V, T-M (Fxd-Fxd) TU, Standard Line and Load (PDG1X3T125)                                                    | 1           |                                   |
|   | 1CB1             | EATON                 | PDG1X3TA1253W    | molded case circuit breaker accessory terminal, PDG1 Multi-wire Terminal (Al) 125 amps, (3) AWG 14-2, 3 poles                                                                              | 1           |                                   |
|   | 1CB1             | EATON                 | PDG1XHMDE        | PDG 1, Molded case circuit breaker, Door handle, RED, Emergency lockable handle and mechanism, Frame 1                                                                                     | 1           |                                   |
|   | 1CB1             | EATON                 | PDG12XHMS307     | PDG 1, 12-in (307 mm) handle mechanism shaft                                                                                                                                               | 1           |                                   |
|   | 2EL1             | FINDER                | 7L.46.0.024.2100 | LED panel light from the 7L Series, engineered for illuminating electrical enclosures and machinery. Operating on a versatile 12–48 V AC/DC power supply, it delivers a bright 1200 lumens | 1           |                                   |
| C | 2FAN1            | FINDER                | 7F.02.0.000.2000 | Standard exhaust filter - Size 2 125x125, UL Type 12                                                                                                                                       | 1           |                                   |
|   |                  | OMRON                 | S8BW-C02         | Communication cable RJ45/Discrete wire                                                                                                                                                     | 1           |                                   |
|   | LM1-16           | LUTZE                 | 716447           | supply terminal and end block<br>maximum total current 40 A                                                                                                                                | 1           | 4.0 - 4.4                         |
|   | LM1-16           | LUTZE                 | 716401           | Electronic load monitoring up to DC 10 A<br>Single-channel design, Adjustable current range: DC 1 A – 10 A<br>Adjustable characteristics, fast, medium, slow 1, -2, -3                     | 16          | 4.0 - 4.4                         |
|   | LM1-16           | LUTZE                 | 716427           | CU rail cover, 1 m                                                                                                                                                                         | 1           | 4.0 - 4.4                         |
| D | LM1-16           | LUTZE                 | 716426           | Copper rail, 1 m                                                                                                                                                                           | 1           | 4.0 - 4.4                         |
|   | LM1-16           | LUTZE                 | 716440           | Jumper comb, 16-pin, 6 A blue                                                                                                                                                              | 1           | 4.0 - 4.4                         |
|   | LM1-16           | LUTZE                 | 716439           | Jumper comb, 16-pin, 6 A red                                                                                                                                                               | 1           | 4.0 - 4.4                         |
|   | LM1-16           | LUTZE                 | 716438           | Jumper comb, 16-pin, 6 A white                                                                                                                                                             | 1           | 4.0 - 4.4                         |
|   | AC OUTLET        | Mencom                | GF-RJ45-5R-32    | Panel Interface Connector with GFCI Duplex outlet, RJ45, and a 5amp reset, in a 32 housing                                                                                                 | 1           | 1.0                               |
| E | 12PB1            | EATON                 | M22-DL-B         | Pushbutton Actuator, Flush, Illuminated, Blue, Momentary                                                                                                                                   | 1           | 12.0                              |
|   |                  | EATON                 | M22-K10          | Contact Block For Non-Illum Pushbutton, Screw Term, Flush                                                                                                                                  | 1           | 12.0                              |
|   | 12ES1            | EATON                 | M22-PVT-K02      | E-Stop Switch, 22mm, Red, Twist-to-Release, 1NO, 2NC, 6A, 500V                                                                                                                             | 1           | 12.0                              |
|   | 12ES1            | EATON                 | M22-XBK5         | Legend Plate, 22mm, Yellow, EMERGENCY-STOP, Round, 60mm                                                                                                                                    | 1           | 12.0                              |
|   |                  |                       |                  |                                                                                                                                                                                            |             |                                   |
| F |                  |                       |                  |                                                                                                                                                                                            |             |                                   |
|   |                  |                       |                  |                                                                                                                                                                                            |             |                                   |
|   |                  |                       |                  |                                                                                                                                                                                            |             |                                   |
|   |                  |                       |                  |                                                                                                                                                                                            |             |                                   |
|   |                  |                       |                  |                                                                                                                                                                                            |             |                                   |

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                               |             |      |           |                        |                   |                                                                                                                    |                  |  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------|-------------|------|-----------|------------------------|-------------------|--------------------------------------------------------------------------------------------------------------------|------------------|--|
| THIS DRAWING EMBODIES A PROPRIETARY DESIGN ORIGINATED BY SADDLE BROOK CONTROLS, INC. ALL DESIGN, MANUFACTURING, REPRODUCTION (EXCEPT WHERE THE RECIPIENT HAS BEEN GIVEN THE EXPRESS RIGHT BY WRITTEN AGREEMENT TO REPRODUCE THE DRAWING) IS EXPRESSLY PROHIBITED. USE AND SALE RIGHTS REGARDING THE SAME ARE EXPRESSLY RESERVED. IT IS SUBMITTED UNDER A CONFIDENTIAL RELATIONSHIP FOR A SPECIFIC PURPOSE, AND THE RECIPIENT AGREES BY ACCEPTING THIS DRAWING NOT TO SUPPLY OR DISCLOSE ANY INFORMATION REGARDING IT TO ANY UNAUTHORIZED PERSON OR TO INCORPORATE IN OTHER PROJECTS ANY FEATURES PECULIAR TO THIS DESIGN. ALL RIGHTS HERE TO ARE EXPRESSLY RESERVED BY SADDLE BROOK CONTROLS, INC. SADDLE BROOK, NEW JERSEY. | PROJECT DESCRIPTION: SpaceX PROJECT PLC PANEL |             |      | DRAWN BY: | APPROVED FOR BUILD BY: | DRAWING NUMBER:   | <div><div></div><div>Saddle Brook Controls</div><div>280 N Midland Ave.<br/>Saddle Brook, NJ<br/>07663</div></div> | JOB # C40572     |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | PAGE DESCRIPTION: BOM                         |             |      | PAUL      | Carlos A               | C40572            |                                                                                                                    | TOTAL PAGES: 65  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | REV                                           | DESCRIPTION | DATE | DATE      | DATE                   | CURRENT REVISION: |                                                                                                                    | SHEET 28.1 OF 28 |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                               |             |      |           | 9/17/26                | 9/8/26            |                                                                                                                    | B                |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                               |             |      |           |                        |                   |                                                                                                                    |                  |  |