


# mxnet VS2013 编译

迷若烟雨@G-wearables


由于 mxnet 大量使用了 C++11 特性，因此需要对早期版本的 vs2013 进行升级，下载




[vc\\_CompilerCTP.Nov2013](#), 大约 33M

。opencv 一定要使用最新的 3.0 版本，2.4.\* 编译不过，我试过了。


下载我提供的文件，不要从 [github](#) 上下载，那里更新已经编译不过。下载 CMake 最新的 3.4 版本（至少 2.8.7 以上）。打开 CMake-gui




在源代码路径汇总填入解压后的文件路径（D:\yanyu\OpenDL\mxnet-1108 是我电脑上的路径），后面加上 build 作为构建路径。点击 configure，




选择 VS2013 64 位作为目标，



开始构建，会出现几个错误，把 BLAS 选项设为 Open（当然如果你装了 MKL 的话也可以选 MKL）。




错误的原因在于 CMake 不能找到 openblas 的路径，因此需要手工指定。




点击右侧的三个点指定路径，


由于我在配置 caffe-windows 时有相关文件，因此水到渠成。




点击 generate，生成 vs 的工程，如下图所示：




先看看生成的文件吧：




双击红框框出的解决方案，就会打开 VS，如下图所示：




由于默认是 Debug 的工程，因此我们需要改成 Release 模式，点击 build 开始生成解决方案。



稍等片刻，大约 5 分钟后就可以完成构建。



在 python 文件夹上按住 shift 的同时点击右键，选择此处打开命令行，输入 `python setup.py install` 绑定至 python。




```
python 文件夹
R-package 文件夹

管理员: C:\Windows\system32\cmd.exe

D:\yanyu\OpenDL\mxnet-1108\python>python setup.py install
running install
running bdist_egg
running egg_info
writing requirements to mxnet.egg-info\requires.txt
writing mxnet.egg-info\PKG-INFO
writing top-level names to mxnet.egg-info\top_level.txt
writing dependency_links to mxnet.egg-info\dependency_links.txt
reading manifest file 'mxnet.egg-info\SOURCES.txt'
writing manifest file 'mxnet.egg-info\SOURCES.txt'
installing library code to build\bdist.win-amd64\egg
running install_lib
running build_py
creating build\bdist.win-amd64\egg
creating build\bdist.win-amd64\egg\mxnet
copying build\lib\mxnet\base.py -> build\bdist.win-amd64\egg\mxnet
copying build\lib\mxnet\callback.py -> build\bdist.win-amd64\egg\mxnet
copying build\lib\mxnet\context.py -> build\bdist.win-amd64\egg\mxnet
copying build\lib\mxnet\executor.py -> build\bdist.win-amd64\egg\mxnet
copying build\lib\mxnet\initializer.py -> build\bdist.win-amd64\egg\mxnet
copying build\lib\mxnet\io.py -> build\bdist.win-amd64\egg\mxnet
copying build\lib\mxnet\kvstore.py -> build\bdist.win-amd64\egg\mxnet
copying build\lib\mxnet\kvstore_server.py -> build\bdist.win-amd64\egg\mxnet
copying build\lib\mxnet\libinfo.py -> build\bdist.win-amd64\egg\mxnet
```

输入 `ipython` 进入交互式环境，`import mxnet as mx` 就可以尽情享受 mxnet 的便利了。




```
D:\yanyu\OpenDL\mxnet-1108\python>ipython
Python 2.7.10 |Anaconda 2.1.0 (64-bit)| (default, Nov 7 2015, 13:18:40) [MSC v.
1500 64 bit (AMD64)]
Type "copyright", "credits" or "license" for more information.

IPython 4.0.0 -- An enhanced Interactive Python.
?      -> Introduction and overview of IPython's features.
%quickref -> Quick reference.
help    -> Python's own help system.
object? -> Details about 'object', use 'object??' for extra details.

In [1]: import mxnet as mx

In [2]: _
```

早期版本报错如下：



改成如下即可，当然 VS2013 update3 不存在这个问题。

