Paths of analysis*

Synthia

March 3, 2022

1 Analysis parameters

Analysis type: Automatic Retrosynthesis

Rules: none selected

Filters: FGI, FGI with protections

Max. paths returned: 5

Max. iterations: 300

Commercial:

1. Max. molecular weight - 1000 g/mol

2. Max. price - 1000 \$/g

Published:

1. Max. molecular weight - 1000 g/mol

2. Popularity - 10

My Stockroom:

1. Max. molecular weight - 1000 g/mol

Reaction scoring formula: TUNNEL_COEF*FGI_COEF*STEP*20+1000 000*(CONFLICT+NON SELECTIVITY+FILTERS+PROTECT)

Chemical scoring formula: SMALLER^ 3,SMALLER^ 1.5

Min. search width: 400

Max. reactions per product: 60

Strategies: none selected

^{*}The results stated herein were generated using the proprietary platform owned and maintained by Grzybowski Scientific Inventions, Inc., a subsidiary of Merck KGaA, Darmstadt Germany. The results are provided on an as is basis, and shall be used solely in connection with the rights afforded in the license agreement and for no other purpose.

FGI Coeff: 0

JSON Parameters: {}

2 Paths

 $2~{\rm paths}$ found. Paths are sorted by score. Reactions are sorted in appearance order for each path.

2.1 Path 1

Score: 396.05




Figure 1: Outline of path 1

2.1.1 Mitsunobu reaction

Substrates:

- 1. 2-Propanol available at Sigma-Aldrich
- 2. 4-Bromo-5-methyl-2-nitrophenol Combi-Blocks

Products:

1. C10H12BrNO3


 $\textbf{Typical conditions:} \ \ DEAD.or.DCAD.or.DIAD.PPh3$

Protections: none
Yield: moderate

Reference: DOI: 10.1021/jo0345751 AND 10.1021/ol0618757

Retrosynthesis ID: 7562

2.1.2 Reduction of nitro group



Substrates:

1. C10H12BrNO3

Products:

1. C10H14BrNO

Typical conditions: Zn. aq NH4. EtOH //Zn.Hcl

Protections: none

 $\bf Yield: \ good$

Reference: DOI: 10.1002/anie.201512005 and 10.1002/anie.201104681 and 10.3390/molecules17055497 and 10.3390/molecules19022655 and 10.1021/ol5033464 (SI,page 3) and 10.5012/bkcs.2013.34.4.1275

2.1.3 Amination of aryl bromides

Substrates:

1. 2-Bromo-N,N-dimethylbenzenesulphonamide 1g pack - Combi-Blocks

2. Benzylamine - available at Sigma-Aldrich

Products:

1. CN(C)S(=O)(=O)c1ccccc1NCc1ccccc1

Typical conditions: Pd.ligand.base or CuI.ligand.base

Protections: none


Yield: good

Reference: 10.1021/ja903049z and 10.1021/jo060945k and 10.1021/jo060190h

and 10.1039/B923255A and 10.1021/jm8003625 and 10.1021/jo9006738

Retrosynthesis ID: 28544

2.1.4 Synthesis of haloarenes via triflates



Substrates:

1. 5-chloro-uracil - Combi-Blocks

Products:

1. O=c1[nH]c(F)ncc1Cl

Typical conditions: 1.Tf2O 2. [Pd].MX

Protections: none
Yield: moderate

Reference: 10.1016/j.tetasy.2012.04.008 and WO2007/136577 (p46) and

10.1021/ol202098h and 10.1021/ol402859k and 10.1021/jacs.5b09308

Retrosynthesis ID: 23940

2.1.5 Photoredox Cross-Electrophile Coupling of Unactivated Alkyl Bromides

Substrates:

1. C10H14BrNO

2. 2-Bromobutane - available at Sigma-Aldrich

Products:

1. CCC(C)c1cc(N)c(OC(C)C)cc1C

Typical conditions: [Ir]-photocat.[Ni]-cat.TTMSS.base.blue light

Protections: none
Yield: moderate

Reference: 10.1021/jacs.6b04818 and 10.1016/j.bbrc.2020.04.028 and 10.1021/acs.6b04818 and 10.1021/acs.6b04818

smedchem lett. 8b00183

2.1.6 Amination of pyridones

Substrates:

- 1. CN(C)S(=O)(=O)c1ccccc1NCc1ccccc1
- 2. O=c1[nH]c(F)ncc1Cl

Products:

1. CN(C)S(=O)(=O)c1ccccc1N(Cc1ccccc1)c1nc(F)ncc1Cl

Typical conditions: 1.PCl5.2.amine

Protections: none

Yield: moderate

Reference: 10.1021/jm300780p AND 10.3390/molecules170910902 AND

10.1021/jm00392a017

Retrosynthesis ID: 14895

2.1.7 Nucleophilic aromatic substitution

Substrates:

- 1. CCC(C)c1cc(N)c(OC(C)C)cc1C
- $2. \ \ CN(C)S(=O)(=O)c1ccccc1N(Cc1ccccc1)c1nc(F)ncc1Cl$

Products:

 $1. \ \ CCC(C)c1cc(Nc2ncc(Cl)c(N(Cc3ccccc3)c3ccccc3S(=O)(=O)N(C)C)n2)c(OC(C)C)cc1C$

Typical conditions: Solvent

Protections: none

Yield: good

Reference: 10.1002/9781118093559.ch4

Retrosynthesis ID: 49476

2.1.8 Debenzylation

Substrates:

 $1. \ \ CCC(C)c1cc(Nc2ncc(Cl)c(N(Cc3ccccc3)c3ccccc3S(=O)(=O)N(C)C)n2)c(OC(C)C)cc1C$

Products:

 $1. \ CCC(C)c1cc(Nc2ncc(Cl)c(Nc3ccccc3S(=O)(=O)N(C)C)n2)c(OC(C)C)cc1C$

Typical conditions: H2. Pd/C or Pd(OH)2

Protections: none

Yield: good

Reference: DOI: 10.1002/1521-3773(20020603)41:11<1895::AID-ANIE1895>3.0.CO;2-3 and 10.1021/jo400589j and 10.1021/jm8012932 (SI,page S6) and 10.1080/00397911.2016.1261164

2.2 Path 2

Score: 451.27




Figure 2: Outline of path 2

2.2.1 Mitsunobu reaction

Substrates:

1. 2-Propanol - available at Sigma-Aldrich

2. 4-Bromo-5-methyl-2-nitrophenol - Combi-Blocks

Products:

1. C10H12BrNO3

 $\textbf{Typical conditions:} \ DEAD.or.DCAD.or.DIAD.PPh3$

Protections: none
Yield: moderate

Reference: DOI: 10.1021/jo0345751 AND 10.1021/ol0618757

2.2.2 Heck Reaction

Substrates:

1. cis-2-Butene - available at Sigma-Aldrich

2. C10H12BrNO3

Products:

 $1. \ \mathrm{CC}{=}\mathrm{C(C)c1cc}([\mathrm{N}{+}](=\mathrm{O})[\mathrm{O}{-}])\mathrm{c}(\mathrm{OC(C)C})\mathrm{cc1C}$

Typical conditions: Pd (cat). Ligand e.g. TXPTS. Base. Temp

Protections: none

Yield: good

Reference: 10.1016/j.tetlet.2013.01.077 or 10.1016/j.tetlet.2013.10.076 or 10.1039/C3GC40493E 10.1021/ol0360288 or 10.1021/ol702755g or 10.1055/s-0033-1340319 or 10.1016/j.tet.2004.10.049

2.2.3 Tandem alkene/nitro reduction

$$NH_2$$

Substrates:

 $1. \ \mathrm{CC}{=}\mathrm{C(C)c1cc}([\mathrm{N}{+}](=\mathrm{O})[\mathrm{O}{-}])\mathrm{c}(\mathrm{OC(C)C})\mathrm{cc1C}$

Products:

1. CCC(C)c1cc(N)c(OC(C)C)cc1C

Typical conditions: H2.Pd/C

Protections: none
Yield: moderate

Reference: 10.1016/j.bmc.2009.05.066 and 10.1016/j.cclet.2015.05.003 and

10.1016/j.bmc.2012.12.025

Retrosynthesis ID: 31351

2.2.4 Chan-Lam Coupling



Substrates:

1. 2-(N,N-DIMETHYLSULPHAMOYL)BENZENEBORONIC ACID Combi-Blocks

2. Benzhydrazide - available at Sigma-Aldrich

Products:

1. CN(C)S(=O)(=O)c1ccccc1NNC(=O)c1ccccc1


Typical conditions: Cu(Oac)2.dioxane

Protections: none

Yield: good

Reference: 10.1039/C4OB02343A Retrosynthesis ID: 31015967

2.2.5 Balz-Schiemann Reaction



Substrates:

1. 4,5-Dichloropyrimidin-2-amine - Combi-Blocks

Products:

1. Fc1ncc(Cl)c(Cl)n1

Typical conditions: NaNO2.HF-pyridine.-25 to $0\mathrm{C}$

Protections: none

Yield: moderate

Reference: 10.1021/jm100432w and 10.1021/jm5008177 and 10.1021/o1401540k and 10.1021/jm401551n (main text and SI, page S8) and 10.1515/chempap-2016-0033 and 10.1021/jm0311442 and 10.1016/j.jfluchem.2007.03.012 and 10.1021/jo00185a023

Retrosynthesis ID: 29906

2.2.6 Nucleophilic aromatic substitution

Substrates:

1. Fc1ncc(Cl)c(Cl)n1

2. CN(C)S(=O)(=O)c1ccccc1NNC(=O)c1ccccc1

Products:

1. CN(C)S(=O)(=O)c1ccccc1N(NC(=O)c1ccccc1)c1nc(F)ncc1Cl

Typical conditions: EtOH.Heat or DMF.K2CO3

Protections: none

Yield: good

Reference: 10.1016/0040-4020(95)00966-3 and 10.1002/jhet.5570220420 and

10.1021/jo402481t

2.2.7 Nucleophilic aromatic substitution

Substrates:

- $1. \ \mathrm{CN(C)S(=O)(=O)c1ccccc1N(NC(=O)c1ccccc1)c1nc(F)ncc1Cl} \\$
- $2. \ CCC(C)c1cc(N)c(OC(C)C)cc1C \\$

Products:

 $1. \ \ CCC(C)c1cc(Nc2ncc(Cl)c(N(NC(=O)c3ccccc3)c3ccccc3S(=O)(=O)N(C)C)n2)c(OC(C)C)cc1C$

Typical conditions: Solvent

Protections: none

Yield: good

Reference: 10.1002/9781118093559.ch4

Retrosynthesis ID: 49476

2.2.8 Reduction of phenylhydrazines

Substrates:

 $1. \ \ CCC(C)c1cc(Nc2ncc(Cl)c(N(NC(=O)c3ccccc3)c3ccccc3S(=O)(=O)N(C)C)n2)c(OC(C)C)cc1C$

Products:

 $1. \ \ CCC(C)c1cc(Nc2ncc(Cl)c(Nc3ccccc3S(=O)(=O)N(C)C)n2)c(OC(C)C)cc1C$

Typical conditions: RaNi.H2.MeOH

Protections: none
Yield: moderate

Reference: DOI: 10.1021/ol501424f