

Paths of analysis*

Analysis 10

Synthia

March 3, 2022

1 Analysis parameters

Analysis type: Automatic Retrosynthesis

Rules: none selected

Filters: FGI, FGI with protections

Max. paths returned: 5

Max. iterations: 300

Commercial:

1. Max. molecular weight - 1000 g/mol
2. Max. price - 1000 \$/g

Published:

1. Max. molecular weight - 1000 g/mol
2. Popularity - 10

My Stockroom:

1. Max. molecular weight - 1000 g/mol

Reaction scoring formula: $\text{TUNNEL_COEF} * \text{FGI_COEF} * \text{STEP} * 20 + 1000000 * (\text{CONFLICT} + \text{NON_SELECTIVITY} + \text{FILTERS} + \text{PROTECT})$

Chemical scoring formula: $\text{SMALLER}^3, \text{SMALLER}^{1.5}$

Min. search width: 400

Max. reactions per product: 60

Strategies: none selected

*The results stated herein were generated using the proprietary platform owned and maintained by Grzybowski Scientific Inventions, Inc., a subsidiary of Merck KGaA, Darmstadt Germany. The results are provided on an as is basis, and shall be used solely in connection with the rights afforded in the license agreement and for no other purpose.

FGI Coeff: 0

JSON Parameters: {}

2 Paths

1 path found. *Paths are sorted by score. Reactions are sorted in appearance order for each path.*

2.1 Path 1

Score: 150.48





Figure 1: Outline of path 1

2.1.1 Sandmeyer Reaction



Substrates:

1. 3-BROMO-4,5-DIMETHYLANILINE - *Combi-Blocks*

Products:

1. 3-bromo-4,5-dimethylbenzene-1-sulfonyl chloride - *Enamine*

Typical conditions: NaNO₂.HCl.CuCl.thionyl chloride


Protections: none

Yield: moderate

Reference: [10.1021/acs.jmedchem.5b01078](https://doi.org/10.1021/acs.jmedchem.5b01078) and [10.1016/j.bmcl.2013.04.049](https://doi.org/10.1016/j.bmcl.2013.04.049) and [10.1021/jm0503897](https://doi.org/10.1021/jm0503897)

Retrosynthesis ID: 29983

2.1.2 Synthesis of sulfonamides from sulfonyl chlorides



Substrates:

- 2-Oxopiperazine - *available at Sigma-Aldrich*
- 3-bromo-4,5-dimethylbenzene-1-sulfonyl chloride - *Enamine*

Products:

- Cc1cc(S(=O)(=O)N2CCNC(=O)C2)cc(Br)c1C

Typical conditions: Et₃N


Protections: none

Yield: good

Reference: [10.1021/jm00395a010](https://doi.org/10.1021/jm00395a010) and [10.1002/047084289X.rm00099](https://doi.org/10.1002/047084289X.rm00099) and [10.1016/j.jfluchem.2013.01.009](https://doi.org/10.1016/j.jfluchem.2013.01.009)

Retrosynthesis ID: 247

2.1.3 Amination of aryl bromides



Substrates:

1. 1-Amino-2-(isopropylsulphonyl)benzene - *available at Sigma-Aldrich*

2. Cc1cc(S(=O)(=O)N2CCNC(=O)C2)cc(Br)c1C

Products:

1. Cc1cc(S(=O)(=O)N2CCNC(=O)C2)cc(Nc2ccccc2S(=O)(=O)C(C)C)c1C

Typical conditions: Pd.ligand.base or CuI.ligand.base


Protections: none

Yield: good

Reference: [10.1021/ja903049z](#) and [10.1021/jo060945k](#) and [10.1021/jo060190h](#)
and [10.1039/B923255A](#) and [10.1021/jm8003625](#) and [10.1021/jo9006738](#)

Retrosynthesis ID: 28544

2.1.4 Reduction of amide to amine



Substrates:

1. Cc1cc(S(=O)(=O)N2CCNC(=O)C2)cc(Nc2ccccc2S(=O)(=O)C(C)C)c1C

Products:

1. Cc1cc(S(=O)(=O)N2CCNCC2)cc(Nc2ccccc2S(=O)(=O)C(C)C)c1C

Typical conditions: BH3.THF

Protections: none

Yield: good

Reference: [10.1016/S0957-4166\(02\)00111-8](#)

Retrosynthesis ID: 9900018