


# CMPSC 302 WEB DEVELOPMENT



# (form)alizing your knowledge








<label for = "sendMsg">Message</label>

<input type = "text" name = "sendMsg" id = "sendMsg"
placeholder = "Enter message">




### clicky click click click click





# What's your type?





#### You know me, I've a lot to say



Sometimes, we want to enter more text than just a line, though.

Here, <textarea> is handy.

<textarea name = "sendMsg" id = "sendMsg">Lorem ipsum....</textarea>



# A modal-ly, bro

CatChat v.04.14.2022.11.45.01





# modal-ly, bro


Several ways (including external libraries) to create them, but here:





### <....hiddеи> ін plain sight

Hiding a modal window involves Javascript to add the "hidden" attribute:



- when the correct button is clicked
- \*which involves:
  - 🥕 an EventListener
  - Setting chat.name (in this case)
  - Use of setAttribute method to:

setAttribute("hidden",true) on the modal




### One more note about accessibility

- This assignment addresses accessibility in two ways:
  - contrast (colors)
  - errors (new)
- \*Errors, in this respect, are missing labels or other HTML issues which interfere with <u>any</u> user's ability to effectively <u>use</u> the application
- \*This leverages a tool in the scheduled called the "WAVE Accessibility Evaluation Tool" (WAVE):
  - https://wave.webaim.org/





#### One more note about accessibility





# **Making layouts**





same

<form>