



I have
connections

Common
problems

SQLite3

DB Browser

Automation/AI
traction

NoSQL

Mongo

Neo4J

Introduction to Database Systems: CS312

The Great Summary

Oliver Bonham-Carter

12 May 2022

What has this class covered?

I have
connections

Common
problems

SQLite3

DB Browser

Automation/AI

NoSQL

Mongo

Neo4J

- Some of the fundamental theory and methods behind modern databases systems
 - SQL: *Sqlite3, DBBrowser*
 - NoSQL: *Mongo,*
 - Graphical: *Neo4J*
- Building schemas with integrity constraints for data management
- Manipulating data, populating bases and extracting out filtered information
- Programming queries across all DB systems
- Management and Automation: Programming for abstraction
- How to pull information (knowledge) from raw data

I have
connections

Common problems

SQLite3

DB Browser

Automation/AI &traction

NoSQL

Mongo

Neo4J



What is the function of a database?

To Connect Data

I have
connections

Common
problems

SQLite3


DB Browser

Automation/AI
Integration

NoSQL

Mongo

Neo4J



Data Disconnections at Batman and Associates

Two different address? :-(

I have
connections

Common
problems

SQLite3

DB Browser

Automation/AI
Interaction

NoSQL


Mongo

Neo4J

Dr. Vader's actual address?

1st Address:
221b Baker Street
London, England

2nd Address:
1600 Pennsylvania Avenue,
Washington, DC



How Many Databases Do You Need??

I have
connections

Common
problems

SQLite3


DB Browser

Automation/AI extraction

NoSQL

Mongo

Neo4J



- A firm may have managed several information sources at the same time
- Anything wrong with disconnecting databases?



Specific Information For Each Table

Combine and connect the data in one base

I have
connections

Common
problems

SQLite3

DB Browser

Automation/AI
Integration

NoSQL

Mongo

Neo4J

ID	name	dept_name	salary
22222	Einstein	Physics	95000
12121	Wu	Finance	90000
32343	El Said	History	60000
45565	Katz	Comp. Sci.	75000
98345	Kim	Elec. Eng.	80000
76766	Crick	Biology	72000
10101	Srinivasan	Comp. Sci.	65000
58583	Califieri	History	62000
83821	Brandt	Comp. Sci.	92000
15151	Mozart	Music	40000
33456	Gold	Physics	87000
76543	Singh	Finance	80000

(a) The *instructor* table

dept_name	building	budget
Comp. Sci.	Taylor	100000
Biology	Watson	90000
Elec. Eng.	Taylor	85000
Music	Packard	80000
Finance	Painter	120000
History	Painter	50000
Physics	Watson	70000

• Specific tables for types of data

SQL Is So Very ...



- Pronounced “ess-que-el” stands for *Structured Query Language*.
- Used to communicate with a database.
- According to ANSI (American National Standards Institute), it is the standard language for relational database management systems.
- The standard computer language for relational database management and data manipulation.
 - Used to query, insert, update and modify data



I have
connections

Common
problems

SQLite3

Schema

Keys

Create and Link
Tables

CSV files

SELECT

Integrity
Constraints

DB Browser

Automation/AI

NoSQL

Mongo

Neo4J

Command

\$sqlite3

You should see this

SQLite version 3.11.0 2016-02-15 17:29:24

Enter ".help" for usage hints.

Connected to a transient in-memory database.

Use ".open FILENAME" to reopen on a persistent database.

sqlite>

I have
connectionsCommon
problems

SQLite3

Schema

Keys

Create and Link
Tables

CSV files

SELECT

Integrity
Constraints


DB Browser

Automation/AI
Abstract

NoSQL

Mongo

Neo4J



- A schema resembles a subroutine and describes the table and the data that it contains.
- Relationship: An association among two or more entities
- Relationship Set: A collection of similar relationships for entities
- Relationship sets can also have *descriptive attributes* (i.e., the “since” attribute of *WorksIn*)

Chinook's Database Schema

I have connections

Common problems

SQLite3

Schema

Keys

Create and Link Tables

CSV files

SELECT

Integrity Constraints


DB Browser

Automation/Altracti

NoSQL

Mongo

Neo4J



- Ref: <http://www.sqlitetutorial.net/sqlite-sample-database/>

Entity sets

I have
connections

Common
problems

SQLite3

Schema

Keys

Create and Link
Tables

CSV files

SELECT

Integrity
Constraints

DB Browser

Automation/AI
traction

NoSQL

Mongo

Neo4J

ID	Tea	Sandwich
JJ	1	Ruban
OBC	1	PBJ
AM	1	Chicken
GK	1	Chicken
JJ	1	Ruban
DW	0	PBJ
MC	1	Ruban
JJ	1	Ruban
SR	1	Ruban
JJ	1	Ruban
KT	1	Ruban

- **Entity set:** a collection of entities of the same kind
 - (i.e., the preferred sandwiches.)
- **Strong Entity sets:** Each row is unique in the table.

Keys for SQL

I have
connections

Common
problems

SQLite3
Schema

Keys

Create and Link

Tables

CSV files

SELECT

Integrity
Constraints

DB Browser

Automation/AI

NoSQL

Mongo

Neo4J

- **Primary keys:** Unique identifiers for the row of information sharing a relation (n -tuple).
- **Super keys:** A superkey is a set of attributes within a table whose values can be used to uniquely identify a n -tuple.
- **Candidate keys:** is a minimal set of attributes necessary to identify a n -tuple.
- **SuperKeys:** a set of attributes within a table whose values can be used to uniquely identify a tuple (each row is unique from the other rows)

Keys

You will note the importance of keys once you start storing your data in your own databases!

Linking the tables by queries

I have
connections

Common
problems

SQLite3

Schema

Keys

Create and Link
Tables

CSV files

SELECT

Integrity
Constraints

DB Browser

Automation/AI
Integration

NoSQL

Mongo

Neo4J

Department		
ID	Dept	RoomNum
JJ	CS	105
OBC	CS	104
AM	CS	106
GK	CS	108
PL	CS	110
DW	CS	112
MC	GEO	209
RO	GEO	203
SR	GEO	001
SS	GEO	201
KT	GEO	204

Tea		
ID	Tea	Sandwich
JJ	1	Ruban
OBC	1	PBJ
AM	1	Chicken
GK	1	Chicken
PL	0	Ruban
DW	0	PBJ
MC	1	Ruban
RO	0	PBJ
SR	1	Ruban
SS	1	Ruban
KT	1	Ruban

Session		
ID	Session	Material
JJ	101	pres
OBC	112	pres
AM	111	poster
GK	109	workshop
PL	109	poster
DW	101	pres
MC	112	pres
RO	111	poster
SR	111	poster
SS	109	workshop
KT	112	article

Putting Data into CSV format

I have
connections

Common
problems

SQLite3

Schema

Keys

Create and Link
Tables

CSV files

SELECT

Integrity
Constraints

DB Browser

Automation/AI
traction

NoSQL

Mongo

Neo4J



- Data as Comma-Separated Values

Making files of CSV's (Comma-separated values)...?

I have
connections

Common
problems

SQLite3

Schema

Keys

Create and Link
Tables

CSV files

SELECT

Integrity
Constraints


DB Browser

Automation/AI
traction


NoSQL

Mongo

Neo4J



	A	B	C
1	JJ	CS	105
2	OBC	CS	104
3	AM	CS	106
4	GK	CS	108
5	PL	CS	110
6	DW	CS	112
7	MC	GEO	209
8	RO	GEO	203
9	SR	GEO	1
10	SS	GEO	201
11	KT	GEO	204
12			



Making files of CSV's (Comma-separated values)...?

I have
connections

Common
problems

SQLite3

Schema

Keys

Create and Link
Tables

CSV files

SELECT

Integrity
Constraints

DB Browser

Automation/AI
traction

NoSQL

Mongo

Neo4J

JJ,CS,105
OBC,CS,104
AM,CS,106
GK,CS,108
PL,CS,110
DW,CS,112
MC,GEO,209
RO,GEO,203
SR,GEO,001
SS,GEO,201
KT,GEO,204

JJ,1,Ruban
OBC,1,PBJ
AM,1,Chicken
GK,1,Chicken
PL,0,Ruban
DW,0,PBJ
MC,1,Ruban
RO,0,PBJ
SR,1,Ruban
SS,1,Ruban
KT,1,Ruban

JJ,101,pres
OBC,112,pres
AM,111,poster
GK,109,workshop
PL,109,poster
DW,101,pres
MC,112,pres
RO,111,poster
SR,111,poster
SS,109,workshop
KT,112,article

- Tables: *department, tea, session*
- Once your file is in this CSV format, it can be easily loaded into the database

The select Clause

I have
connections

Common
problems

SQLite3

Schema
Keys

Create and Link
Tables

CSV files

SELECT

Integrity
Constraints

DB Browser

Automation/AI

NoSQL

Mongo

Neo4J

The SELECT clause filters out particular data from a table.

- SQL allows duplicates in relations as well as in query results.
- The SELECT statement has many optional clauses:
 - WHERE specifies which rows to retrieve.
 - GROUP BY groups rows sharing a property so that an aggregate function can be applied to each group.
 - HAVING selects among the groups defined by the GROUP BY clause.
 - ORDER BY specifies an order in which to return the rows.
 - AS provides an alias which can be used to temporarily rename tables or columns..



Given table 'T'

SELECT

I have
connectionsCommon
problems

SQLite3

Schema

Keys

Create and Link
Tables

CSV files

SELECT

Integrity
Constraints

DB Browser

Automation/AI
Integration

NoSQL

Mongo

Neo4J

Table "T"	Query	Result												
<table border="1"><thead><tr><th>C1</th><th>C2</th></tr></thead><tbody><tr><td>1</td><td>a</td></tr><tr><td>2</td><td>b</td></tr></tbody></table>	C1	C2	1	a	2	b	<code>SELECT * FROM T;</code>	<table border="1"><thead><tr><th>C1</th><th>C2</th></tr></thead><tbody><tr><td>1</td><td>a</td></tr><tr><td>2</td><td>b</td></tr></tbody></table>	C1	C2	1	a	2	b
C1	C2													
1	a													
2	b													
C1	C2													
1	a													
2	b													
<table border="1"><thead><tr><th>C1</th><th>C2</th></tr></thead><tbody><tr><td>1</td><td>a</td></tr><tr><td>2</td><td>b</td></tr></tbody></table>	C1	C2	1	a	2	b	<code>SELECT C1 FROM T;</code>	<table border="1"><thead><tr><th>C1</th></tr></thead><tbody><tr><td>1</td></tr><tr><td>2</td></tr></tbody></table>	C1	1	2			
C1	C2													
1	a													
2	b													
C1														
1														
2														
<table border="1"><thead><tr><th>C1</th><th>C2</th></tr></thead><tbody><tr><td>1</td><td>a</td></tr><tr><td>2</td><td>b</td></tr></tbody></table>	C1	C2	1	a	2	b	<code>SELECT * FROM T WHERE C1 = 1;</code>	<table border="1"><thead><tr><th>C1</th><th>C2</th></tr></thead><tbody><tr><td>1</td><td>a</td></tr></tbody></table>	C1	C2	1	a		
C1	C2													
1	a													
2	b													
C1	C2													
1	a													
<table border="1"><thead><tr><th>C1</th><th>C2</th></tr></thead><tbody><tr><td>1</td><td>a</td></tr><tr><td>2</td><td>b</td></tr></tbody></table>	C1	C2	1	a	2	b	<code>SELECT * FROM T ORDER BY C1 DESC;</code>	<table border="1"><thead><tr><th>C1</th><th>C2</th></tr></thead><tbody><tr><td>2</td><td>b</td></tr><tr><td>1</td><td>a</td></tr></tbody></table>	C1	C2	2	b	1	a
C1	C2													
1	a													
2	b													
C1	C2													
2	b													
1	a													

Integrity Constraints

I have
connections

Common
problems

SQLite3

Schema

Keys

Create and Link
Tables

CSV files

SELECT

Integrity
Constraints

DB Browser

Automation/AI

NoSQL

Mongo

Neo4J

- The CONSTRAINTS are an integrity which defines some conditions that restrict the column to contain the true data while inserting or updating or deleting.
- Integrity constraints provide a mechanism for ensuring that data conforms to guidelines specified by the database administrator. The most common types of constraints include:
 - UNIQUE constraints: To ensure that a given column is unique
 - NOT NULL constraints: To ensure that no null values are allowed
 - FOREIGN KEY constraints: To ensure that two keys share a primary key to foreign key relationship
 - Ensure that a link exists between two tables.

One to many relationships

I have connections

Common problems

SQLite3

Schema

Keys

Create and Link Tables

CSV files

SELECT

Integrity Constraints

DB Browser

Automation/AI

NoSQL

Mongo

Neo4J





FIGURE 6-11 AN ENTITY-RELATIONSHIP DIAGRAM



DB Browser

I have
connections

Common
problems

SQLite3

DB Browser

Joins

Automation/AI
Artificial Intelligence

NoSQL

Mongo

Neo4J

SQLite Database Browser – /Users/jc/tmp/example.db

New Database Open Database Write Changes Revert Changes

Database Structure Browse Data Edit Pragmas Execute SQL

Table: total_members New Record Delete Record

list	month	members
1 gluster-board	2013-09-05	99999
2 gluster-users	2013-09-05	99999

< 1 - 2 of 12 > Go to: 1

SQL Log

Show SQL submitted by Application Clear

```
PRAGMA foreign_keys = "1";
PRAGMA encoding
SELECT type, name, sql, tbl_name FROM sqlite_master;
SELECT COUNT(*) FROM (SELECT rowid,* FROM 'total_members' ORDER BY 'rowid' ASC);
SELECT rowid,* FROM 'total_members' ORDER BY 'rowid' ASC LIMIT 0, 50000;
```

UTF-8

I have
connectionsCommon
problems

SQLite3

DB Browser

Joins

Automation/AI
Integration


NoSQL

Mongo

Neo4J

TableA

TableB



SELECT * FROM tableA CROSS JOIN tableB

```
SELECT * from TableA CROSS JOIN TableB;  
SELECT * from tableA, TableB;
```

Joins with SQL code

I have
connections

Common
problems

SQLite3

DB Browser

Joins


Automation/AI

NoSQL


Mongo

Neo4J


SQL JOINS




```
SELECT <select_list>
FROM TableA A
LEFT JOIN TableB B
ON A.Key = B.Key
```




```
SELECT <select_list>
FROM TableA A
LEFT JOIN TableB B
ON A.Key = B.Key
WHERE B.Key IS NULL
```




```
SELECT <select_list>
FROM TableA A
FULL OUTER JOIN TableB B
ON A.Key = B.Key
```



```
SELECT <select_list>
FROM TableA A
RIGHT JOIN TableB B
ON A.Key = B.Key
```



```
SELECT <select_list>
FROM TableA A
RIGHT JOIN TableB B
ON A.Key = B.Key
WHERE A.Key IS NULL
```



```
SELECT <select_list>
FROM TableA A
FULL OUTER JOIN TableB B
ON A.Key = B.Key
WHERE A.Key IS NULL
OR B.Key IS NULL
```



I have
connections

Common
problems

SQLite3

DB Browser

Automation/AI

Django

NoSQL

Mongo

Neo4J

Five basic steps to using a database according to the Python Database API Specification v2.0

- Step 1: Defining the query
- Step 2: Connecting to the database
- Step 3: Execute the query
- Step 4i, (SELECT): Analyze the result
- Step 4ii, or (UPDATE): Commit the change
- Step 5: Cleaning up; close the database connection



Where is the Database?

Computers use DBs

I have
connections

Common
problems

SQLite3

DB Browser

Automation/AI

Django

NoSQL

Mongo

Neo4J



- MySQL
- Apache

NetWare

www



- eCommerce



- Inventory Tracking



- Sales Reports

Tasks

- Create database
- Create tables
- Import data



I have
connections

Common
problems

SQLite3

DB Browser

Automation/AI

Django

NoSQL

Mongo

Neo4J

A large, white, lowercase "django" logo is centered on a solid dark green rectangular background.

- Putting a database on a website!
- <https://www.djangoproject.com/>

Yes! Your Django Project Worked!

I have
connections

Common
problems

SQLite3

DB Browser

Automation/AI

Django

NoSQL

Mongo

Neo4J



The install worked successfully! Congratulations!

You are seeing this page because `DEBUG=True` is in
your settings file and you have not configured any
URLs.

The Files of Your App

I have
connections

Common
problems

SQLite3

DB Browser

Automation/AI

Django

NoSQL

Mongo

Neo4J

Notable Files

- **apps.py**: The main file for the *hello* App
- **models.py**: A blueprint for how data will be used in the site
- **tests.py**: For adding tests for bug checking the *hello* part of the project
- **views.py**: A request-handler for connecting the URL to the displayed website
- **mysite/mysite/urls.py**: Requests for apps are all directed using this file.
- **mysite/hello/urls.py**: Requests for the *hello* apps are all directed using this file.

NoSQL: Another Type of Database

"Not only SQL" (so much more to offer!)

I have
connections

Common
problems

SQLite3

DB Browser

Automation/AI
practic

NoSQL

Mongo

Neo4J

Key-value



Graph database



Document-oriented



Column family



- Different types of NoSQL databases



A NoSQL Database Management System (SQLite3 cannot operate here.)

I have
connections

Common
problems

SQLite3

DB Browser

Automation/AI
traction

NoSQL

Mongo

Schema

Neo4J



mongoDB®

- <https://www.mongodb.com/>

Schema Free

I have
connections

Common
problems

SQLite3

DB Browser

Automation/AI
Integration

NoSQL

Mongo

Schema

Neo4J



Collection

- No pre-defined data schema
 - Data may be entered at in absence of a defined schema
- Every document in a collection could have different data

Databases, Visually

I have
connections

Common
problems

SQLite3


DB Browser

Automation/AI (Artificial Intelligence)

NoSQL

Mongo

Neo4J



neo4j

- A visual database system using methods from graph theory to use networks to determine relationships (edges) and discover meaning from connected data-points (nodes). Users are able to interact with the data in a network.

- <https://neo4j.com/>
- Graphgists Projects: <https://neo4j.com/graphgists/>



Networks Of Data

Relationships exist by connectivity

I have
connections

Common
problems

SQLite3


DB Browser

Automation/AI
Interaction

NoSQL


Mongo

Neo4J



- Nodes and edges represent inter-relationships
- Relationships are described by connections between nodes
- Single nodes have no immediate relationships with the others

Networks In Neo4J



- An acting schema: The relationships between nodes are built into the network

What Has This Class Covered?

I have
connections

Common
problems

SQLite3


DB Browser

Automation/AI
Abstract

NoSQL

Mongo

Neo4J



What has this class *not* covered?!
 (Now go update the *Skills* section of your resumé!)