

Apply filters to SQL queries

Project description

My team wants data to investigate potential security issues and to update computers. So, I am responsible for filtering the required information from the database by which I need to obtain specific information about employees, their machines, and the departments they belong to from the database.

Retrieve after-hours failed login attempts

Query: `SELECT *`

`-> FROM log_in_attempts`

`-> WHERE login_time > '18:00' AND success = 0;`

Output:

```
MariaDB [organization]> SELECT *
-> FROM log_in_attempts
-> WHERE login_time > '18:00' AND success = 0;
```

event_id	username	login_date	login_time	country	ip_address	success
2	apatel	2022-05-10	20:27:27	CAN	192.168.205.12	0
18	pwashing	2022-05-11	19:28:50	US	192.168.66.142	0
20	tshah	2022-05-12	18:56:36	MEXICO	192.168.109.50	0
28	aestrada	2022-05-09	19:28:12	MEXICO	192.168.27.57	0
34	drosas	2022-05-11	21:02:04	US	192.168.45.93	0
42	cgriffin	2022-05-09	23:04:05	US	192.168.4.157	0
52	cjackson	2022-05-10	22:07:07	CAN	192.168.58.57	0
69	wjaffrey	2022-05-11	19:55:15	USA	192.168.100.17	0
82	abernard	2022-05-12	23:38:46	MEX	192.168.234.49	0
87	apatel	2022-05-08	22:38:31	CANADA	192.168.132.153	0
96	ivelasco	2022-05-09	22:36:36	CAN	192.168.84.194	0
104	asundara	2022-05-11	18:38:07	US	192.168.96.200	0
107	bisles	2022-05-12	20:25:57	USA	192.168.116.187	0
111	aestrada	2022-05-10	22:00:26	MEXICO	192.168.76.27	0
127	abellmas	2022-05-09	21:20:51	CANADA	192.168.70.122	0
131	bisles	2022-05-09	20:03:55	US	192.168.113.171	0
155	cgriffin	2022-05-12	22:18:42	USA	192.168.236.176	0
160	jclark	2022-05-10	20:49:00	CANADA	192.168.214.49	0
199	yappiah	2022-05-11	19:34:48	MEXICO	192.168.44.232	0

19 rows in set (0.134 sec)

Retrieve login attempts on specific dates

Query: `SELECT *`

`-> FROM log_in_attempts`

`-> WHERE login_date = '2022-05-09' OR login_date = '2022-05-08';`

Output:

```
MariaDB [organization]> SELECT *
-> FROM log_in_attempts
-> WHERE login_date = '2022-05-09' OR login_date = '2022-05-08';
```

event_id	username	login_date	login_time	country	ip_address	success
1	jrafael	2022-05-09	04:56:27	CAN	192.168.243.140	1
3	dkot	2022-05-09	06:47:41	USA	192.168.151.162	1
4	dkot	2022-05-08	02:00:39	USA	192.168.178.71	0
8	bisles	2022-05-08	01:30:17	US	192.168.119.173	0
12	dkot	2022-05-08	09:11:34	USA	192.168.100.158	1
15	lyamamot	2022-05-09	17:17:26	USA	192.168.183.51	0
24	arusso	2022-05-09	06:49:39	MEXICO	192.168.171.192	1
25	sbaelish	2022-05-09	07:04:02	US	192.168.33.137	1
26	apatel	2022-05-08	17:27:00	CANADA	192.168.123.105	1
28	aestrada	2022-05-09	19:28:12	MEXICO	192.168.27.57	0
30	yappiah	2022-05-09	03:22:22	MEX	192.168.124.48	1
32	acook	2022-05-09	02:52:02	CANADA	192.168.142.239	0
36	asundara	2022-05-08	09:00:42	US	192.168.78.151	1
38	sbaelish	2022-05-09	14:40:01	USA	192.168.60.42	1
39	yappiah	2022-05-09	07:56:40	MEXICO	192.168.57.115	1
42	cgriffin	2022-05-09	23:04:05	US	192.168.4.157	0
43	mcouliba	2022-05-08	02:35:34	CANADA	192.168.16.208	0
44	daquino	2022-05-08	07:02:35	CANADA	192.168.168.144	0
47	dkot	2022-05-08	05:06:45	US	192.168.233.24	1
49	asundara	2022-05-08	14:00:01	US	192.168.173.213	0
53	nmason	2022-05-08	11:51:38	CAN	192.168.133.188	1

Retrieve login attempts outside of Mexico

Query: SELECT *

-> FROM log_in_attempts

-> WHERE NOT country LIKE 'MEX%';

Output:

```
MariaDB [organization]> SELECT *
-> FROM log_in_attempts
-> WHERE NOT country LIKE 'MEX%';
```

event_id	username	login_date	login_time	country	ip_address	success
1	jrafael	2022-05-09	04:56:27	CAN	192.168.243.140	1
2	apatel	2022-05-10	20:27:27	CAN	192.168.205.12	0
3	dkot	2022-05-09	06:47:41	USA	192.168.151.162	1
4	dkot	2022-05-08	02:00:39	USA	192.168.178.71	0
5	jrafael	2022-05-11	03:05:59	CANADA	192.168.86.232	0
7	eraab	2022-05-11	01:45:14	CAN	192.168.170.243	1
8	bisles	2022-05-08	01:30:17	US	192.168.119.173	0
10	jrafael	2022-05-12	09:33:19	CANADA	192.168.228.221	0
11	sgilmore	2022-05-11	10:16:29	CANADA	192.168.140.81	0
12	dkot	2022-05-08	09:11:34	USA	192.168.100.158	1
13	mrhah	2022-05-11	09:29:34	USA	192.168.246.135	1
14	sbaelish	2022-05-10	10:20:18	US	192.168.16.99	1
15	lyamamot	2022-05-09	17:17:26	USA	192.168.183.51	0
16	mcouliba	2022-05-11	06:44:22	CAN	192.168.172.189	1
17	pwashing	2022-05-11	02:33:02	USA	192.168.81.89	1
18	pwashing	2022-05-11	19:28:50	US	192.168.66.142	0
19	jhill	2022-05-12	13:09:04	US	192.168.142.245	1
21	iuduike	2022-05-11	17:50:00	US	192.168.131.147	1
25	sbaelish	2022-05-09	07:04:02	US	192.168.33.137	1
26	apatel	2022-05-08	17:27:00	CANADA	192.168.123.105	1
29	bisles	2022-05-11	01:21:22	US	192.168.85.186	0

Retrieve employees in Marketing

Query: `SELECT * FROM employees WHERE department LIKE 'Marketing' AND office LIKE 'EAST%';`

Output:

```
MariaDB [organization]> SELECT * FROM employees WHERE department LIKE 'Marketing' AND office LIKE 'EAST%';
+-----+-----+-----+-----+-----+
| employee_id | device_id | username | department | office |
+-----+-----+-----+-----+-----+
| 1000 | a320b137c219 | elarson | Marketing | East-170 |
| 1052 | a192b174c940 | jdarosa | Marketing | East-195 |
| 1075 | x573y883z772 | fbautist | Marketing | East-267 |
| 1088 | k865l965m233 | rgosh | Marketing | East-157 |
| 1103 | NULL | randerss | Marketing | East-460 |
| 1156 | a184b775c707 | dellery | Marketing | East-417 |
| 1163 | h679i515j339 | cwilliam | Marketing | East-216 |
+-----+-----+-----+-----+-----+
7 rows in set (0.001 sec)

MariaDB [organization]>
```

Retrieve employees in Finance or Sales

Query: `SELECT * FROM employees WHERE department LIKE 'Finance' OR department LIKE 'Sales';`

Output:

```
MariaDB [organization]> SELECT * FROM employees WHERE department LIKE 'Finance' OR department LIKE 'Sales';
+-----+-----+-----+-----+-----+
| employee_id | device_id | username | department | office |
+-----+-----+-----+-----+-----+
| 1003 | d394e816f943 | sgilmore | Finance | South-153 |
| 1007 | h174i497j413 | wjaffrey | Finance | North-406 |
| 1008 | i858j583k571 | abernard | Finance | South-170 |
| 1009 | NULL | lrodriqu | Sales | South-134 |
| 1010 | k242l212m542 | jlansky | Finance | South-109 |
| 1011 | l748m120n401 | drosas | Sales | South-292 |
| 1015 | p611q262r945 | jsoto | Finance | North-271 |
| 1017 | r550s824t230 | jclark | Finance | North-188 |
| 1018 | s310t540u653 | abellmas | Finance | North-403 |
| 1022 | w237x430y567 | arusso | Finance | West-465 |
| 1024 | y976z753a267 | iuduike | Sales | South-215 |
+-----+-----+-----+-----+-----+
```

Retrieve all employees not in IT

Query: `SELECT * FROM employees WHERE NOT department LIKE 'Information Technology';`

Output:

```
MariaDB [organization]> SELECT * FROM employees WHERE NOT department LIKE 'Information Technology';
+-----+-----+-----+-----+-----+
| employee_id | device_id | username | department | office |
+-----+-----+-----+-----+-----+
| 1000 | a320b137c219 | elarson | Marketing | East-170 |
| 1001 | b239c825d303 | bmoreno | Marketing | Central-276 |
| 1002 | c116d593e558 | tshah | Human Resources | North-434 |
| 1003 | d394e816f943 | sgilmore | Finance | South-153 |
| 1004 | e218f877g788 | eraab | Human Resources | South-127 |
| 1005 | f551g340h864 | gesparza | Human Resources | South-366 |
| 1007 | h174i497j413 | wjaffrey | Finance | North-406 |
| 1008 | i858j583k571 | abernard | Finance | South-170 |
| 1009 | NULL | lrodriqu | Sales | South-134 |
| 1010 | k242l212m542 | jlansky | Finance | South-109 |
| 1011 | l748m120n401 | drosas | Sales | South-292 |
| 1015 | p611q262r945 | jsoto | Finance | North-271 |
| 1016 | q793r736s288 | sbaelish | Human Resources | North-229 |
+-----+-----+-----+-----+-----+
```

Summary

The filtration of the required data from the database includes various tasks. They're first I'll retrieve all failed login attempts after business hours. Second, I'll retrieve all login attempts that occurred on specific dates. Third, I'll retrieve logins that didn't originate in Mexico. Fourth, I'll retrieve information about certain employees in the Marketing department. Fifth, I'll retrieve information about employees in the Finance or the Sales department. Finally, I'll obtain information about employees not in the Information Technology department.