IR in Practice (a.k.a. Elastic 4 IR)

https://github.com/ielab/elastic4IR

Guido Zuccon

University of Queensland g.zuccon@uq.edu.au

Thanks to ielab's members





Plan of the Session

- The architecture of a typical IR system and that of Elasticsearch
- Intro to Elasticsearch: functionalities, installation and basic interaction (Activity 0)
- IR in Practice: Hands on with Elastic Search (most in Python/some in Java)
 - 1. Basic Indexing and Search in Elasticsearch
 - 2. Boolean retrieval
 - 3. Produce a TREC Run changing retrieval models
 - 4. Access a Term Vector
 - 5. Implement a New Retrieval Model
 - 6. Document Priors and Boosting (e.g. Link Analysis)
 - 7. Field Retrieval and Field Boosting
 - 8. Text Snippeting for Search Results


Practical activities


- Material is in GitHub: https://github.com/ielab/afirm2019
 - Including these slides, links to data, practical instructions, code
- The folder hands-on contains a subfolder for each of the activities
- Usually an activity has a README.md file with explanation, instructions and exercises. Most activities come with code
- Code is often in the form of a Python notebook (jupyter). One activity relies on Java code.
- When necessary, links to download data are provided

Search Engine Architecture

Basic building blocks:


- The indexing process
- The querying process






^{*} Figures from Croft, Metzler, Strohman, "Search Engines: Information Retrieval in Practice" Free download at:

The indexing process




Parser (tokenizer), Stopping, Stemming, Link Analysis, Information Extraction, Classifiers

The querying process



Logging, Ranking analysis (effectiveness), Performance analysis (efficiency)

The Architecture of Google



(in the early days)


from: S Brin, L Page, *The*Anatomy of a Large-Scale
Hypertextual Web Search
Engine, Computer networks
and ISDN systems, 1998

Many IR Toolkits out there

(a non-exhaustive list)

- Apache Lucene / Sorl / Elasticsearch / Anserini: http://lucene.apache.org/, http://lucene.apache.org/, http://lucene.apache.org/, http://lucene.apache.org/, http://lucene.apache.org/), <a href="http://lucene
- Terrier: http://terrier.org/
- Lemur / Indri / Galago: https://www.lemurproject.org/ (and derivatives/wrappers e.g. Pyindri)
- ATIRE & JASS: http://atire.org, http://atire.org, https://codedocs.xyz/andrewtrotman/JASSv2/
- Some are less popular/maintained:
 - MG4J: http://mg4j.di.unimi.it/
 - Zettair: http://www.seg.rmit.edu.au/zettair/
 - Etc


What is Elasticsearch?



A bit of vocabulary

- Node: a JVM process executing Elasticsearch. Typically one node per machine
- Index: a Lucene Index, which contains documents
- **Document:** a JSON object
- <u>Type:</u> each document has a "_type" field used for filtering when searching on a specific type: this is used to include in an index data that is related, but of different nature (this has been phased out recently)

_type



Sharding

Node 1 Shard 1 Shard 3

- sharding allows to address the hardware limits of each node, by splitting a data index across multiple nodes.
- each node may contain multiple shards

- Node 2

 Shard 2

 Shard 4
- sharing also allows for parallalisation of operations (also within the same node): multiple machines (or cores in one machine) can work on the same query at the same time.
- number of shards specified at index creation (default is 5).

Replication

Node 1

Shard 1

Replica 2

Shard 3

Replica 4

- shards are copied across nodes to create replica shards
- replication delivers high reliability and increased performance for search queries,

Node 2

Shard 2

Replica 1

Shard 4

Replica 3


- searches can be performed on the replicas in parallel
- number of replicas is defined at indexing (default 1)

Interacting with Elasticsearch

- Interaction occur as HTTP requests to the RESTful API
- Can use any RESTful client: curl, Postman, Kibana's Dev Tool Console (from Elastic developers)
- Commands are in the form:

- For example: GET /myindex/_search
- (In curl: curl -XGET "http://localhost:9200/my_index/_search")

Structure of ES URL



APIs

- Indeces API: Create, Delete, Get, Open / Close, Shrink, etc.
 - PUT test?wait_for_active_shards=2
- **Document** API: Index, Get, Delete, Update (also variants for multi-document)
 - POST twitter/tweet/ {"user" : "guidozuc"}
- **Search** API: execute a search query and get back search hits that match the query. Can pass complex queries
 - GET /twitter/_search?q=user:guidozuc
- Cat API: get information about the cluster in human readable format
 - GET /_cat/indeces?v
- Explain API: score explanation for a query and a specific document
- Cluster API: node specifications

Hands-on Activity 0: Installation and Basic Interaction

- All material is at https://github.com/ielab/afirm2019
- Activities are in folder hands-on: https://github.com/ielab/afirm2019/tree/master/hands-on
- Visualise Activity 0 readme

Hands-on Activity 1: Basic Indexing and Search in Elasticsearch

- What we will learn:
 - How to create an index, add documents
 - How to perform searches
 - How to index a TREC collection (example with ClueWeb12)
- Activity at https://github.com/ielab/afirm2019/hands-on/activity-1/

Hands-on Activity 2: Boolean Retrieval

- What we will learn:
 - How to perform searches according to the Boolean model
- Activity at https://github.com/ielab/afirm2019/hands-on/activity-2/

Hands-on Activity 3: Produce a TREC Run & Changing Retrieval

- What we will learn:
 - How to produce a valid TREC formatted run, using the default retrieval model
 - How to change to alternative retrieval models available in Elasticsearch
- Activity at https://github.com/ielab/afirm2019/hands-on/activity-3/

Hands-on Activity 4: Access a Term Vector

- What we will learn:
 - How to access the term vector of a document.
 This can be used e.g. to extend retrieval models
- Activity at https://github.com/ielab/afirm2019/hands-on/activity-4/

Hands-on Activity 5: Implement a New Retrieval Model

- What we will learn:
 - How to access implement a new retrieval model and run searches with it via Elasticsearch
 - (Uses Java)
- Activity at https://github.com/ielab/afirm2019/hands-on/activity-5/

Hands-on Activity 6: Document Priors and Boosting

- What we will learn:
 - How to add document priors to an Elasticsearch index
 - How to boost document scores by including document priors
- Activity at https://github.com/ielab/afirm2019/hands-on/activity-6/

Hands-on Activity 7: Field Retrieval and Field Boosting

- What we will learn:
 - How to search over fields of an index
 - How to perform field-based boosting at search time
- Activity at https://github.com/ielab/afirm2019/hands-on/activity-7/

Hands-on Activity 8: Text Snippeting for Search Results

- What we will learn:
 - How to make Elasticsearch produce SERP snippets, that you can use in a search engine GUI (e.g. for a user-based experiment)
- Activity at https://github.com/ielab/afirm2019/hands-on/activity-8/

Beyond Elasticsearch: The ELK Stack

 Elasticsearch is one of the components within a larger stack for ingesting, search analyse and visualise data from any source, in any format, and in real time.

