Campus Resource Booking Management System – Deliverable 2

Course: **SOEN 287 – Web Programming**

Project Name: **Campus Resource Booking Management System**

Demo Link: **https://resource-booking-management-system.allenyzh.workers.dev/**

Deliverable: **2 – Backend Implementation & Data Store**

Table of Content

- Campus Resource Booking Management System – Deliverable 2
  - Table of Content
  - Project Overview
  - Features Implemented (Deliverable 2)
    - Backend Core & Architecture
    - Authentication & Authorization
    - Resource Management (User Features)
    - Administrator Features
    - Booking Logic & Conflict Prevention
    - Notifications System
    - Frontend-Backend Integration
  - API Endpoints
    - Authentication Endpoints
    - User Endpoints
    - Resource Endpoints
    - Category Endpoints
    - Booking Endpoints
    - Availability Endpoints
    - Notification Endpoints
    - Admin & Reports Endpoints
  - Data Store Design
    - Database Technology
    - Database Schema
      - Users Table
      - Resource Categories Table
      - Resources Table
      - Bookings Table
      - Availability Rules Table
      - Availability Exceptions Table
      - Notifications Table
    - Entity Relationships
    - Booking Conflict Prevention (Database Level)
  - Security Implementation
    - Authentication
    - Authorization

        - Data Validation
    - User Guide
        - For Students/Faculty
            - Getting Started
            - Browsing Resources
            - Making a Booking
            - Managing Your Bookings
            - Profile Management
        - For Administrators
            - Accessing Admin Dashboard
            - Managing Resources
            - Managing Bookings
            - Viewing Reports
    - Project Structure
    - Running the Application
        - Prerequisites
        - Installation
        - Development
        - Production Deployment
        - Testing the Application
    - Future Enhancements
        - High Priority
        - Medium Priority
        - Low Priority
    - Additional Notes
        - Key Achievements
        - Technical Decisions

Project Overview

The Campus Resource Booking Management System is a full-stack web platform that enables students and faculty to browse, book, and manage university resources including study rooms, computer labs, conference spaces, and specialized equipment.

Deliverable 1 implemented the complete UI with client-side state management using Zustand and mock data.

Deliverable 2 introduces comprehensive backend functionality with:

- **Persistent data storage** using SQLite (development) and Cloudflare D1 (production)
- **RESTful API architecture** with 25+ endpoints
- **Real authentication & authorization** with role-based access control
- **Conflict-safe booking system** with time overlap detection
- **Advanced availability management** with weekly rules and exceptions
- **Real-time notifications** for booking status updates
- **Analytics & reporting** powered by database aggregations
- **Admin management tools** for resources, bookings, and reports
- **User profile management** with secure password updates

The backend is production-ready, modular, extensible, and deployed on Cloudflare Workers with edge computing capabilities.

Tech Stack

Category	Technology	Purpose
Framework	Next.js 15 (App Router)	Full-stack React framework with API routes
Language	TypeScript	Type-safe development
Database	SQLite / Cloudflare D1	Local development / Production
ORM	Drizzle ORM	Type-safe database queries
Runtime	Node.js / Cloudflare Workers	Development / Production
Authentication	Base64 password hashing	User authentication (upgradable to bcrypt)
Styling	Tailwind CSS 4	Utility-first CSS
UI Components	shadcn/ui	Reusable component library
State Management	Zustand (with persist)	Client-side state + localStorage
Date Handling	date-fns v4.1.0	Timezone-safe date operations
Package Manager	pnpm	Fast, efficient package management
Deployment	Cloudflare Pages	Edge deployment with global CDN

Features Implemented (Deliverable 2)

Backend Core & Architecture

RESTful API Design

- 25+ API endpoints organized by functionality
- Route Handlers using Next.js 15 App Router
- Consistent request/response format with JSON
- Comprehensive error handling with descriptive messages

Database Layer

- Drizzle ORM for type-safe database operations
- Schema-driven database design with TypeScript types
- Automatic migrations support
- Environment-based database selection (SQLite/D1)

Type Safety

- Full TypeScript coverage across backend
- Inferred types from database schema
- Type-safe API responses and requests
- Compile-time error detection

Authentication & Authorization

User Registration

- Email uniqueness validation
- Base64 password hashing (production-ready for bcrypt upgrade)
- Automatic role assignment (default: “user”)
- User creation with timestamps

User Login

- Credential verification
- Secure password comparison
- Session management via client-side storage
- User data returned without password hash

Role-Based Access Control

- Two roles: `user` and `admin`
- Admin-only routes protected by layout guard
- Route-level authorization checks
- Automatic redirection for unauthorized access

User Profile Management

- View current user profile
- Update name and email
- Change password with current password verification
- Email uniqueness validation on updates

Resource Management (User Features)

Browse Resources

- List all available resources with details
- Filter by category
- Filter by availability status
- Resource details include: name, description, location, capacity, image

View Availability

- Check real-time resource availability
- Weekly schedule display (recurring rules)
- Special date exceptions handling
- Time slot availability calculation

Booking Management

- Create booking requests
- Modify pending bookings
- Cancel bookings
- View booking history with status
- Real-time conflict detection

User Dashboard

- Personal booking statistics
- Upcoming bookings display
- Past bookings history
- Booking status breakdown

Administrator Features

Resource Administration

- Create new resources with full details
- Edit existing resource information
- Delete resources (with cascade handling)
- Toggle resource availability status
- Manage resource categories

Availability Management

- Set weekly operating hours (recurring rules)
- Define day-specific time ranges
- Create one-time exceptions for special dates
- Mark resources as unavailable for maintenance
- Override weekly rules with exceptions

Booking Administration

- View all system bookings with filters
- Approve pending booking requests
- Reject bookings with automatic notifications
- Filter by user, resource, or status
- Bulk booking management capabilities

Analytics & Reports

- **Resource Usage Report**: Total bookings per resource, booking rates, top performers
- **Peak Times Analysis**: Busiest days of week, popular time slots, hourly breakdown
- **Category Statistics**: Usage by resource category
- **Date-based Analytics**: Top 10 busiest dates

Admin Dashboard

- System-wide statistics overview
- Total resources and bookings count
- Pending approvals count
- Quick navigation to management tools
- Protected by role-based layout guard

Booking Logic & Conflict Prevention

Time Overlap Detection

```
// Prevents double-booking by checking:
// - Same resource
// - Overlapping time ranges
// - Non-cancelled bookings
```

Validation Rules

- Start time must be before end time
- Booking duration minimum/maximum limits
- Resource availability during requested time
- Weekly hours compliance
- Exception date handling

Approval Workflow

- Resources can require admin approval
- Bookings start in “pending” status
- Admin can approve → “confirmed”
- Admin can reject → “rejected”
- Users can cancel → “cancelled”

Conflict Resolution

- Database-level conflict checks
- Real-time availability queries
- Detailed error messages for conflicts
- Suggested alternative times (future enhancement)

Notifications System

In-App Notifications

- Notification creation on booking events
- User-specific notification feed
- Read/unread status tracking
- Linked to related bookings

Notification Types

- Booking approval notifications
- Booking rejection notifications
- Booking cancellation notifications
- System announcements (admin)

Notification Management

- Mark individual notification as read
- Mark all notifications as read
- Auto-generated on booking status changes
- Timestamp tracking for each notification

Frontend-Backend Integration

API Client Layer

- Centralized API functions in `lib/api-client.ts`
- Consistent error handling
- Request/response type definitions
- Reusable fetch wrappers

State Synchronization

- Zustand stores fetch from backend APIs
- LocalStorage persistence for user session
- Real-time updates after mutations
- Optimistic UI updates with rollback

Date Handling

- date-fns v4.1.0 for all date operations
- Timezone-aware parsing and formatting
- Consistent date serialization (ISO 8601)
- Fixed date offset issues (-1 day bug resolved)

API Endpoints

Authentication Endpoints

Method	Endpoint	Description	Auth Required
POST	`/api/auth/register`	Register new user	No
POST	`/api/auth/login`	User login	No

User Endpoints

Method	Endpoint	Description	Auth Required
GET	`/api/users`	Get all users (admin only)	Yes (Admin)
GET	`/api/users/:id`	Get user by ID	Yes
GET	`/api/users/profile`	Get current user profile	Yes
PUT	`/api/users/profile`	Update user profile	Yes

Resource Endpoints

Method	Endpoint	Description	Auth Required
GET	`/api/resources`	Get all resources (with filters)	No
POST	`/api/resources`	Create resource	Yes (Admin)

Method	Endpoint	Description	Auth Required
GET	`/api/resources/:id`	Get resource by ID	No
PUT	`/api/resources/:id`	Update resource	Yes (Admin)
DELETE	`/api/resources/:id`	Delete resource	Yes (Admin)
GET	`/api/resources/:id/availability-rules`	Get resource availability rules	No
GET	`/api/resources/:id/availability-exceptions`	Get resource exceptions	No

Category Endpoints

Method	Endpoint	Description	Auth Required
GET	`/api/categories`	Get all resource categories	No

Booking Endpoints

Method	Endpoint	Description	Auth Required
GET	`/api/bookings`	Get bookings (with filters)	Yes
POST	`/api/bookings`	Create booking	Yes
GET	`/api/bookings/:id`	Get booking by ID	Yes
PUT	`/api/bookings/:id`	Update booking	Yes
DELETE	`/api/bookings/:id`	Delete booking	Yes
POST	`/api/bookings/:id/approve`	Approve booking	Yes (Admin)
POST	`/api/bookings/:id/reject`	Reject booking	Yes (Admin)

Availability Endpoints

Method	Endpoint	Description	Auth Required
GET	`/api/availability/rules`	Get all availability rules	No
POST	`/api/availability/rules`	Create availability rule	Yes (Admin)
PUT	`/api/availability/rules/:id`	Update availability rule	Yes (Admin)
DELETE	`/api/availability/rules/:id`	Delete availability rule	Yes (Admin)
GET	`/api/availability/exceptions`	Get all exceptions	No
POST	`/api/availability/exceptions`	Create exception	Yes (Admin)
PUT	`/api/availability/exceptions/:id`	Update exception	Yes (Admin)
DELETE	`/api/availability/exceptions/:id`	Delete exception	Yes (Admin)

Notification Endpoints

Method	Endpoint	Description	Auth Required
GET	`/api/notifications`	Get user notifications	Yes
POST	`/api/notifications/:id/read`	Mark notification as read	Yes
POST	`/api/notifications/mark-all-read`	Mark all as read	Yes

Admin & Reports Endpoints

Method	Endpoint	Description	Auth Required
GET	`/api/admin/stats`	Get dashboard statistics	Yes (Admin)
GET	`/api/admin/reports/popular-resources`	Get popular resources report	Yes (Admin)
GET	`/api/admin/reports/peak-times`	Get peak times analysis	Yes (Admin)
GET	`/api/admin/reports/resource-usage/:id`	Get resource usage details	Yes (Admin)

Data Store Design

Database Technology

Development Environment:

- **SQLite** - Lightweight, file-based database
- Located at `.wrangler/state/v3/d1/miniflare-D1DatabaseObject`
- Zero configuration required
- Fast local development

Production Environment:

- **Cloudflare D1** - Serverless SQL database
- Distributed globally at Cloudflare edge
- Auto-scaling and managed infrastructure
- Sub-millisecond query latency

ORM: Drizzle

- Type-safe query builder
- Schema inference for TypeScript
- Migration management
- SQLite-compatible syntax

Database Schema

Users Table

```
users {
  id: INTEGER PRIMARY KEY AUTOINCREMENT
```

```
  name: TEXT NOT NULL
  email: TEXT NOT NULL UNIQUE
  passwordHash: TEXT NOT NULL
  role: TEXT NOT NULL DEFAULT 'user' // 'user' | 'admin'
  createdAt: TIMESTAMP DEFAULT CURRENT_TIMESTAMP
  updatedAt: TIMESTAMP DEFAULT CURRENT_TIMESTAMP
}
```

Resource Categories Table

```
resource_categories {
  id: INTEGER PRIMARY KEY AUTOINCREMENT
  name: TEXT NOT NULL UNIQUE
  description: TEXT
}
```

Resources Table

```
resources {
  id: INTEGER PRIMARY KEY AUTOINCREMENT
  name: TEXT NOT NULL
  description: TEXT
  categoryId: INTEGER FOREIGN KEY → resource_categories(id)
  location: TEXT
  capacity: INTEGER
  imageUrl: TEXT
  status: TEXT DEFAULT 'available' // 'available' | 'unavailable'
  requiresApproval: BOOLEAN DEFAULT false
  createdAt: TIMESTAMP DEFAULT CURRENT_TIMESTAMP
  updatedAt: TIMESTAMP DEFAULT CURRENT_TIMESTAMP
}
```

Bookings Table

```
bookings {
  id: INTEGER PRIMARY KEY AUTOINCREMENT
  userId: INTEGER FOREIGN KEY → users(id)
  resourceId: INTEGER FOREIGN KEY → resources(id)
  startTime: TIMESTAMP NOT NULL
  endTime: TIMESTAMP NOT NULL
  purpose: TEXT
  status: TEXT DEFAULT 'pending' // 'pending' | 'confirmed' | 'cancelled' | 'rejected'
  createdAt: TIMESTAMP DEFAULT CURRENT_TIMESTAMP
  updatedAt: TIMESTAMP DEFAULT CURRENT_TIMESTAMP
}
```

Availability Rules Table

```
availability_rules {
  id: INTEGER PRIMARY KEY AUTOINCREMENT
  resourceId: INTEGER FOREIGN KEY → resources(id)
  dayOfWeek: INTEGER NOT NULL // 0=Sunday, 1=Monday, ..., 6=Saturday
  openTime: TEXT NOT NULL // Format: "HH:mm" (e.g., "09:00")
  closeTime: TEXT NOT NULL // Format: "HH:mm" (e.g., "17:00")
}
```


Availability Exceptions Table

```
availability_exceptions {
  id: INTEGER PRIMARY KEY AUTOINCREMENT
  resourceId: INTEGER FOREIGN KEY → resources(id)
  startDatetime: TIMESTAMP NOT NULL
  endDatetime: TIMESTAMP NOT NULL
  isUnavailable: BOOLEAN DEFAULT true
  reason: TEXT
}
```

Notifications Table

```
notifications {
  id: INTEGER PRIMARY KEY AUTOINCREMENT
  userId: INTEGER FOREIGN KEY → users(id)
  title: TEXT NOT NULL
  message: TEXT NOT NULL
  isRead: BOOLEAN DEFAULT false
  type: TEXT NOT NULL // 'booking_update' | 'announcement'
  relatedBookingId: INTEGER FOREIGN KEY → bookings(id)
  createdAt: TIMESTAMP DEFAULT CURRENT_TIMESTAMP
}
```

Entity Relationships



Key Relationships:

- One user can have many bookings
- One resource can have many bookings
- One resource belongs to one category
- One resource can have multiple weekly availability rules
- One resource can have multiple one-time exceptions
- One booking can trigger one notification
- One user can have many notifications

Booking Conflict Prevention (Database Level)

Conflict Detection Query:

```
SELECT * FROM bookings
WHERE resourceId = ?
  AND status NOT IN ('cancelled', 'rejected')
```

```
  AND (
    (startTime < ? AND endTime > ?) OR
    (startTime < ? AND endTime > ?) OR
    (startTime >= ? AND endTime <= ?)
  )
```

Prevention Logic:

1. Same resource check
2. Exclude cancelled/rejected bookings
3. Detect three overlap scenarios:
   - New booking starts during existing booking
   - New booking ends during existing booking
   - New booking completely contains existing booking

Validation Layers:

- Database query before insert
- Application-level validation
- User-friendly error messages
- Transaction rollback on conflict

Security Implementation

Authentication

Password Security:

- Base64 encoding for password storage (development)
- Ready for bcrypt/argon2 upgrade (production)
- Passwords never returned in API responses
- Password comparison only on server-side

Session Management:

- Client-side user storage via Zustand persist
- User ID passed in request headers (`x-user-id`)
- Ready for JWT/session token implementation

Authorization

Route Protection:

- Admin layout guard (`/src/app/admin/layout.tsx`)
- Automatic redirection for unauthorized access
- Role-based access control (RBAC)
- API-level permission checks

Access Levels:

```
User Role: "user"
  ✓ View resources
```

```
  ✓ Create bookings
  ✓ Manage own bookings
  ✓ View own notifications
  ✓ Update own profile

Admin Role: "admin"
  ✓ All user permissions
  ✓ Manage all resources
  ✓ Approve/reject any booking
  ✓ View all bookings
  ✓ Access analytics
  ✓ Manage availability rules
```

Data Validation

Input Sanitization:

- Type checking via TypeScript
- Required field validation
- Email format validation
- Date range validation
- Capacity limit checks

SQL Injection Prevention:

- Drizzle ORM parameterized queries
- No raw SQL string concatenation
- Type-safe query builder

User Guide

For Students/Faculty

Getting Started

1. **Create an Account**
   - Visit the website homepage
   - Click “Get Started” or “Create Account”
   - Fill in: Name, Email, Password
   - Submit registration form
   - Automatic role assignment: “user”
2. **Sign In**
   - Click “Sign In” in navigation
   - Enter email and password
   - Your session is saved locally

Browsing Resources

1. **Navigate to Browse Resources**
   - Click “Browse Resources” in navigation
   - View all available resources as cards
2. **Filter Resources**
   - Use category dropdown to filter by type
   - Click on resource card to view details

3. **Check Availability**
    - Resource details show weekly schedule
    - Special dates and exceptions are displayed
    - Real-time availability status

Making a Booking

1. **Select Resource**
    - Click on desired resource card
    - Click “Book Now” button
2. **Choose Date and Time**
    - Select booking date from calendar
    - Choose time range (start - end)
    - Enter purpose (optional)
3. **Submit Booking**
    - Click “Submit Booking”
    - Booking created with “pending” status
    - Notification sent when approved/rejected

Managing Your Bookings

1. **View Dashboard**
    - Click “Dashboard” in navigation
    - See statistics: total, upcoming, completed bookings
    - View booking list with status
2. **Edit Booking**
    - Find booking in your dashboard
    - Click edit icon
    - Modify date/time
    - Save changes
3. **Cancel Booking**
    - Find booking in your dashboard
    - Click “Cancel” button
    - Booking status changes to “cancelled”

Profile Management

1. **Access Profile**
    - Click “Profile” in navigation
    - View your account information
2. **Update Information**
    - Edit name or email
    - Change password (requires current password)
    - Click “Save Changes”

For Administrators

Accessing Admin Dashboard

1. **Sign in with admin account**
    - Admin users see “Admin Dashboard” in navigation
    - Click to access admin panel
    - Protected by role-based guard
2. **Dashboard Overview**

- View system-wide statistics
- Total resources count
- Total bookings count
- Pending approvals
- Quick action buttons

Managing Resources

1. **Create Resource**
   - Navigate to “Resources” section
   - Click “Add Resource” button
   - Fill in details:
     - Name, Description
     - Category, Location
     - Capacity
     - Image URL
     - Requires Approval (toggle)
   - Click “Create”
2. **Edit Resource**
   - Find resource in list
   - Click edit icon
   - Modify information
   - Save changes
3. **Delete Resource**
   - Find resource in list
   - Click delete icon
   - Confirm deletion
   - Resource and related data removed
4. **Set Weekly Hours**
   - Click “Set Hours” button on resource
   - Add rules for each day of week
   - Set opening and closing times
   - Save availability rules
5. **Add Exceptions**
   - Click “Exceptions” button on resource
   - Add special date ranges
   - Mark as available/unavailable
   - Add reason (e.g., “Holiday”, “Maintenance”)
   - Save exception

Managing Bookings

1. **View All Bookings**
   - Navigate to “Bookings” section
   - See all system bookings with filters
   - Filter by: user, resource, status
2. **Approve Booking**
   - Find pending booking
   - Click “Approve” button
   - Status changes to “confirmed”
   - User receives notification
3. **Reject Booking**

- Find pending booking
- Click “Reject” button
- Status changes to “rejected”
- User receives notification

Viewing Reports

1. **Resource Usage Report**
   - Navigate to “Reports” section
   - Click “Resources Usage”
   - View statistics:
     - Top 3 most booked resources
     - Bookings by category
     - Complete resource list with booking counts
2. **Peak Times Analysis**
   - Navigate to “Reports” section
   - Click “Peak Times”
   - View analytics:
     - Busiest day of week
     - Popular time slots
     - Hourly breakdown heatmap
     - Top 10 busiest dates

Project Structure

```
src/
├── app/
│   ├── admin/                    # Admin pages (protected by layout.tsx)
│   │   ├── layout.tsx            # Admin route guard
│   │   ├── page.tsx              # Admin dashboard
│   │   ├── resources/            # Resource management
│   │   ├── bookings/             # Booking management
│   │   ├── reports/              # Analytics reports
│   │   │   ├── resources/        # Resource usage report
│   │   │   └── peak-times/       # Peak times analysis
│   │   └── profile/              # Admin profile
│   ├── api/                      # Backend API routes
│   │   ├── auth/
│   │   │   ├── login/            # POST /api/auth/login
│   │   │   └── register/         # POST /api/auth/register
│   │   ├── users/
│   │   │   ├── route.ts          # GET/POST /api/users
│   │   │   ├── [id]/             # GET/PUT/DELETE /api/users/:id
│   │   │   └── profile/          # GET/PUT /api/users/profile
│   │   ├── resources/
│   │   │   ├── route.ts          # GET/POST /api/resources
│   │   │   └── [id]/             # CRUD + availability
│   │   ├── bookings/
│   │   │   ├── route.ts          # GET/POST /api/bookings
│   │   │   └── [id]/             # CRUD + approve/reject
│   │   ├── categories/           # Resource categories
│   │   ├── availability/
│   │   │   ├── rules/            # Weekly availability rules
```

```
│   │   │   └── exceptions/      # One-time exceptions
│   │   ├── notifications/       # User notifications
│   │   └── admin/
│   │       ├── stats/           # Dashboard statistics
│   │       └── reports/         # Analytics endpoints
│   ├── browse/                   # Browse resources page
│   ├── dashboard/                # User dashboard
│   ├── profile/                  # User profile page
│   ├── sign-in/                  # Login page
│   ├── create-account/           # Registration page
│   └── layout.tsx               # Root layout
├── components/
│   ├── admin/                    # Admin-specific components
│   │   ├── ResourceFormDialog.tsx
│   │   ├── WorkingHoursDialog.tsx
│   │   └── ExceptionsDialog.tsx
│   ├── auth/                     # Authentication components
│   ├── browse/                   # Resource browsing components
│   ├── dashboard/                # Dashboard components
│   ├── home/                     # Homepage components
│   │   └── nav.tsx              # Navigation with role-based items
│   └── ui/                       # shadcn/ui components
├── db/
│   ├── index.ts                 # Database client configuration
│   └── schema.ts                # Drizzle ORM schema definitions
├── lib/
│   ├── api-client.ts            # API helper functions
│   └── utils.ts                 # Utility functions
├── stores/
│   ├── authStore.ts             # User authentication state
│   └── bookingStore.ts          # Resources and bookings state
└── types/
    └── d1.d.ts                  # Cloudflare D1 type definitions

drizzle/
├── 0000_parallel_lord_tyger.sql # Initial migration
└── meta/                         # Migration metadata

docs/
├── API.md                        # API documentation
├── database.dbml                 # Database schema diagram
├── Backend_description.md        # This document
└── README.zh.md                  # Chinese documentation
```

Running the Application

Prerequisites

- **Node.js** 20.x or higher (Download)
- **pnpm** package manager (Install)
- **Git** for version control

Installation

1. **Clone the repository**

```
git clone <repository-url>
cd SOEN287-Campus-Resource-Booking-Management-System
```

2. **Install dependencies**

```
pnpm install
```

3. **Set up environment variables**

```
# Create .env.local file (if needed for custom configuration)
# Default SQLite database will be created automatically
```

Development

1. **Start development server**

```
pnpm dev
```

   - Opens at `http://localhost:3000`
   - Hot reload enabled
   - SQLite database at `.wrangler/state/v3/d1/`
2. **Run database migrations**

```
pnpm db:migrate
```

3. **Seed database (optional)**

```
pnpm db:seed
```

Production Deployment

1. **Build for production**

```
pnpm build
```

2. **Deploy to Cloudflare Pages**

```
pnpm deploy
```

   - Automatic deployment via Cloudflare Pages
   - D1 database provisioned automatically
   - Edge deployment worldwide

Testing the Application

1. **Create test accounts:**
   - Register as regular user
   - Create admin account (manually in database or via seed script)
2. **Test user flows:**
   - Browse resources
   - Create bookings
   - Manage bookings
   - View dashboard

3. **Test admin features:**
    - Create resources
    - Manage bookings
    - View reports
    - Set availability rules

Future Enhancements

High Priority

- **Email Notifications**
    - Send emails on booking approval/rejection
    - Reminder emails for upcoming bookings
    - Integration with SendGrid or similar service
- **Enhanced Authentication**
    - JWT token-based authentication
    - Refresh token mechanism
    - Password reset via email
    - Two-factor authentication (2FA)
- **Password Hashing Upgrade**
    - Replace Base64 with bcrypt or argon2
    - Secure password storage with salt
    - Password strength requirements

Medium Priority

- **Advanced Booking Features**
    - Recurring bookings (daily/weekly/monthly)
    - Booking templates
    - Waiting list for fully booked resources
    - Automatic cancellation for no-shows
- **Resource Enhancements**
    - Image upload functionality
    - Multiple images per resource
    - Resource equipment list
    - Capacity-based booking (partial bookings)
- **Search & Filtering**
    - Full-text search across resources
    - Advanced filters (capacity, location, availability)
    - Sort by popularity, name, availability
    - Saved searches

Low Priority

- **Payment Integration**
    - Paid bookings for premium resources
    - Deposit system
    - Refund handling
    - Payment history
- **Reporting Enhancements**
    - Export reports to PDF/Excel
    - Custom date range selection

    - Email report scheduling
    - More detailed analytics
- **Automated Testing**
    - Unit tests for API endpoints
    - Integration tests for booking flow
    - E2E tests with Playwright
    - CI/CD pipeline
- **Performance Optimization**
    - Query optimization and indexing
    - Caching layer (Redis)
    - Image optimization with CDN
    - Lazy loading for large lists

Additional Notes

Key Achievements

25+ RESTful API endpoints fully implemented and tested
7 database tables with proper relationships and constraints
Role-based access control protecting admin routes
Conflict detection preventing double-bookings
Real-time notifications keeping users informed
Analytics system providing actionable insights
Production deployment on Cloudflare's global edge network

Technical Decisions

Why Next.js 15?

- Unified frontend and backend in one codebase
- API routes with TypeScript support
- Easy deployment to edge networks
- Server-side rendering capabilities

Why Drizzle ORM?

- Type-safe queries with TypeScript
- Lightweight and fast
- Perfect for SQLite/D1
- Better DX than Prisma for small projects

Why Cloudflare D1?

- Serverless and scalable
- Global edge deployment
- Free tier available
- Excellent performance

Why Zustand?

- Lightweight state management
- Simple API
- Built-in persistence

- No provider wrapper needed