

FRACTIONS

One-mark questions

1. The word *fraction* is derived from the Latin word “fractus,” meaning

- A) Joined B) Whole C) Broken D) Equal

Answer: C) Broken

2. Egyptians first used fractions about _____ years ago.

- A) 1000 B) 2000 C) 3000 D) 4000

Answer: D) 4000

3. A fraction shows:

- A) A whole number B) A part of a whole C) A decimal D) A multiple

Answer: B) A part of a whole

4. In a fraction, the top number is called the:

- A) Denominator B) Quotient C) Numerator D) Whole

Answer: C) Numerator

5. The denominator in a fraction tells us:

- A) How many parts we have B) The total equal parts in the whole C) The total numbers added D) None of these

Answer: B) The total equal parts in the whole

6. If one pizza is cut into 8 slices and you take 2 slices, the fraction you have is:

- A) $\frac{2}{4}$ B) $\frac{1}{8}$ C) $\frac{2}{8}$ D) $\frac{8}{2}$

Answer: C) $\frac{2}{8}$

7. 15 minutes is what fraction of an hour?

- A) $\frac{1}{2}$ B) $\frac{1}{4}$ C) $\frac{1}{3}$ D) $\frac{3}{4}$

Answer: B) $\frac{1}{4}$

8. A 50% discount means paying:

- A) $\frac{1}{2}$ the price B) Double C) $\frac{1}{3}$ D) Same price

Answer: A) $\frac{1}{2}$ the price

9. Scoring 18 marks out of 20 can be written as the fraction:

- A) $\frac{9}{10}$ B) $\frac{18}{10}$ C) $\frac{10}{18}$ D) $\frac{18}{20}$

Answer: D) $\frac{18}{20}$

10. Fractions can be classified into how many main types?

- A) 3 B) 4 C) 5 D) 2

Answer: B) 4

11. A proper fraction has:

- A) Numerator > Denominator B) Denominator > Numerator C) Both equal D) None

Answer: B) Denominator > Numerator

12. An example of a proper fraction is:

- A) $\frac{7}{6}$ B) $\frac{6}{6}$ C) $\frac{2}{3}$ D) $\frac{5}{4}$

Answer: C) $\frac{2}{3}$

13. An improper fraction has:

- A) Numerator < Denominator B) Numerator = 0 C) Numerator $\geq$ Denominator D) Denominator = 0

Answer: C) Numerator $\geq$ Denominator

14. Which of the following is an improper fraction?

- A) $\frac{5}{7}$ B) $\frac{2}{9}$ C) $\frac{9}{9}$ D) $\frac{3}{4}$

Answer: C) $\frac{9}{9}$

15. A mixed fraction is a combination of:

- A) Whole number and improper fraction B) Whole number and proper fraction C) Two whole numbers D) None of these

Answer: B) Whole number and proper fraction

16. Example of a mixed fraction:

- A) $\frac{5}{3}$ B) $3\frac{1}{2}$ C) $\frac{8}{2}$ D) $\frac{2}{7}$

Answer: B) $3\frac{1}{2}$

17. A unit fraction always has:

- A) Denominator = 1 B) Numerator = 1 C) Numerator > Denominator D) Both = 0

Answer: B) Numerator = 1

18. Example of a unit fraction:

- A) $\frac{2}{5}$ B) $\frac{1}{8}$ C) $\frac{3}{7}$ D) $\frac{5}{6}$

Answer: B) $\frac{1}{8}$

19. $3\frac{1}{2}$ as an improper fraction equals:

- A) $\frac{6}{2}$ B) $\frac{7}{2}$ C) $\frac{5}{3}$ D) $\frac{2}{7}$

Answer: B) $\frac{7}{2}$

20. To convert a mixed fraction to an improper fraction, first:

- A) Subtract numerator from denominator B) Multiply denominator and whole number, then add numerator C) Divide numerator by denominator D) Add numerator and denominator

Answer: B) Multiply denominator and whole number, then add numerator

21. Convert $4\frac{10}{5}$ into an improper fraction.

- A) $\frac{20}{5}$ B) $\frac{10}{5}$ C) $\frac{30}{5}$ D) $\frac{25}{5}$

Answer: C) $\frac{30}{5}$

22. $\frac{30}{5}$ simplified equals:

- A) 5 B) 6 C) 7 D) 8

Answer: B) 6

23. To convert an improper fraction to a mixed fraction, we:

- A) Multiply numerator and denominator B) Divide numerator by denominator C) Add numerator and denominator D) Subtract denominator from numerator

Answer: B) Divide numerator by denominator

24. When 11 is divided by 5, quotient = 2, remainder = 1, then the mixed fraction is:

- A) $1\frac{2}{5}$ B) $2\frac{1}{5}$ C) $5\frac{2}{1}$ D) $2\frac{5}{1}$

Answer: B) $2\frac{1}{5}$

25. In a mixed fraction, the denominator is always:

- A) Different from improper fraction's denominator B) Same as the improper fraction's denominator C) Zero D) None of these

Answer: B) Same as the improper fraction's denominator

26. Fractions with the same denominators are called:

- A) Proper fractions B) Improper fractions C) Like fractions D) Mixed fractions

Answer: C) Like fractions

27. Example of like fractions:

- A) $\frac{1}{3}$, $\frac{2}{5}$ B) $\frac{2}{7}$, $\frac{3}{8}$ C) $\frac{1}{4}$, $\frac{3}{4}$, $\frac{2}{4}$ D) $\frac{1}{2}$, $\frac{2}{3}$

Answer: C) $\frac{1}{4}$, $\frac{3}{4}$, $\frac{2}{4}$

28. In $\frac{1}{8}$, $\frac{2}{8}$, $\frac{3}{8}$, the denominator is the same, so these are:

A) Like fractions B) Unlike fractions C) Improper fractions D) Whole numbers

Answer: A) Like fractions

29. In like fractions, only the _____ differ.

A) Denominators B) Numerators C) Whole numbers D) Both numerator and denominator

Answer: B) Numerators

30. Fractions with different denominators are called:

A) Like fractions B) Unit fractions C) Unlike fractions D) Equal fractions

Answer: C) Unlike fractions

31. Which of these are unlike fractions?

A) $\frac{2}{5}$, $\frac{3}{5}$ B) $\frac{1}{7}$, $\frac{2}{9}$ C) $\frac{4}{8}$, $\frac{6}{8}$ D) $\frac{2}{3}$, $\frac{1}{3}$

Answer: B) $\frac{1}{7}$, $\frac{2}{9}$

32. In $\frac{4}{5}$, $\frac{2}{3}$, $\frac{6}{7}$ — denominators are:

A) Equal B) Different C) Zero D) One

Answer: B) Different

33. The unlike fraction with the **largest denominator** is the:

A) Greatest B) Smallest C) Equal D) Cannot say

Answer: B) Smallest

34. To compare unlike fractions, first make:

A) Numerators equal B) Denominators equal C) Both equal D) None

Answer: B) Denominators equal

35. To make denominators equal, we use:

A) HCF B) LCM C) Multiplication D) Division

Answer: B) LCM

36. Among $\frac{6}{13}$, $\frac{6}{14}$, and $\frac{6}{15}$, the smallest fraction is:

A) $\frac{6}{13}$ B) $\frac{6}{14}$ C) $\frac{6}{15}$ D) All equal

Answer: C) $\frac{6}{15}$

37. When unlike fractions have the same numerator, the fraction with the _____ denominator is smaller.

A) Larger B) Smaller C) Equal D) Prime

Answer: A) Larger

38. To compare $\frac{4}{5}$, $\frac{2}{3}$, $\frac{6}{7}$, first step is to find:

A) HCF of denominators B) LCM of denominators C) GCF of numerators D) Add all fractions

Answer: B) LCM of denominators

39. When adding like fractions, you:

A) Add denominators B) Add numerators only C) Add both D) Subtract denominators

Answer: B) Add numerators only

40. Example: $\frac{1}{2} + \frac{5}{2} + \frac{7}{2} =$

A) $\frac{11}{2}$ B) $\frac{12}{2}$ C) $\frac{13}{2}$ D) $\frac{14}{2}$

Answer: C) $\frac{13}{2}$

41. In addition of like fractions, the denominator remains:

A) The same B) Doubled C) Subtracted D) Divided

Answer: A) The same

42. For adding unlike fractions, first make them:

A) Mixed fractions B) Like fractions C) Improper fractions D) None

Answer: B) Like fractions

43. To make fractions like, find the:

- A) Product of denominators B) LCM of denominators C) Difference of denominators D) Average

Answer: B) LCM of denominators

44. LCM of 2 and 3 is:

- A) 3 B) 4 C) 5 D) 6

Answer: D) 6

45. $(1/2) + (2/3) = ?$

- A) $3/5$ B) $7/6$ C) $5/6$ D) $2/5$

Answer: B) $7/6$

46. To change $1/2$ into denominator 6, multiply numerator and denominator by:

- A) 2 B) 3 C) 6 D) 1

Answer: B) 3

47. $3/6 + 4/6 = ?$

- A) $6/6$ B) $5/6$ C) $7/6$ D) $8/6$

Answer: C) $7/6$

48. Mixed fractions are added by:

- A) Converting into decimals B) Adding whole parts and fractions separately C) Ignoring fractions D) None

Answer: B) Adding whole parts and fractions separately

49. $3\frac{2}{6} + 2\frac{3}{2} = ?$

- A) $6\frac{5}{2}$ B) $5\frac{9}{2}$ C) $19/2$ D) $7\frac{3}{2}$

Answer: C) $19/2$

50. In adding mixed fractions, the whole parts are added:

- A) At the end B) Separately C) Together with numerator D) Ignored

Answer: B) Separately

51. In subtraction of like fractions, we:

- A) Subtract numerators B) Subtract denominators C) Subtract both D) Multiply

Answer: A) Subtract numerators

52. Example: $2/3 - 8/3 =$

- A) $6/3$ B) $-6/3$ C) $2/6$ D) $8/2$

Answer: B) $-6/3$

53. In subtraction of like fractions, denominator remains:

- A) Doubled B) The same C) 0 D) Divided

Answer: B) The same

54. To subtract unlike fractions, we first make:

- A) Like fractions B) Improper fractions C) Mixed fractions D) Unit fractions

Answer: A) Like fractions

55. The first step in subtraction of unlike fractions is to find:

- A) HCF B) LCM of denominators C) Sum of denominators D) Difference

Answer: B) LCM of denominators

56. Example: $9/6 - 14/2 = ?$

- A) $-33/6$ B) $-42/6$ C) $33/6$ D) $9/2$

Answer: A) $-33/6$

57. When denominators are made equal, we subtract:

- A) Denominators B) Numerators C) Both D) Whole parts

Answer: B) Numerators

58. To subtract mixed fractions, first subtract:

- A) Whole numbers only B) Whole parts separately and then fractions C) Denominators D) Nothing

Answer: B) Whole parts separately and then fractions

59. Mixed fraction subtraction can also be done by converting to:

- A) Like fractions B) Improper fractions C) Whole numbers D) Unit fractions

Answer: B) Improper fractions

60. When multiplying two fractions, multiply:

- A) Numerators only B) Denominators only C) Numerators and denominators separately D) None

Answer: C) Numerators and denominators separately

61. Product of two fractions =

- A) Sum of numerators / Sum of denominators B) Product of numerators / Product of denominators C) Average D) Difference

Answer: B) Product of numerators / Product of denominators

62. $(2/3) \times (3/5) = ?$

- A) $6/15$ B) $5/15$ C) $15/6$ D) $2/5$

Answer: A) $6/15$

63. Multiplication of a fraction by a whole number is done by multiplying:

- A) Whole number with numerator B) Whole number with denominator C) Whole with both D) None

Answer: A) Whole number with numerator

64. $4 \times (1/2) = ?$

- A) 2 B) 3 C) 1 D) 8

Answer: A) 2

65. "1/5 of 20" means:

- A) $20 \times 1/5$ B) $20 \div 5$ C) 1×20 D) Both A and B

Answer: D) Both A and B

66. 1/5 of 20 = ?

- A) 2 B) 3 C) 4 D) 5

Answer: C) 4

67. In "1/5 of 20," the word "of" means:

- A) Add B) Divide C) Multiply D) Subtract

Answer: C) Multiply

68. $2 \frac{1}{2} = ?$ (Improper fraction)

- A) $4/2$ B) $5/2$ C) $6/2$ D) $7/2$

Answer: B) $5/2$

69. $7/2 = ?$ (Mixed fraction)

- A) $3 \frac{1}{2}$ B) $2 \frac{1}{2}$ C) $1 \frac{1}{2}$ D) $4 \frac{1}{2}$

Answer: A) $3 \frac{1}{2}$

70. The fraction $1/16$ is a:

- A) Proper fraction B) Unit fraction C) Improper fraction D) Mixed fraction

Answer: B) Unit fraction

71. $8/8$ equals:

- A) 0 B) 1 C) 8 D) 2

Answer: B) 1

72. In fraction $\frac{9}{4}$, numerator =

- A) 9 B) 4 C) 13 D) 5

Answer: A) 9

73. In fraction $\frac{9}{4}$, denominator =

- A) 9 B) 13 C) 4 D) 5

Answer: C) 4

74. A fraction with denominator 1 is equal to:

- A) 0 B) The numerator itself C) 1 D) Denominator

Answer: B) The numerator itself

75. $\frac{1}{2}$ of 12 apples =

- A) 3 B) 4 C) 6 D) 8

Answer: C) 6

76. $\frac{3}{4}$ of 20 =

- A) 10 B) 15 C) 5 D) 8

Answer: B) 15

77. $\frac{1}{3}$ of 24 =

- A) 6 B) 8 C) 12 D) 18

Answer: B) 8

78. If you eat 2 slices out of 8, you ate:

- A) $\frac{1}{8}$ B) $\frac{2}{8}$ C) $\frac{4}{8}$ D) $\frac{6}{8}$

Answer: B) $\frac{2}{8}$

79. Which of the following is a proper fraction?

- A) $\frac{10}{3}$ B) $\frac{5}{9}$ C) $\frac{7}{7}$ D) $\frac{9}{5}$

Answer: B) $\frac{5}{9}$

80. Which of the following is an improper fraction?

- A) $\frac{5}{8}$ B) $\frac{2}{7}$ C) $\frac{9}{4}$ D) $\frac{1}{3}$

Answer: C) $\frac{9}{4}$

81. Which of the following is NOT a mixed fraction?

- A) $1\frac{1}{2}$ B) $2\frac{2}{3}$ C) $\frac{3}{4}$ D) $3\frac{1}{5}$

Answer: C) $\frac{3}{4}$

82. The denominator of $\frac{3}{5}$ is:

- A) 3 B) 5 C) 8 D) 2

Answer: B) 5

83. $\frac{0}{7}$ =

- A) 7 B) 0 C) 1 D) Undefined

Answer: B) 0

84. $\frac{7}{0}$ is:

- A) 7 B) 0 C) Undefined D) 1

Answer: C) Undefined

85. If a fraction's numerator and denominator are the same, its value is:

- A) 0 B) 1 C) Undefined D) Fractional

Answer: B) 1

86. The reciprocal of $\frac{2}{3}$ is:

- A) $\frac{3}{2}$ B) $\frac{2}{3}$ C) $\frac{1}{3}$ D) $\frac{1}{2}$

Answer: A) $\frac{3}{2}$

87. Reciprocal of $\frac{1}{4}$ is:

- A) 4 B) $\frac{1}{4}$ C) $\frac{1}{2}$ D) $\frac{3}{4}$

Answer: A) 4

88. If you divide a cake into 4 equal pieces and eat 3, you ate:

- A) $\frac{1}{4}$ B) $\frac{3}{4}$ C) $\frac{1}{3}$ D) $\frac{4}{3}$ **Answer:** B) $\frac{3}{4}$

89. Which pair shows like fractions?

- A) $\frac{1}{2}$ & $\frac{2}{4}$ B) $\frac{2}{5}$ & $\frac{3}{5}$ C) $\frac{3}{4}$ & $\frac{2}{3}$ D) $\frac{5}{6}$ & $\frac{6}{5}$

Answer: B) $\frac{2}{5}$ & $\frac{3}{5}$

90. Which is the largest among $\frac{1}{4}$, $\frac{1}{3}$, $\frac{1}{5}$?

- A) $\frac{1}{4}$ B) $\frac{1}{3}$ C) $\frac{1}{5}$ D) All equal

Answer: B) $\frac{1}{3}$

91. $\frac{3}{6}$ simplified equals:

- A) $\frac{1}{2}$ B) $\frac{1}{3}$ C) $\frac{2}{3}$ D) $\frac{3}{2}$

Answer: A) $\frac{1}{2}$

92. $\frac{10}{20}$ simplified equals:

- A) $\frac{1}{2}$ B) $\frac{1}{3}$ C) $\frac{1}{5}$ D) $\frac{1}{4}$

Answer: A) $\frac{1}{2}$

93. $\frac{2}{5} + \frac{2}{5} =$

- A) $\frac{3}{5}$ B) $\frac{4}{5}$ C) $\frac{2}{5}$ D) 2

Answer: B) $\frac{4}{5}$

94. $\frac{3}{4} - \frac{1}{4} =$

- A) $\frac{1}{2}$ B) $\frac{3}{4}$ C) $\frac{1}{4}$ D) $\frac{2}{3}$

Answer: A) $\frac{1}{2}$

95. $\frac{1}{2} \times \frac{1}{2} =$

- A) $\frac{1}{2}$ B) $\frac{1}{4}$ C) $\frac{2}{3}$ D) $\frac{1}{8}$

Answer: B) $\frac{1}{4}$

96. $\frac{2}{3} \times \frac{3}{4} =$

- A) $\frac{2}{3}$ B) $\frac{1}{2}$ C) $\frac{9}{12}$ D) $\frac{6}{12}$

Answer: C) $\frac{9}{12}$

97. $\frac{9}{12}$ simplified equals:

- A) $\frac{3}{4}$ B) $\frac{2}{3}$ C) $\frac{1}{2}$ D) $\frac{1}{5}$

Answer: A) $\frac{3}{4}$

98. $\frac{1}{3} + \frac{1}{3} =$

- A) $\frac{1}{6}$ B) 1 C) $\frac{2}{3}$ D) $\frac{3}{3}$

Answer: C) $\frac{2}{3}$

99. If Ravi has 20 apples and Ram has $\frac{1}{5}$ of them, Ram has:

- A) 2 B) 3 C) 4 D) 5

Answer: C) 4

100. The word “of” in fractions represents which operation?

- A) Subtraction B) Division C) Multiplication D) Addition

Answer: C) Multiplication